

Cylindrical Roller Bearing - Non-Separable, Inner Ring w/ Two Ribs, Outer Ring w/ One Rib, Retaining Ring

Single Row Cylindrical Roller Bearings - Non-Separable Type

241 items



Select an NTN item number to open its detail page on www.catson.vn.

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MU1013UL	—	100 mm	65 mm	Open	58.500 N	82.000 N	—	—
MU1013UV	—	100 mm	65 mm	Open	58.500 N	82.000 N	—	—
MU1014UL	—	110 mm	70 mm	Open	70.500 N	92.000 N	—	—
MU1014UX	—	110 mm	70 mm	Open	72.500 N	96.000 N	—	—
MU1015UL	—	115 mm	75 mm	Open	72.000 N	96.500 N	—	—
MU1015UV	—	115 mm	75 mm	Open	72.000 N	96.500 N	—	—
MU1015UX	—	115 mm	75 mm	Open	76.500 N	105.000 N	—	—
MU1016UL	—	125 mm	80 mm	Open	88.000 N	117.000 N	—	—
MU1016UV	—	125 mm	80 mm	Open	91.000 N	123.000 N	—	—
MU1016UX	—	125 mm	80 mm	Open	97.000 N	133.000 N	—	—
MU1017UL	—	130 mm	85 mm	Open	87.500 N	118.000 N	—	—
MU1017UV	—	130 mm	85 mm	Open	93.500 N	129.000 N	—	—
MU1017UX	—	130 mm	85 mm	Open	96.500 N	134.000 N	—	—
MU1020UV	—	150 mm	100 mm	Open	100.000 N	147.000 N	—	—
MU1021UV	—	160 mm	105 mm	Open	149.000 N	222.000 N	—	—
MU1021UX	—	160 mm	105 mm	Open	154.000 N	231.000 N	—	—
MU1024UX	—	180 mm	120 mm	Open	184.000 N	284.000 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MU1205UL	—	52 mm	25 mm	Open	31.000 N	33.500 N	—	—
MU1205UM	—	52 mm	25 mm	Open	35.500 N	40.000 N	—	—
MU1205UX	—	52 mm	25 mm	Open	31.000 N	33.500 N	—	—
MU1206UL	—	62 mm	30 mm	Open	41.000 N	43.000 N	—	—
MU1206UM	—	62 mm	30 mm	Open	47.000 N	52.000 N	—	—
MU1207UL	—	72 mm	35 mm	Open	47.000 N	49.000 N	—	—
MU1207UM	—	72 mm	35 mm	Open	54.000 N	58.500 N	—	—
MU1207UX	—	72 mm	35 mm	Open	47.000 N	49.000 N	—	—
MU1208UL	—	80 mm	40 mm	Open	55.500 N	60.000 N	—	—
MU1208UM	—	80 mm	40 mm	Open	63.500 N	71.500 N	—	—
MU1208UX	—	80 mm	40 mm	Open	55.500 N	60.000 N	—	—
MU1209UBM	—	85 mm	45 mm	Open	—	—	—	—
MU1209UL	—	85 mm	45 mm	Open	64.000 N	75.000 N	—	—
MU1209UM	—	85 mm	45 mm	Open	72.000 N	87.000 N	—	—
MU1209UV	—	85 mm	45 mm	Open	64.000 N	75.000 N	—	—
MU1209UX	—	85 mm	45 mm	Open	64.000 N	75.000 N	—	—
MU1210UL	—	90 mm	50 mm	Open	65.000 N	78.500 N	—	—
MU1210UM	—	90 mm	50 mm	Open	75.000 N	95.000 N	—	—
MU1210UX	—	90 mm	50 mm	Open	65.000 N	78.500 N	—	—
MU1211UL	—	100 mm	55 mm	Open	78.000 N	95.500 N	—	—
MU1211UM	—	100 mm	55 mm	Open	90.000 N	115.000 N	—	—
MU1211UV	—	100 mm	55 mm	Open	78.000 N	95.500 N	—	—
MU1211UX	—	100 mm	55 mm	Open	78.000 N	95.500 N	—	—
MU1212UL	—	110 mm	60 mm	Open	95.000 N	112.000 N	—	—
MU1212UV	—	110 mm	60 mm	Open	95.000 N	112.000 N	—	—
MU1212UX	—	110 mm	60 mm	Open	95.000 N	112.000 N	—	—
MU1213UL	—	120 mm	65 mm	Open	108.000 N	135.000 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MU1213UV	—	120 mm	65 mm	Open	108.000 N	135.000 N	—	—
MU1213UX	—	120 mm	65 mm	Open	108.000 N	135.000 N	—	—
MU1214UL	—	125 mm	70 mm	Open	114.000 N	142.000 N	—	—
MU1214UV	—	125 mm	70 mm	Open	114.000 N	142.000 N	—	—
MU1214UX	—	125 mm	70 mm	Open	119.000 N	150.000 N	—	—
MU1215UL	—	130 mm	75 mm	Open	123.000 N	159.000 N	—	—
MU1215UM	—	130 mm	75 mm	Open	141.000 N	191.000 N	—	—
MU1215UX	—	130 mm	75 mm	Open	123.000 N	159.000 N	—	—
MU1216UL	—	140 mm	80 mm	Open	131.000 N	166.000 N	—	—
MU1216UX	—	140 mm	80 mm	Open	136.000 N	174.000 N	—	—
MU1217UL	—	150 mm	85 mm	Open	154.000 N	194.000 N	—	—
MU1217UM	—	150 mm	85 mm	Open	185.000 N	248.000 N	—	—
MU1217UV	—	150 mm	85 mm	Open	154.000 N	194.000 N	—	—
MU1217UX	—	150 mm	85 mm	Open	160.000 N	205.000 N	—	—
MU1218UL	—	160 mm	90 mm	Open	173.000 N	217.000 N	—	—
MU1218UM	—	160 mm	90 mm	Open	188.000 N	243.000 N	—	—
MU1218UV	—	160 mm	90 mm	Open	181.000 N	230.000 N	—	—
MU1218UX	—	160 mm	90 mm	Open	188.000 N	243.000 N	—	—
MU1219UL	—	170 mm	95 mm	Open	203.000 N	258.000 N	—	—
MU1219UX	—	170 mm	95 mm	Open	212.000 N	273.000 N	—	—
MU1220UL	—	180 mm	100 mm	Open	233.000 N	300.000 N	—	—
MU1220UV	—	180 mm	100 mm	Open	233.000 N	300.000 N	—	—
MU1220UX	—	180 mm	100 mm	Open	224.000 N	286.000 N	—	—
MU1221UM	—	190 mm	105 mm	Open	289.000 N	395.000 N	—	—
MU1221UV	—	190 mm	105 mm	Open	238.000 N	305.000 N	—	—
MU1222UL	—	200 mm	110 mm	Open	255.000 N	330.000 N	—	—
MU1222UM	—	200 mm	110 mm	Open	310.000 N	425.000 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MU1224UL	—	215 mm	120 mm	Open	300.000 N	405.000 N	—	—
MU1226UL	—	230 mm	130 mm	Open	305.000 N	400.000 N	—	—
MU1228UV	—	250 mm	140 mm	Open	385.000 N	505.000 N	—	—
MU1304UL	—	52 mm	20 mm	Open	31.000 N	28.000 N	—	—
MU1305UL	—	62 mm	25 mm	Open	42.000 N	39.000 N	—	—
MU1305UM	—	62 mm	25 mm	Open	47.500 N	45.500 N	—	—
MU1305UV	—	62 mm	25 mm	Open	39.500 N	36.000 N	—	—
MU1306UL	—	72 mm	30 mm	Open	55.000 N	56.500 N	—	—
MU1306UM	—	72 mm	30 mm	Open	60.500 N	64.500 N	—	—
MU1306UX	—	72 mm	30 mm	Open	55.000 N	56.500 N	—	—
MU1307UL	—	80 mm	35 mm	Open	69.000 N	74.500 N	—	—
MU1307UM	—	80 mm	35 mm	Open	79.500 N	90.500 N	—	—
MU1307UV	—	80 mm	35 mm	Open	69.000 N	74.500 N	—	—
MU1307UX	—	80 mm	35 mm	Open	69.000 N	74.500 N	—	—
MU1308SAHL	—	90 mm	40 mm	Open	—	—	—	—
MU1308UL	—	90 mm	35 mm	Open	87.000 N	92.500 N	—	—
MU1308UM	—	90 mm	40 mm	Open	96.000 N	106.000 N	—	—
MU1308UV	—	90 mm	35 mm	Open	82.000 N	86.000 N	—	—
MU1308UX	—	90 mm	35 mm	Open	82.000 N	86.000 N	—	—
MU1309UL	—	100 mm	40 mm	Open	107.000 N	121.000 N	—	—
MU1309UM	—	100 mm	45 mm	Open	118.000 N	137.000 N	—	—
MU1309UV	—	100 mm	45 mm	Open	102.000 N	113.000 N	—	—
MU1309UX	—	100 mm	40 mm	Open	102.000 N	113.000 N	—	—
MU1310UL	—	110 mm	50 mm	Open	121.000 N	135.000 N	—	—
MU1310UM	—	110 mm	50 mm	Open	140.000 N	164.000 N	—	—
MU1310UV	—	110 mm	50 mm	Open	121.000 N	135.000 N	—	—
MU1310UX	—	110 mm	50 mm	Open	121.000 N	135.000 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MU1311UL	—	120 mm	55 mm	Open	139.000 N	157.000 N	—	—
MU1311UM	—	120 mm	55 mm	Open	153.000 N	178.000 N	—	—
MU1311UV	—	120 mm	55 mm	Open	132.000 N	147.000 N	—	—
MU1312UL	—	130 mm	60 mm	Open	168.000 N	195.000 N	—	—
MU1312UM	—	130 mm	60 mm	Open	185.000 N	221.000 N	—	—
MU1312UV	—	130 mm	60 mm	Open	160.000 N	182.000 N	—	—
MU1312UX	—	130 mm	60 mm	Open	160.000 N	182.000 N	—	—
MU1313UL	—	140 mm	65 mm	Open	188.000 N	218.000 N	—	—
MU1313UM	—	140 mm	65 mm	Open	217.000 N	264.000 N	—	—
MU1313UV	—	140 mm	65 mm	Open	188.000 N	218.000 N	—	—
MU1313UX	—	140 mm	65 mm	Open	188.000 N	218.000 N	—	—
MU1314UL	—	150 mm	70 mm	Open	211.000 N	247.000 N	—	—
MU1314UM	—	150 mm	70 mm	Open	245.000 N	300.000 N	—	—
MU1314UV	—	150 mm	70 mm	Open	211.000 N	247.000 N	—	—
MU1314UX	—	150 mm	70 mm	Open	211.000 N	247.000 N	—	—
MU1315UL	—	160 mm	75 mm	Open	223.000 N	258.000 N	—	—
MU1315UX	—	160 mm	75 mm	Open	223.000 N	258.000 N	—	—
MU1316UL	—	170 mm	80 mm	Open	267.000 N	320.000 N	—	—
MU1317UL	—	180 mm	85 mm	Open	269.000 N	315.000 N	—	—
MU1318UL	—	190 mm	90 mm	Open	300.000 N	355.000 N	—	—
MU1318UV	—	190 mm	90 mm	Open	335.000 N	410.000 N	—	—
MU1318UX	—	190 mm	90 mm	Open	335.000 N	410.000 N	—	—
MU1319UL	—	200 mm	95 mm	Open	320.000 N	390.000 N	—	—
MU1319UX	—	200 mm	95 mm	Open	355.000 N	445.000 N	—	—
MU1320UL	—	215 mm	100 mm	Open	350.000 N	430.000 N	—	—
MU1320UX	—	215 mm	100 mm	Open	390.000 N	490.000 N	—	—
MU1321UL	—	225 mm	105 mm	Open	420.000 N	525.000 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MU1321UV	—	225 mm	105 mm	Open	440.000 N	565.000 N	—	—
MU1922UL	—	150 mm	110 mm	Open	87.000 N	137.000 N	—	—
MU1922UV	—	150 mm	110 mm	Open	87.000 N	137.000 N	—	—
MU1922UX	—	150 mm	110 mm	Open	90.500 N	145.000 N	—	—
MU1924UL	—	165 mm	120 mm	Open	111.000 N	176.000 N	—	—
MU1924UV	—	165 mm	120 mm	Open	108.000 N	171.000 N	—	—
MU1926UL	—	180 mm	130 mm	Open	148.000 N	241.000 N	—	—
MU1926UV	—	180 mm	130 mm	Open	145.000 N	233.000 N	—	—
MU1934UV	—	230 mm	170 mm	Open	211.000 N	375.000 N	—	—
MU1956UV	—	380 mm	280 mm	Open	635.000 N	1.180.000 N	—	—
MU5204UM	—	47 mm	20 mm	Open	44.500 N	52.000 N	—	—
MU5205UL	—	52 mm	25 mm	Open	42.500 N	50.000 N	—	—
MU5205UM	—	52 mm	25 mm	Open	48.000 N	59.500 N	—	—
MU5205UX	—	52 mm	25 mm	Open	42.500 N	50.000 N	—	—
MU5206UL	—	62 mm	30 mm	Open	61.000 N	72.500 N	—	—
MU5206UM	—	62 mm	30 mm	Open	70.000 N	87.000 N	—	—
MU5206UV	—	62 mm	30 mm	Open	61.000 N	72.500 N	—	—
MU5207UL	—	72 mm	35 mm	Open	76.500 N	91.500 N	—	—
MU5207UM	—	72 mm	35 mm	Open	88.000 N	110.000 N	—	—
MU5207UX	—	72 mm	35 mm	Open	76.500 N	91.500 N	—	—
MU5208UL	—	80 mm	40 mm	Open	96.500 N	122.000 N	—	—
MU5208UM	—	80 mm	40 mm	Open	110.000 N	145.000 N	—	—
MU5208UX	—	80 mm	40 mm	Open	96.500 N	122.000 N	—	—
MU5209UL	—	85 mm	45 mm	Open	105.000 N	140.000 N	—	—
MU5209UX	—	85 mm	45 mm	Open	105.000 N	140.000 N	—	—
MU5210UL	—	90 mm	50 mm	Open	104.000 N	144.000 N	—	—
MU5210UX	—	90 mm	50 mm	Open	104.000 N	144.000 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MU5211UL	—	100 mm	55 mm	Open	127.000 N	178.000 N	—	—
MU5211UX	—	100 mm	55 mm	Open	127.000 N	178.000 N	—	—
MU5212UL	—	110 mm	60 mm	Open	164.000 N	226.000 N	—	—
MU5212UM	—	110 mm	60 mm	Open	184.000 N	264.000 N	—	—
MU5212UX	—	110 mm	60 mm	Open	164.000 N	226.000 N	—	—
MU5213UL	—	120 mm	65 mm	Open	170.000 N	242.000 N	—	—
MU5213UX	—	120 mm	65 mm	Open	170.000 N	242.000 N	—	—
MU5214UL	—	125 mm	70 mm	Open	188.000 N	270.000 N	—	—
MU5214UX	—	125 mm	70 mm	Open	196.000 N	285.000 N	—	—
MU5215UL	—	130 mm	75 mm	Open	212.000 N	320.000 N	—	—
MU5215UX	—	130 mm	75 mm	Open	212.000 N	320.000 N	—	—
MU5216UL	—	140 mm	80 mm	Open	229.000 N	340.000 N	—	—
MU5216UX	—	140 mm	80 mm	Open	238.000 N	355.000 N	—	—
MU5217UL	—	150 mm	85 mm	Open	272.000 N	405.000 N	—	—
MU5217UV	—	150 mm	85 mm	Open	272.000 N	405.000 N	—	—
MU5217UX	—	150 mm	85 mm	Open	283.000 N	425.000 N	—	—
MU5218UL	—	160 mm	90 mm	Open	305.000 N	455.000 N	—	—
MU5218UV	—	160 mm	90 mm	Open	335.000 N	510.000 N	—	—
MU5218UX	—	160 mm	90 mm	Open	335.000 N	510.000 N	—	—
MU5219UL	—	170 mm	95 mm	Open	355.000 N	530.000 N	—	—
MU5219UX	—	170 mm	95 mm	Open	370.000 N	560.000 N	—	—
MU5220UL	—	180 mm	100 mm	Open	425.000 N	655.000 N	—	—
MU5220UX	—	180 mm	100 mm	Open	410.000 N	620.000 N	—	—
MU5222UL	—	200 mm	110 mm	Open	465.000 N	710.000 N	—	—
MU5224UL	—	215 mm	120 mm	Open	630.000 N	1.040.000 N	—	—
MU5226UL	—	230 mm	130 mm	Open	570.000 N	895.000 N	—	—
MU5304UL	—	52 mm	20 mm	Open	48.000 N	50.000 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MU5306UL	—	72 mm	30 mm	Open	87.500 N	103.000 N	—	—
MU5306UM	—	72 mm	30 mm	Open	96.500 N	118.000 N	—	—
MU5306UX	—	72 mm	30 mm	Open	87.500 N	103.000 N	—	—
MU5307UL	—	80 mm	35 mm	Open	102.000 N	124.000 N	—	—
MU5307UM	—	80 mm	35 mm	Open	118.000 N	151.000 N	—	—
MU5307UX	—	80 mm	35 mm	Open	102.000 N	124.000 N	—	—
MU5308UL	—	90 mm	40 mm	Open	137.000 N	166.000 N	—	—
MU5308UX	—	90 mm	40 mm	Open	129.000 N	154.000 N	—	—
MU5309UL	—	100 mm	45 mm	Open	166.000 N	213.000 N	—	—
MU5309UX	—	100 mm	45 mm	Open	158.000 N	199.000 N	—	—
MU5310UL	—	110 mm	50 mm	Open	185.000 N	235.000 N	—	—
MU5310UX	—	110 mm	50 mm	Open	185.000 N	235.000 N	—	—
MU5311UL	—	120 mm	55 mm	Open	241.000 N	320.000 N	—	—
MU5312UL	—	130 mm	60 mm	Open	294.000 N	400.000 N	—	—
MU5312UX	—	130 mm	60 mm	Open	280.000 N	375.000 N	—	—
MU5313UL	—	140 mm	65 mm	Open	330.000 N	450.000 N	—	—
MU5313UX	—	140 mm	65 mm	Open	330.000 N	450.000 N	—	—
MU5316UL	—	170 mm	80 mm	Open	465.000 N	655.000 N	—	—
MU7222UL	—	200 mm	110 mm	Open	340.000 N	475.000 N	—	—
MU7305UL	—	62 mm	25 mm	Open	55.500 N	56.000 N	—	—
MU7306UL	—	72 mm	30 mm	Open	71.500 N	80.000 N	—	—
MU7306UX	—	72 mm	30 mm	Open	71.500 N	80.000 N	—	—
MU7307UL	—	80 mm	35 mm	Open	89.000 N	104.000 N	—	—
MU7307UM	—	80 mm	35 mm	Open	89.000 N	104.000 N	—	—
MU7307UV	—	80 mm	35 mm	Open	89.000 N	104.000 N	—	—
MU7307UX	—	80 mm	35 mm	Open	89.000 N	104.000 N	—	—
MU7308UL	—	90 mm	40 mm	Open	121.000 N	142.000 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MU7308UM	—	90 mm	40 mm	Open	134.000 N	163.000 N	—	—
MU7308UX	—	90 mm	40 mm	Open	115.000 N	132.000 N	—	—
MU7309UL	—	100 mm	45 mm	Open	136.000 N	165.000 N	—	—
MU7309UM	—	100 mm	45 mm	Open	150.000 N	186.000 N	—	—
MU7309UV	—	100 mm	45 mm	Open	129.000 N	154.000 N	—	—
MU7309UX	—	100 mm	45 mm	Open	129.000 N	154.000 N	—	—
MU7311UL	—	120 mm	55 mm	Open	188.000 N	232.000 N	—	—
MU7312UL	—	130 mm	60 mm	Open	219.000 N	274.000 N	—	—
MU7312UX	—	130 mm	60 mm	Open	208.000 N	256.000 N	—	—
MU7313UL	—	140 mm	65 mm	Open	238.000 N	294.000 N	—	—
MU7313UX	—	140 mm	65 mm	Open	238.000 N	294.000 N	—	—
MU7314UL	—	150 mm	70 mm	Open	267.000 N	335.000 N	—	—
MU7314UX	—	150 mm	70 mm	Open	267.000 N	335.000 N	—	—
MU7315UL	—	160 mm	75 mm	Open	296.000 N	370.000 N	—	—
MU7315UX	—	160 mm	75 mm	Open	296.000 N	370.000 N	—	—
MU7317UL	—	180 mm	85 mm	Open	370.000 N	475.000 N	—	—
MU7318UL	—	190 mm	90 mm	Open	395.000 N	505.000 N	—	—
MU7318UX	—	190 mm	90 mm	Open	440.000 N	580.000 N	—	—
MU7320UL	—	215 mm	100 mm	Open	480.000 N	640.000 N	—	—
MU7320UX	—	215 mm	100 mm	Open	530.000 N	730.000 N	—	—
MUB1205UBVMX	—	52 mm	25 mm	Open	153.000 N	119.000 N	—	—
MUB1307UBM	—	80 mm	35 mm	Open	79.500 N	90.500 N	—	—
MUB1308UM	—	90 mm	35 mm	Open	96.000 N	106.000 N	—	—
MUB1309UM	—	100 mm	40 mm	Open	106.000 N	119.000 N	—	—
MUB5205UM	—	52 mm	25 mm	Open	48.000 N	59.500 N	—	—
MUB5206UM	—	62 mm	30 mm	Open	63.000 N	71.500 N	—	—
MUB7307UBM	—	80 mm	35 mm	Open	93.000 N	110.000 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MUB7309UM	—	100 mm	45 mm	Open	135.000 N	162.000 N	—	—
MUF1210UM	—	90 mm	50 mm	Open	67.500 N	82.500 N	—	—
MUF1306UM	—	72 mm	30 mm	Open	60.500 N	64.500 N	—	—
MUF1306UV	—	72 mm	30 mm	Open	52.000 N	52.500 N	—	—
MUS1307UM	—	80 mm	30 mm	Open	79.500 N	90.500 N	—	—
MUS1308UM	—	90 mm	40 mm	Open	96.000 N	106.000 N	—	—
MUS7307UBM	—	80 mm	35 mm	Open	92.000 N	109.000 N	—	—
MUX5207UMV1	—	72 mm	35 mm	Open	69.000 N	79.500 N	—	—

CONTACT

Email: infos@catson.com.vn

Website: www.catson.vn

Phone: +84 28 3820 8888

Fax: +84 28 3826 8888