

Cylindrical Roller Bearing - Separable Inner Ring w/ One Rib, Outer Ring w/ Two Ribs

ISO Series Single Row Cylindrical Roller Bearings

289 items



Select an NTN item number to open its detail page on www.catson.vn.

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
NJ1005	25 mm	47 mm	12 mm	Open	15.100 N	14.100 N	16.000 RPM	19.000 RPM
NJ1006	30 mm	55 mm	13 mm	Open	19.700 N	19.600 N	14.000 RPM	16.000 RPM
NJ1006G1	30 mm	55 mm	13 mm	Open	19.700 N	19.600 N	14.000 RPM	16.000 RPM
NJ1007	35 mm	62 mm	14 mm	Open	22.600 N	23.200 N	12.000 RPM	15.000 RPM
NJ1007G1	35 mm	62 mm	14 mm	Open	22.600 N	23.200 N	12.000 RPM	15.000 RPM
NJ1007G1C4	35 mm	62 mm	14 mm	Open	22.600 N	23.200 N	12.000 RPM	15.000 RPM
NJ1008	40 mm	68 mm	15 mm	Open	27.300 N	29.000 N	11.000 RPM	13.000 RPM
NJ1008G1C3	40 mm	68 mm	15 mm	Open	27.300 N	29.000 N	11.000 RPM	13.000 RPM
NJ1009	45 mm	75 mm	16 mm	Open	31.000 N	34.000 N	9.900 RPM	12.000 RPM
NJ1009G1	45 mm	75 mm	16 mm	Open	31.000 N	34.000 N	9.900 RPM	12.000 RPM
NJ1010	50 mm	80 mm	16 mm	Open	32.000 N	36.000 N	8.900 RPM	11.000 RPM
NJ1011	55 mm	90 mm	18 mm	Open	37.500 N	44.000 N	8.200 RPM	9.700 RPM
NJ1012	60 mm	95 mm	18 mm	Open	40.000 N	48.500 N	7.500 RPM	8.800 RPM
NJ1013	65 mm	100 mm	18 mm	Open	41.000 N	51.000 N	7.000 RPM	8.200 RPM
NJ1014	70 mm	110 mm	20 mm	Open	58.500 N	70.500 N	6.500 RPM	7.600 RPM
NJ1015	75 mm	115 mm	20 mm	Open	60.000 N	74.500 N	6.100 RPM	7.100 RPM
NJ1016	80 mm	125 mm	22 mm	Open	72.500 N	90.500 N	5.700 RPM	6.700 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
NJ1017	85 mm	130 mm	22 mm	Open	74.500 N	95.500 N	5.400 RPM	6.300 RPM
NJ1018	90 mm	140 mm	24 mm	Open	88.000 N	114.000 N	5.100 RPM	5.900 RPM
NJ1018C3	90 mm	140 mm	24 mm	Open	88.000 N	114.000 N	5.100 RPM	5.900 RPM
NJ1019	95 mm	145 mm	24 mm	Open	90.500 N	120.000 N	4.800 RPM	5.600 RPM
NJ1020	100 mm	150 mm	24 mm	Open	93.000 N	126.000 N	4.600 RPM	5.400 RPM
NJ1021	105 mm	160 mm	26 mm	Open	105.000 N	142.000 N	4.300 RPM	5.100 RPM
NJ1022	110 mm	170 mm	28 mm	Open	131.000 N	174.000 N	4.100 RPM	4.800 RPM
NJ1024	120 mm	180 mm	28 mm	Open	139.000 N	191.000 N	3.800 RPM	4.400 RPM
NJ1026	130 mm	200 mm	33 mm	Open	172.000 N	238.000 N	3.400 RPM	4.000 RPM
NJ1028	140 mm	210 mm	33 mm	Open	176.000 N	250.000 N	3.200 RPM	3.800 RPM
NJ1030	150 mm	225 mm	35 mm	Open	202.000 N	294.000 N	3.000 RPM	3.500 RPM
NJ1032	160 mm	240 mm	38 mm	Open	238.000 N	340.000 N	2.800 RPM	3.300 RPM
NJ1034	170 mm	260 mm	42 mm	Open	278.000 N	400.000 N	2.600 RPM	3.000 RPM
NJ1036	180 mm	280 mm	46 mm	Open	340.000 N	485.000 N	2.400 RPM	2.900 RPM
NJ1038	190 mm	290 mm	46 mm	Open	350.000 N	510.000 N	2.300 RPM	2.700 RPM
NJ1040	200 mm	310 mm	51 mm	Open	390.000 N	580.000 N	2.200 RPM	2.600 RPM
NJ1044	220 mm	340 mm	56 mm	Open	500.000 N	750.000 N	2.000 RPM	2.300 RPM
NJ1048	240 mm	360 mm	56 mm	Open	530.000 N	820.000 N	1.800 RPM	2.100 RPM
NJ10-500	500 mm	720 mm	100 mm	Open	1.610.000 N	2.870.000 N	770 RPM	910 RPM
NJ1052	260 mm	400 mm	65 mm	Open	645.000 N	1.000.000 N	1.600 RPM	1.900 RPM
NJ1056	280 mm	420 mm	65 mm	Open	660.000 N	1.050.000 N	1.500 RPM	1.800 RPM
NJ1060	300 mm	460 mm	74 mm	Open	855.000 N	1.340.000 N	1.400 RPM	1.600 RPM
NJ1064	320 mm	480 mm	74 mm	Open	875.000 N	1.410.000 N	1.300 RPM	1.500 RPM
NJ1068	340 mm	520 mm	82 mm	Open	1.050.000 N	1.670.000 N	1.200 RPM	1.400 RPM
NJ1072	360 mm	540 mm	82 mm	Open	1.080.000 N	1.750.000 N	1.100 RPM	1.300 RPM
NJ1076	380 mm	560 mm	82 mm	Open	1.100.000 N	1.840.000 N	1.100 RPM	1.200 RPM
NJ1080	400 mm	600 mm	90 mm	Open	1.320.000 N	2.190.000 N	990 RPM	1.200 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
NJ1084	420 mm	620 mm	90 mm	Open	1.350.000 N	2.290.000 N	950 RPM	1.100 RPM
NJ1088	440 mm	650 mm	94 mm	Open	1.430.000 N	2.430.000 N	900 RPM	1.100 RPM
NJ1092	460 mm	680 mm	100 mm	Open	1.540.000 N	2.630.000 N	850 RPM	1.000 RPM
NJ1096	480 mm	700 mm	100 mm	Open	1.580.000 N	2.750.000 N	810 RPM	960 RPM
NJ203C3	17 mm	40 mm	12 mm	Open	11.800 N	9.550 N	—	—
NJ204C3	20 mm	47 mm	14 mm	Open	16.600 N	13.900 N	17.000 RPM	20.000 RPM
NJ204E	20 mm	47 mm	14 mm	Open	25.700 N	22.600 N	15.000 RPM	18.000 RPM
NJ204EG15	20 mm	47 mm	14 mm	Open	25.700 N	22.600 N	15.000 RPM	18.000 RPM
NJ204ET2X	20 mm	47 mm	14 mm	Open	25.700 N	22.600 N	15.000 RPM	18.000 RPM
NJ205	25 mm	52 mm	15 mm	Open	29.300 N	27.700 N	14.000 RPM	16.000 RPM
NJ205E	25 mm	52 mm	15 mm	Open	29.300 N	27.700 N	13.000 RPM	15.000 RPM
NJ205EG1C3	25 mm	52 mm	15 mm	Open	29.300 N	27.700 N	13.000 RPM	15.000 RPM
NJ205ET2X	25 mm	52 mm	15 mm	Open	29.300 N	27.700 N	13.000 RPM	15.000 RPM
NJ205ET2XC3	25 mm	52 mm	15 mm	Open	29.300 N	27.700 N	13.000 RPM	15.000 RPM
NJ205ET2XC4	25 mm	52 mm	15 mm	Open	29.300 N	27.700 N	13.000 RPM	15.000 RPM
NJ206	30 mm	62 mm	16 mm	Open	39.000 N	37.500 N	12.000 RPM	14.000 RPM
NJ206E	30 mm	62 mm	16 mm	Open	39.000 N	37.500 N	11.000 RPM	13.000 RPM
NJ206EC3	30 mm	62 mm	16 mm	Open	39.000 N	37.500 N	11.000 RPM	13.000 RPM
NJ206EG1C3	30 mm	62 mm	16 mm	Open	39.000 N	37.500 N	11.000 RPM	13.000 RPM
NJ206ET2X	30 mm	62 mm	16 mm	Open	39.000 N	37.500 N	11.000 RPM	13.000 RPM
NJ206ET2XC3	30 mm	62 mm	16 mm	Open	39.000 N	37.500 N	11.000 RPM	13.000 RPM
NJ206EX1CS42-N	30 mm	62 mm	16 mm	Open	39.000 N	37.500 N	11.000 RPM	13.000 RPM
NJ207	35 mm	72 mm	17 mm	Open	50.500 N	50.000 N	11.000 RPM	12.000 RPM
NJ207E	35 mm	72 mm	17 mm	Open	50.500 N	50.000 N	9.500 RPM	11.000 RPM
NJ207EG1	35 mm	72 mm	17 mm	Open	50.500 N	50.000 N	9.500 RPM	11.000 RPM
NJ207ET2XC3	35 mm	72 mm	17 mm	Open	50.500 N	50.000 N	9.500 RPM	11.000 RPM
NJ208	40 mm	80 mm	18 mm	Open	43.500 N	43.000 N	9.400 RPM	11.000 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
NJ208E	40 mm	80 mm	18 mm	Open	43.500 N	43.000 N	9.400 RPM	11.000 RPM
NJ208EG1C3	40 mm	80 mm	18 mm	Open	43.500 N	43.000 N	8.500 RPM	10.000 RPM
NJ208ET2	40 mm	80 mm	18 mm	Open	43.500 N	43.000 N	9.400 RPM	11.000 RPM
NJ208ET2X	40 mm	80 mm	18 mm	Open	43.500 N	43.000 N	8.500 RPM	10.000 RPM
NJ209	45 mm	85 mm	19 mm	Open	46.000 N	47.000 N	8.400 RPM	9.900 RPM
NJ209C3	45 mm	85 mm	19 mm	Open	46.000 N	47.000 N	8.400 RPM	9.900 RPM
NJ209E	45 mm	85 mm	19 mm	Open	63.000 N	66.500 N	7.600 RPM	9.000 RPM
NJ209EC3	45 mm	85 mm	19 mm	Open	63.000 N	66.500 N	7.600 RPM	9.000 RPM
NJ209EG1	45 mm	85 mm	19 mm	Open	63.000 N	66.500 N	7.600 RPM	9.000 RPM
NJ209EG1C3	45 mm	85 mm	19 mm	Open	63.000 N	66.500 N	7.600 RPM	9.000 RPM
NJ209G1C3	45 mm	85 mm	19 mm	Open	46.000 N	47.000 N	8.400 RPM	9.900 RPM
NJ210	50 mm	90 mm	20 mm	Open	48.000 N	51.000 N	7.600 RPM	9.000 RPM
NJ210C3	50 mm	90 mm	20 mm	Open	48.000 N	51.000 N	7.600 RPM	9.000 RPM
NJ210E	50 mm	90 mm	20 mm	Open	66.000 N	72.000 N	6.900 RPM	8.100 RPM
NJ210EG1C3	50 mm	90 mm	20 mm	Open	66.000 N	72.000 N	6.900 RPM	8.100 RPM
NJ210ET2X	50 mm	90 mm	20 mm	Open	66.000 N	72.000 N	6.900 RPM	8.100 RPM
NJ210G1C3	50 mm	90 mm	20 mm	Open	48.000 N	51.000 N	7.600 RPM	9.000 RPM
NJ211	55 mm	100 mm	21 mm	Open	58.000 N	62.500 N	6.900 RPM	8.200 RPM
NJ211C3	55 mm	100 mm	21 mm	Open	58.000 N	62.500 N	6.900 RPM	8.200 RPM
NJ211E	55 mm	100 mm	21 mm	Open	82.500 N	93.000 N	6.300 RPM	7.400 RPM
NJ211EC3	55 mm	100 mm	21 mm	Open	82.500 N	93.000 N	6.300 RPM	7.400 RPM
NJ211EG15	55 mm	100 mm	21 mm	Open	82.500 N	93.000 N	6.300 RPM	7.400 RPM
NJ211EG1C3	55 mm	100 mm	21 mm	Open	82.500 N	93.000 N	6.300 RPM	7.400 RPM
NJ211ET2XC3	55 mm	100 mm	21 mm	Open	82.500 N	93.000 N	6.300 RPM	7.400 RPM
NJ211G1C3	55 mm	100 mm	21 mm	Open	58.000 N	62.500 N	6.900 RPM	8.200 RPM
NJ212	60 mm	110 mm	22 mm	Open	68.500 N	75.000 N	6.400 RPM	7.600 RPM
NJ212E	60 mm	110 mm	22 mm	Open	97.500 N	107.000 N	5.800 RPM	6.800 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
NJ212EC3	60 mm	110 mm	22 mm	Open	97.500 N	107.000 N	5.800 RPM	6.800 RPM
NJ212ET2XC3	60 mm	110 mm	22 mm	Open	97.500 N	107.000 N	5.800 RPM	6.800 RPM
NJ212G1C3	60 mm	110 mm	22 mm	Open	68.500 N	75.000 N	5.800 RPM	6.800 RPM
NJ213	65 mm	120 mm	23 mm	Open	84.000 N	94.500 N	5.900 RPM	7.000 RPM
NJ213C3	65 mm	120 mm	23 mm	Open	84.000 N	94.500 N	5.900 RPM	7.000 RPM
NJ213E	65 mm	120 mm	23 mm	Open	108.000 N	119.000 N	5.400 RPM	6.300 RPM
NJ213EG15	65 mm	120 mm	23 mm	Open	110.000 N	122.000 N	—	—
NJ213G1C3	65 mm	120 mm	23 mm	Open	84.000 N	94.500 N	5.400 RPM	6.300 RPM
NJ214	70 mm	125 mm	24 mm	Open	83.500 N	95.000 N	5.500 RPM	6.500 RPM
NJ214C3	70 mm	125 mm	24 mm	Open	83.500 N	95.000 N	5.500 RPM	6.500 RPM
NJ214E	70 mm	125 mm	24 mm	Open	119.000 N	137.000 N	5.000 RPM	5.900 RPM
NJ214ET2C3	70 mm	125 mm	24 mm	Open	119.000 N	137.000 N	5.000 RPM	5.900 RPM
NJ214ET2X	70 mm	125 mm	24 mm	Open	119.000 N	137.000 N	5.000 RPM	5.900 RPM
NJ214ET2XC3	70 mm	125 mm	24 mm	Open	119.000 N	137.000 N	5.000 RPM	5.900 RPM
NJ214G1C3	70 mm	125 mm	24 mm	Open	83.500 N	95.000 N	5.500 RPM	6.500 RPM
NJ215	75 mm	130 mm	25 mm	Open	96.500 N	111.000 N	5.100 RPM	6.000 RPM
NJ215E	75 mm	130 mm	25 mm	Open	130.000 N	156.000 N	4.700 RPM	5.500 RPM
NJ215EG1C3	75 mm	130 mm	25 mm	Open	130.000 N	156.000 N	5.000 RPM	5.900 RPM
NJ215ET2	75 mm	130 mm	25 mm	Open	130.000 N	156.000 N	4.700 RPM	5.500 RPM
NJ216	80 mm	140 mm	26 mm	Open	106.000 N	122.000 N	4.800 RPM	5.700 RPM
NJ216C3	80 mm	140 mm	26 mm	Open	106.000 N	122.000 N	4.800 RPM	5.700 RPM
NJ216E	80 mm	140 mm	26 mm	Open	139.000 N	167.000 N	4.400 RPM	5.100 RPM
NJ216ET2	80 mm	140 mm	26 mm	Open	139.000 N	167.000 N	4.400 RPM	5.100 RPM
NJ216G1C3	80 mm	140 mm	26 mm	Open	106.000 N	122.000 N	4.800 RPM	5.700 RPM
NJ217	85 mm	150 mm	28 mm	Open	120.000 N	140.000 N	4.500 RPM	5.300 RPM
NJ217C3	85 mm	150 mm	28 mm	Open	120.000 N	140.000 N	4.500 RPM	5.300 RPM
NJ217E	85 mm	150 mm	28 mm	Open	167.000 N	199.000 N	4.100 RPM	4.800 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
NJ217G1	85 mm	150 mm	28 mm	Open	120.000 N	140.000 N	4.500 RPM	5.300 RPM
NJ217G1C3	85 mm	150 mm	28 mm	Open	120.000 N	140.000 N	4.500 RPM	5.300 RPM
NJ218	90 mm	160 mm	30 mm	Open	152.000 N	178.000 N	4.300 RPM	5.000 RPM
NJ218C3	90 mm	160 mm	30 mm	Open	152.000 N	178.000 N	4.300 RPM	5.000 RPM
NJ218E	90 mm	160 mm	30 mm	Open	182.000 N	217.000 N	3.900 RPM	4.600 RPM
NJ218G1	90 mm	160 mm	30 mm	Open	152.000 N	178.000 N	4.300 RPM	5.000 RPM
NJ218G1C3	90 mm	160 mm	30 mm	Open	152.000 N	178.000 N	4.300 RPM	5.000 RPM
NJ219	95 mm	170 mm	32 mm	Open	166.000 N	195.000 N	4.000 RPM	4.700 RPM
NJ219E	95 mm	170 mm	32 mm	Open	220.000 N	265.000 N	3.600 RPM	4.300 RPM
NJ219G1C3	95 mm	170 mm	32 mm	Open	166.000 N	195.000 N	4.000 RPM	4.700 RPM
NJ220	100 mm	180 mm	34 mm	Open	183.000 N	217.000 N	3.800 RPM	4.500 RPM
NJ2204E	20 mm	47 mm	18 mm	Open	30.500 N	28.300 N	14.000 RPM	16.000 RPM
NJ2204EC4	20 mm	47 mm	18 mm	Open	30.500 N	28.300 N	14.000 RPM	16.000 RPM
NJ2204EG15	20 mm	47 mm	18 mm	Open	33.000 N	31.500 N	14.000 RPM	16.000 RPM
NJ2205	25 mm	52 mm	18 mm	Open	35.000 N	34.500 N	13.000 RPM	15.000 RPM
NJ2205E	25 mm	52 mm	18 mm	Open	35.000 N	34.500 N	11.000 RPM	13.000 RPM
NJ2205EC4	25 mm	52 mm	18 mm	Open	35.000 N	34.500 N	11.000 RPM	13.000 RPM
NJ2205ET2X	25 mm	52 mm	18 mm	Open	35.000 N	34.500 N	11.000 RPM	13.000 RPM
NJ2206	30 mm	62 mm	20 mm	Open	35.000 N	36.000 N	11.000 RPM	13.000 RPM
NJ2206C3	30 mm	62 mm	20 mm	Open	35.000 N	36.000 N	11.000 RPM	13.000 RPM
NJ2206E	30 mm	62 mm	20 mm	Open	49.000 N	50.000 N	9.700 RPM	11.000 RPM
NJ2206EG1	30 mm	62 mm	20 mm	Open	49.000 N	50.000 N	9.700 RPM	11.000 RPM
NJ2206EG1C4	30 mm	62 mm	20 mm	Open	49.000 N	50.000 N	9.700 RPM	11.000 RPM
NJ2206ET2X	30 mm	62 mm	20 mm	Open	49.000 N	50.000 N	9.700 RPM	11.000 RPM
NJ2206ET2XC3	30 mm	62 mm	20 mm	Open	49.000 N	50.000 N	9.700 RPM	11.000 RPM
NJ2207E	35 mm	72 mm	23 mm	Open	61.500 N	65.500 N	8.500 RPM	10.000 RPM
NJ2207EC3	35 mm	72 mm	23 mm	Open	61.500 N	65.500 N	8.500 RPM	10.000 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
NJ2207EG1C3	35 mm	72 mm	23 mm	Open	61.500 N	65.500 N	8.500 RPM	10.000 RPM
NJ2207ET2X	35 mm	72 mm	23 mm	Open	61.500 N	65.500 N	8.500 RPM	10.000 RPM
NJ2207ET2XC3	35 mm	72 mm	23 mm	Open	61.500 N	65.500 N	8.500 RPM	10.000 RPM
NJ2208	40 mm	80 mm	23 mm	Open	58.000 N	62.000 N	8.500 RPM	10.000 RPM
NJ2208E	40 mm	80 mm	23 mm	Open	58.000 N	62.000 N	8.500 RPM	10.000 RPM
NJ2208EC3	40 mm	80 mm	23 mm	Open	58.000 N	62.000 N	8.500 RPM	10.000 RPM
NJ2208EG1C3	40 mm	80 mm	23 mm	Open	58.000 N	62.000 N	8.500 RPM	10.000 RPM
NJ2208ET2	40 mm	80 mm	23 mm	Open	58.000 N	62.000 N	7.600 RPM	10.000 RPM
NJ2209	45 mm	85 mm	23 mm	Open	61.500 N	68.000 N	7.600 RPM	9.000 RPM
NJ2209C3	45 mm	85 mm	23 mm	Open	61.500 N	68.000 N	7.600 RPM	9.000 RPM
NJ2209E	45 mm	85 mm	23 mm	Open	76.000 N	84.500 N	6.800 RPM	8.000 RPM
NJ2209EG1C3	45 mm	85 mm	23 mm	Open	76.000 N	84.500 N	6.800 RPM	9.000 RPM
NJ220C3	100 mm	180 mm	34 mm	Open	183.000 N	217.000 N	3.800 RPM	4.500 RPM
NJ220E	100 mm	180 mm	34 mm	Open	249.000 N	305.000 N	3.500 RPM	4.100 RPM
NJ220EG15	100 mm	180 mm	34 mm	Open	260.000 N	310.000 N	—	—
NJ220ET2	100 mm	180 mm	34 mm	Open	249.000 N	305.000 N	3.500 RPM	4.100 RPM
NJ220G1C3	100 mm	180 mm	34 mm	Open	183.000 N	217.000 N	3.800 RPM	4.500 RPM
NJ221	95 mm	190 mm	36 mm	Open	201.000 N	241.000 N	3.600 RPM	4.300 RPM
NJ2210	50 mm	90 mm	23 mm	Open	64.000 N	73.500 N	6.900 RPM	8.100 RPM
NJ2210E	50 mm	90 mm	23 mm	Open	79.500 N	91.500 N	6.200 RPM	7.300 RPM
NJ2211	55 mm	100 mm	25 mm	Open	75.500 N	87.000 N	6.300 RPM	7.400 RPM
NJ2211E	55 mm	100 mm	25 mm	Open	97.000 N	114.000 N	5.600 RPM	6.600 RPM
NJ2211EC3	55 mm	100 mm	25 mm	Open	75.500 N	87.000 N	5.600 RPM	7.400 RPM
NJ2211EG15	55 mm	100 mm	25 mm	Open	104.000 N	122.000 N	—	—
NJ2211EG1C3	55 mm	100 mm	25 mm	Open	75.500 N	87.000 N	5.600 RPM	7.400 RPM
NJ2212	60 mm	110 mm	28 mm	Open	96.000 N	116.000 N	5.800 RPM	6.800 RPM
NJ2212E	60 mm	110 mm	28 mm	Open	131.000 N	157.000 N	5.200 RPM	6.100 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
NJ2212EG1	60 mm	110 mm	28 mm	Open	131.000 N	157.000 N	5.200 RPM	6.100 RPM
NJ2212EG1C3	60 mm	110 mm	28 mm	Open	131.000 N	157.000 N	5.200 RPM	6.100 RPM
NJ2212V1	60 mm	110 mm	28 mm	Open	96.000 N	116.000 N	5.800 RPM	—
NJ2213	65 mm	120 mm	31 mm	Open	120.000 N	149.000 N	5.400 RPM	6.300 RPM
NJ2213E	65 mm	120 mm	31 mm	Open	149.000 N	181.000 N	4.800 RPM	5.600 RPM
NJ2214	70 mm	125 mm	31 mm	Open	119.000 N	151.000 N	5.000 RPM	5.900 RPM
NJ2214E	70 mm	125 mm	31 mm	Open	156.000 N	194.000 N	4.500 RPM	5.200 RPM
NJ2214ET2	70 mm	125 mm	31 mm	Open	156.000 N	194.000 N	4.500 RPM	5.200 RPM
NJ2214ET2X	70 mm	125 mm	31 mm	Open	156.000 N	194.000 N	4.500 RPM	5.200 RPM
NJ2215	75 mm	130 mm	31 mm	Open	130.000 N	162.000 N	4.700 RPM	5.500 RPM
NJ2215E	75 mm	130 mm	31 mm	Open	162.000 N	207.000 N	4.200 RPM	4.900 RPM
NJ2215EG1C3	75 mm	130 mm	31 mm	Open	162.000 N	207.000 N	4.200 RPM	4.900 RPM
NJ2215ET2X	75 mm	130 mm	31 mm	Open	162.000 N	207.000 N	4.200 RPM	4.900 RPM
NJ2215G1C3	75 mm	130 mm	31 mm	Open	130.000 N	162.000 N	4.700 RPM	5.500 RPM
NJ2216	80 mm	140 mm	33 mm	Open	147.000 N	186.000 N	4.400 RPM	5.100 RPM
NJ2216C3	80 mm	140 mm	33 mm	Open	147.000 N	186.000 N	4.400 RPM	5.100 RPM
NJ2216E	80 mm	140 mm	33 mm	Open	186.000 N	243.000 N	3.900 RPM	4.600 RPM
NJ2216ET2C3	80 mm	140 mm	33 mm	Open	186.000 N	243.000 N	3.900 RPM	4.600 RPM
NJ2217	85 mm	150 mm	36 mm	Open	170.000 N	218.000 N	4.100 RPM	4.800 RPM
NJ2217E	85 mm	150 mm	36 mm	Open	217.000 N	279.000 N	3.700 RPM	4.300 RPM
NJ2218	90 mm	160 mm	40 mm	Open	197.000 N	248.000 N	3.900 RPM	4.600 RPM
NJ2218E	90 mm	160 mm	40 mm	Open	242.000 N	315.000 N	3.500 RPM	4.100 RPM
NJ2218EG1C3	90 mm	160 mm	40 mm	Open	242.000 N	315.000 N	3.500 RPM	4.100 RPM
NJ2219	95 mm	170 mm	43 mm	Open	230.000 N	298.000 N	3.600 RPM	4.300 RPM
NJ2219E	95 mm	170 mm	43 mm	Open	286.000 N	370.000 N	3.300 RPM	3.800 RPM
NJ222	110 mm	200 mm	38 mm	Open	240.000 N	290.000 N	3.400 RPM	4.000 RPM
NJ2220	100 mm	180 mm	46 mm	Open	258.000 N	340.000 N	3.500 RPM	4.100 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
NJ2220E	100 mm	180 mm	46 mm	Open	335.000 N	445.000 N	3.100 RPM	3.600 RPM
NJ2220EG1	100 mm	180 mm	46 mm	Open	335.000 N	445.000 N	3.100 RPM	3.600 RPM
NJ2222	110 mm	200 mm	53 mm	Open	320.000 N	415.000 N	3.100 RPM	3.700 RPM
NJ2222E	110 mm	200 mm	53 mm	Open	385.000 N	515.000 N	2.800 RPM	3.300 RPM
NJ2224	120 mm	215 mm	58 mm	Open	350.000 N	460.000 N	2.900 RPM	3.400 RPM
NJ2224E	120 mm	215 mm	58 mm	Open	450.000 N	620.000 N	2.600 RPM	3.000 RPM
NJ2224EG1C3	120 mm	215 mm	58 mm	Open	450.000 N	620.000 N	2.600 RPM	3.000 RPM
NJ2226	130 mm	230 mm	64 mm	Open	380.000 N	530.000 N	2.600 RPM	3.100 RPM
NJ2226E	130 mm	230 mm	64 mm	Open	530.000 N	735.000 N	2.300 RPM	2.700 RPM
NJ2228	140 mm	250 mm	68 mm	Open	445.000 N	635.000 N	2.400 RPM	2.800 RPM
NJ2228E	140 mm	250 mm	68 mm	Open	575.000 N	835.000 N	2.100 RPM	2.500 RPM
NJ222C3	110 mm	200 mm	38 mm	Open	240.000 N	290.000 N	3.400 RPM	4.000 RPM
NJ222E	110 mm	200 mm	38 mm	Open	293.000 N	365.000 N	3.100 RPM	3.700 RPM
NJ222G1C3	110 mm	200 mm	38 mm	Open	240.000 N	290.000 N	3.400 RPM	4.000 RPM
NJ2230	150 mm	270 mm	73 mm	Open	500.000 N	710.000 N	2.200 RPM	2.600 RPM
NJ2230E	150 mm	270 mm	73 mm	Open	660.000 N	980.000 N	2.000 RPM	2.400 RPM
NJ2232	160 mm	290 mm	80 mm	Open	630.000 N	940.000 N	2.100 RPM	2.400 RPM
NJ2232E	160 mm	290 mm	80 mm	Open	810.000 N	1.190.000 N	1.910 RPM	2.200 RPM
NJ2234	170 mm	310 mm	86 mm	Open	715.000 N	1.080.000 N	2.000 RPM	2.300 RPM
NJ2234E	170 mm	310 mm	86 mm	Open	965.000 N	1.410.000 N	1.800 RPM	2.100 RPM
NJ2236	180 mm	320 mm	86 mm	Open	745.000 N	1.140.000 N	1.800 RPM	2.200 RPM
NJ2236E	180 mm	320 mm	86 mm	Open	1.010.000 N	1.510.000 N	1.600 RPM	1.900 RPM
NJ2236EGRC3	180 mm	320 mm	86 mm	Open	1.010.000 N	1.510.000 N	1.600 RPM	1.900 RPM
NJ2238	190 mm	340 mm	92 mm	Open	830.000 N	1.290.000 N	1.700 RPM	2.000 RPM
NJ2238E	190 mm	340 mm	92 mm	Open	1.100.000 N	1.670.000 N	1.500 RPM	1.800 RPM
NJ224	120 mm	215 mm	40 mm	Open	260.000 N	320.000 N	3.200 RPM	3.700 RPM
NJ2240	200 mm	360 mm	98 mm	Open	925.000 N	1.440.000 N	1.600 RPM	1.900 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
NJ2240E	200 mm	360 mm	98 mm	Open	1.220.000 N	1.870.000 N	1.500 RPM	1.700 RPM
NJ2244	220 mm	400 mm	108 mm	Open	1.140.000 N	1.810.000 N	1.500 RPM	1.700 RPM
NJ2248	240 mm	440 mm	120 mm	Open	1.440.000 N	2.320.000 N	1.300 RPM	1.600 RPM
NJ224C3	120 mm	215 mm	40 mm	Open	260.000 N	320.000 N	3.200 RPM	3.700 RPM
NJ224E	120 mm	215 mm	40 mm	Open	335.000 N	420.000 N	2.900 RPM	3.400 RPM
NJ224EG1	120 mm	215 mm	40 mm	Open	335.000 N	420.000 N	2.900 RPM	3.400 RPM
NJ224G1C3	120 mm	215 mm	40 mm	Open	260.000 N	320.000 N	3.200 RPM	3.700 RPM
NJ2252	260 mm	480 mm	130 mm	Open	1.780.000 N	2.930.000 N	1.200 RPM	1.400 RPM
NJ2256	280 mm	500 mm	130 mm	Open	1.840.000 N	3.100.000 N	1.100 RPM	1.300 RPM
NJ226	130 mm	230 mm	40 mm	Open	270.000 N	340.000 N	2.900 RPM	3.400 RPM
NJ2260	300 mm	540 mm	140 mm	Open	2.180.000 N	3.650.000 N	1.000 RPM	1.200 RPM
NJ2264	320 mm	580 mm	150 mm	Open	2.550.000 N	4.350.000 N	950 RPM	1.000 RPM
NJ226C3	140 mm	230 mm	40 mm	Open	270.000 N	340.000 N	2.900 RPM	3.400 RPM
NJ226E	130 mm	230 mm	40 mm	Open	365.000 N	455.000 N	2.600 RPM	3.100 RPM
NJ226EG15	130 mm	230 mm	40 mm	Open	375.000 N	460.000 N	—	—
NJ226G1C3	140 mm	230 mm	40 mm	Open	270.000 N	340.000 N	2.900 RPM	3.400 RPM
NJ228	140 mm	250 mm	42 mm	Open	310.000 N	400.000 N	2.700 RPM	3.100 RPM
NJ228C3	140 mm	250 mm	42 mm	Open	310.000 N	400.000 N	2.700 RPM	3.100 RPM
NJ228E	140 mm	250 mm	42 mm	Open	395.000 N	515.000 N	2.400 RPM	2.800 RPM
NJ230	150 mm	270 mm	45 mm	Open	345.000 N	435.000 N	2.500 RPM	2.900 RPM
NJ2304E	20 mm	52 mm	21 mm	Open	42.000 N	39.000 N	12.000 RPM	14.000 RPM
NJ2304ET2XC3	20 mm	52 mm	21 mm	Open	42.000 N	39.000 N	12.000 RPM	14.000 RPM
NJ2305E	25 mm	62 mm	24 mm	Open	57.000 N	56.000 N	9.700 RPM	11.000 RPM
NJ2305ET2X	25 mm	62 mm	24 mm	Open	57.000 N	56.000 N	9.700 RPM	11.000 RPM
NJ2306E	30 mm	72 mm	27 mm	Open	74.500 N	77.500 N	8.300 RPM	9.700 RPM
NJ2306ET2X	30 mm	72 mm	27 mm	Open	74.500 N	77.500 N	8.300 RPM	9.700 RPM
NJ2306ET2XC-01	30 mm	72 mm	27 mm	Open	74.500 N	77.500 N	8.300 RPM	9.700 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
NJ2306G1	30 mm	72 mm	27 mm	Open	51.500 N	51.000 N	9.000 RPM	11.000 RPM
NJ2306G1C3	30 mm	72 mm	27 mm	Open	74.500 N	77.500 N	9.000 RPM	11.000 RPM
NJ2307	35 mm	80 mm	31 mm	Open	99.000 N	109.000 N	7.900 RPM	9.300 RPM
NJ2307C3	35 mm	80 mm	31 mm	Open	99.000 N	109.000 N	7.900 RPM	9.300 RPM
NJ2307E	35 mm	80 mm	31 mm	Open	99.000 N	109.000 N	7.200 RPM	8.500 RPM
NJ2307EG1	35 mm	80 mm	31 mm	Open	99.000 N	109.000 N	7.200 RPM	8.500 RPM
NJ2307ET2X	35 mm	80 mm	31 mm	Open	99.000 N	109.000 N	7.200 RPM	8.500 RPM
NJ2307ET2XC3	35 mm	80 mm	31 mm	Open	99.000 N	109.000 N	7.200 RPM	8.500 RPM
NJ2307EV1	35 mm	80 mm	31 mm	Open	—	—	—	—
NJ2308	40 mm	90 mm	33 mm	Open	82.500 N	88.000 N	7.000 RPM	8.200 RPM
NJ2308C3	40 mm	90 mm	33 mm	Open	58.000 N	62.000 N	7.000 RPM	8.200 RPM
NJ2308C4	40 mm	90 mm	33 mm	Open	82.500 N	88.000 N	7.000 RPM	8.200 RPM
NJ2308E	40 mm	90 mm	33 mm	Open	114.000 N	122.000 N	6.400 RPM	7.500 RPM
NJ2309	45 mm	100 mm	36 mm	Open	99.000 N	104.000 N	6.300 RPM	7.400 RPM
NJ2309C3	45 mm	100 mm	36 mm	Open	99.000 N	104.000 N	6.300 RPM	7.400 RPM
NJ2309E	45 mm	100 mm	36 mm	Open	137.000 N	153.000 N	5.700 RPM	6.800 RPM
NJ2309EG1C3	45 mm	100 mm	36 mm	Open	137.000 N	153.000 N	5.700 RPM	6.800 RPM
NJ2309EG1C4	45 mm	100 mm	36 mm	Open	137.000 N	153.000 N	5.700 RPM	6.800 RPM
NJ2309ET2	45 mm	100 mm	36 mm	Open	137.000 N	153.000 N	5.700 RPM	6.800 RPM
NJ2309ET2XC4	45 mm	100 mm	36 mm	Open	137.000 N	153.000 N	5.700 RPM	6.800 RPM
NJ2309EV1	45 mm	100 mm	36 mm	Open	—	—	—	—
NJ230C3	150 mm	270 mm	45 mm	Open	345.000 N	435.000 N	2.500 RPM	2.900 RPM
NJ230C4	150 mm	270 mm	45 mm	Open	345.000 N	435.000 N	2.500 RPM	2.900 RPM
NJ230E	150 mm	270 mm	45 mm	Open	450.000 N	595.000 N	2.200 RPM	2.600 RPM
NJ230EGRC3	150 mm	270 mm	45 mm	Open	450.000 N	595.000 N	2.200 RPM	2.600 RPM
NJ230G1	150 mm	270 mm	45 mm	Open	345.000 N	435.000 N	2.500 RPM	2.900 RPM
NJ230G1C3	150 mm	270 mm	45 mm	Open	345.000 N	435.000 N	2.500 RPM	2.900 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
NJ2310	50 mm	110 mm	40 mm	Open	121.000 N	131.000 N	5.700 RPM	6.700 RPM
NJ2310C3	50 mm	110 mm	40 mm	Open	121.000 N	131.000 N	5.700 RPM	6.700 RPM

CONTACT

Email: infos@catson.com.vn

Website: www.catson.vn

Phone: +84 28 3820 8888

Fax: +84 28 3826 8888

