

Cylindrical Roller Bearing - Separable, Short Inner Ring w/ One Rib, Outer Ring w/ Two Ribs

Single Row Cylindrical Roller Bearings - Separable Type

189 items



Select an NTN item number to open its detail page on www.catson.vn.

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MSN1013EL	—	100 mm	65 mm	Open	58.500 N	82.000 N	—	—
MSN1014EL	—	110 mm	70 mm	Open	70.500 N	92.000 N	—	—
MSN1014EX	—	110 mm	70 mm	Open	72.500 N	96.000 N	—	—
MSN1015EL	—	115 mm	75 mm	Open	72.000 N	96.500 N	—	—
MSN1015EV	—	115 mm	75 mm	Open	72.000 N	96.500 N	—	—
MSN1015EX	—	115 mm	75 mm	Open	76.500 N	105.000 N	—	—
MSN1016EL	—	125 mm	80 mm	Open	88.000 N	117.000 N	—	—
MSN1016EX	—	125 mm	80 mm	Open	97.000 N	133.000 N	—	—
MSN1017EL	—	130 mm	85 mm	Open	87.500 N	118.000 N	—	—
MSN1017EX	—	130 mm	85 mm	Open	96.500 N	134.000 N	—	—
MSN1024EX	—	180 mm	120 mm	Open	184.000 N	284.000 N	—	—
MSN1203EV	—	40 mm	17 mm	Open	19.400 N	17.000 N	—	—
MSN1204EV	—	47 mm	20 mm	Open	22.200 N	20.900 N	—	—
MSN1205EL	—	52 mm	25 mm	Open	31.000 N	33.500 N	—	—
MSN1205EV	—	52 mm	25 mm	Open	28.200 N	29.500 N	—	—
MSN1205EX	—	52 mm	25 mm	Open	31.000 N	33.500 N	—	—
MSN1206EL	—	62 mm	30 mm	Open	41.000 N	43.000 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MSN1206EV	—	62 mm	30 mm	Open	39.000 N	40.500 N	—	—
MSN1207EL	—	72 mm	35 mm	Open	47.000 N	49.000 N	—	—
MSN1207EV	—	72 mm	35 mm	Open	44.500 N	45.500 N	—	—
MSN1207EX	—	72 mm	35 mm	Open	47.000 N	49.000 N	—	—
MSN1208EL	—	80 mm	40 mm	Open	55.500 N	60.000 N	—	—
MSN1208EV	—	80 mm	40 mm	Open	53.000 N	56.500 N	—	—
MSN1208EX	—	80 mm	40 mm	Open	55.500 N	60.000 N	—	—
MSN1209EL	—	85 mm	45 mm	Open	64.000 N	75.000 N	—	—
MSN1209EV	—	85 mm	45 mm	Open	59.000 N	66.500 N	—	—
MSN1209EX	—	85 mm	45 mm	Open	64.000 N	75.000 N	—	—
MSN1210EL	—	90 mm	50 mm	Open	65.000 N	78.500 N	—	—
MSN1210EX	—	90 mm	50 mm	Open	65.000 N	78.500 N	—	—
MSN1211EL	—	100 mm	55 mm	Open	78.000 N	95.500 N	—	—
MSN1211EV	—	100 mm	55 mm	Open	71.500 N	85.500 N	—	—
MSN1211EX	—	100 mm	55 mm	Open	78.000 N	95.500 N	—	—
MSN1212EL	—	110 mm	60 mm	Open	95.000 N	112.000 N	—	—
MSN1212EV	—	110 mm	60 mm	Open	91.000 N	106.000 N	—	—
MSN1212EX	—	110 mm	60 mm	Open	95.000 N	112.000 N	—	—
MSN1213EL	—	120 mm	65 mm	Open	108.000 N	135.000 N	—	—
MSN1213EX	—	120 mm	65 mm	Open	108.000 N	135.000 N	—	—
MSN1214EL	—	125 mm	70 mm	Open	114.000 N	142.000 N	—	—
MSN1214EV	—	125 mm	70 mm	Open	114.000 N	142.000 N	—	—
MSN1214EX	—	125 mm	70 mm	Open	119.000 N	150.000 N	—	—
MSN1215EL	—	130 mm	75 mm	Open	123.000 N	159.000 N	—	—
MSN1215EV	—	130 mm	75 mm	Open	118.000 N	151.000 N	—	—
MSN1215EX	—	130 mm	75 mm	Open	123.000 N	159.000 N	—	—
MSN1216EL	—	140 mm	80 mm	Open	131.000 N	166.000 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MSN1216EV	—	140 mm	80 mm	Open	126.000 N	157.000 N	—	—
MSN1216EX	—	140 mm	80 mm	Open	136.000 N	174.000 N	—	—
MSN1217EL	—	150 mm	85 mm	Open	154.000 N	194.000 N	—	—
MSN1217EX	—	150 mm	85 mm	Open	160.000 N	205.000 N	—	—
MSN1218EL	—	160 mm	90 mm	Open	173.000 N	217.000 N	—	—
MSN1218EX	—	160 mm	90 mm	Open	188.000 N	243.000 N	—	—
MSN1219EL	—	170 mm	95 mm	Open	203.000 N	258.000 N	—	—
MSN1219EX	—	170 mm	95 mm	Open	212.000 N	273.000 N	—	—
MSN1220EL	—	180 mm	100 mm	Open	233.000 N	300.000 N	—	—
MSN1220EX	—	180 mm	100 mm	Open	224.000 N	286.000 N	—	—
MSN1221EV	—	190 mm	105 mm	Open	238.000 N	305.000 N	—	—
MSN1222EL	—	200 mm	110 mm	Open	255.000 N	330.000 N	—	—
MSN1222EV	—	200 mm	110 mm	Open	266.000 N	350.000 N	—	—
MSN1224EL	—	215 mm	120 mm	Open	300.000 N	405.000 N	—	—
MSN1226EL	—	230 mm	130 mm	Open	305.000 N	400.000 N	—	—
MSN1228EV	—	250 mm	140 mm	Open	385.000 N	505.000 N	—	—
MSN1304EL	—	52 mm	20 mm	Open	31.000 N	28.000 N	—	—
MSN1304EV	—	52 mm	20 mm	Open	29.000 N	25.700 N	—	—
MSN1305EL	—	62 mm	25 mm	Open	42.000 N	39.000 N	—	—
MSN1305EV	—	62 mm	25 mm	Open	39.500 N	36.000 N	—	—
MSN1306EL	—	72 mm	30 mm	Open	55.000 N	56.500 N	—	—
MSN1306EV	—	72 mm	30 mm	Open	52.000 N	52.500 N	—	—
MSN1306EX	—	72 mm	30 mm	Open	55.000 N	56.500 N	—	—
MSN1307EL	—	80 mm	35 mm	Open	69.000 N	74.500 N	—	—
MSN1307EV	—	80 mm	35 mm	Open	65.000 N	69.000 N	—	—
MSN1307EX	—	80 mm	35 mm	Open	69.000 N	74.500 N	—	—
MSN1308EL	—	90 mm	35 mm	Open	87.000 N	92.500 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MSN1308EX	—	90 mm	35 mm	Open	82.000 N	86.000 N	—	—
MSN1309EL	—	100 mm	45 mm	Open	107.000 N	121.000 N	—	—
MSN1309EV	—	100 mm	40 mm	Open	96.500 N	105.000 N	—	—
MSN1309EX	—	100 mm	40 mm	Open	102.000 N	113.000 N	—	—
MSN1310EL	—	110 mm	50 mm	Open	121.000 N	135.000 N	—	—
MSN1310EV	—	110 mm	50 mm	Open	114.000 N	126.000 N	—	—
MSN1310EX	—	110 mm	50 mm	Open	121.000 N	135.000 N	—	—
MSN1311EL	—	120 mm	55 mm	Open	139.000 N	157.000 N	—	—
MSN1311EV	—	120 mm	55 mm	Open	125.000 N	136.000 N	—	—
MSN1312EL	—	130 mm	60 mm	Open	168.000 N	195.000 N	—	—
MSN1312EV	—	130 mm	60 mm	Open	151.000 N	169.000 N	—	—
MSN1312EX	—	130 mm	60 mm	Open	160.000 N	182.000 N	—	—
MSN1313EL	—	140 mm	65 mm	Open	188.000 N	218.000 N	—	—
MSN1313EV	—	140 mm	65 mm	Open	188.000 N	218.000 N	—	—
MSN1313EX	—	140 mm	65 mm	Open	188.000 N	218.000 N	—	—
MSN1314EL	—	150 mm	70 mm	Open	211.000 N	247.000 N	—	—
MSN1314EX	—	150 mm	70 mm	Open	211.000 N	247.000 N	—	—
MSN1315EL	—	160 mm	75 mm	Open	223.000 N	258.000 N	—	—
MSN1315EX	—	160 mm	75 mm	Open	223.000 N	258.000 N	—	—
MSN1316EL	—	170 mm	80 mm	Open	267.000 N	320.000 N	—	—
MSN1317EL	—	180 mm	85 mm	Open	269.000 N	315.000 N	—	—
MSN1318EL	—	190 mm	90 mm	Open	300.000 N	355.000 N	—	—
MSN1318EV	—	190 mm	90 mm	Open	335.000 N	410.000 N	—	—
MSN1318EX	—	190 mm	90 mm	Open	335.000 N	410.000 N	—	—
MSN1319EL	—	200 mm	95 mm	Open	320.000 N	390.000 N	—	—
MSN1319EX	—	200 mm	95 mm	Open	355.000 N	445.000 N	—	—
MSN1320EL	—	215 mm	100 mm	Open	350.000 N	430.000 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MSN1320EX	—	215 mm	100 mm	Open	390.000 N	490.000 N	—	—
MSN1321EL	—	225 mm	105 mm	Open	420.000 N	525.000 N	—	—
MSN1321EV	—	225 mm	105 mm	Open	440.000 N	565.000 N	—	—
MSN1922EL	—	150 mm	110 mm	Open	87.000 N	137.000 N	—	—
MSN1922EX	—	150 mm	110 mm	Open	90.500 N	145.000 N	—	—
MSN1924EL	—	165 mm	120 mm	Open	111.000 N	176.000 N	—	—
MSN1926EL	—	180 mm	130 mm	Open	148.000 N	241.000 N	—	—
MSN5204EV	—	47 mm	20 mm	Open	36.500 N	39.500 N	—	—
MSN5205EL	—	52 mm	25 mm	Open	42.500 N	50.000 N	—	—
MSN5205EX	—	52 mm	25 mm	Open	42.500 N	50.000 N	—	—
MSN5206EL	—	62 mm	30 mm	Open	61.000 N	72.500 N	—	—
MSN5207EL	—	72 mm	35 mm	Open	76.500 N	91.500 N	—	—
MSN5207EX	—	72 mm	35 mm	Open	76.500 N	91.500 N	—	—
MSN5208EL	—	80 mm	40 mm	Open	96.500 N	122.000 N	—	—
MSN5208EX	—	80 mm	40 mm	Open	96.500 N	122.000 N	—	—
MSN5209EL	—	85 mm	45 mm	Open	105.000 N	140.000 N	—	—
MSN5209EX	—	85 mm	45 mm	Open	105.000 N	140.000 N	—	—
MSN5210EL	—	90 mm	50 mm	Open	104.000 N	144.000 N	—	—
MSN5210EV	—	90 mm	50 mm	Open	95.500 N	129.000 N	—	—
MSN5210EX	—	90 mm	50 mm	Open	104.000 N	144.000 N	—	—
MSN5211EL	—	100 mm	55 mm	Open	127.000 N	178.000 N	—	—
MSN5211EV	—	100 mm	55 mm	Open	116.000 N	160.000 N	—	—
MSN5211EX	—	100 mm	55 mm	Open	127.000 N	178.000 N	—	—
MSN5212EL	—	110 mm	60 mm	Open	164.000 N	226.000 N	—	—
MSN5212EV	—	110 mm	60 mm	Open	150.000 N	201.000 N	—	—
MSN5212EX	—	110 mm	60 mm	Open	164.000 N	226.000 N	—	—
MSN5213EL	—	120 mm	65 mm	Open	170.000 N	242.000 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MSN5213EV	—	120 mm	65 mm	Open	163.000 N	229.000 N	—	—
MSN5213EX	—	120 mm	65 mm	Open	170.000 N	242.000 N	—	—
MSN5214EL	—	125 mm	70 mm	Open	188.000 N	270.000 N	—	—
MSN5214EX	—	125 mm	70 mm	Open	196.000 N	285.000 N	—	—
MSN5215EL	—	130 mm	75 mm	Open	212.000 N	320.000 N	—	—
MSN5215EX	—	130 mm	75 mm	Open	212.000 N	320.000 N	—	—
MSN5216EL	—	140 mm	80 mm	Open	229.000 N	340.000 N	—	—
MSN5216EX	—	140 mm	80 mm	Open	238.000 N	355.000 N	—	—
MSN5217EX	—	150 mm	85 mm	Open	283.000 N	425.000 N	—	—
MSN5218EL	—	160 mm	90 mm	Open	305.000 N	455.000 N	—	—
MSN5218EV	—	160 mm	90 mm	Open	320.000 N	480.000 N	—	—
MSN5218EX	—	160 mm	90 mm	Open	335.000 N	510.000 N	—	—
MSN5219EL	—	170 mm	95 mm	Open	355.000 N	530.000 N	—	—
MSN5219EX	—	170 mm	95 mm	Open	370.000 N	560.000 N	—	—
MSN5220EL	—	180 mm	100 mm	Open	425.000 N	655.000 N	—	—
MSN5220EV	—	180 mm	100 mm	Open	410.000 N	620.000 N	—	—
MSN5220EX	—	180 mm	100 mm	Open	410.000 N	620.000 N	—	—
MSN5222EL	—	200 mm	110 mm	Open	465.000 N	710.000 N	—	—
MSN5224EL	—	215 mm	120 mm	Open	630.000 N	1.040.000 N	—	—
MSN5226EL	—	230 mm	130 mm	Open	570.000 N	895.000 N	—	—
MSN5304EL	—	52 mm	20 mm	Open	48.000 N	50.000 N	—	—
MSN5304EV	—	52 mm	20 mm	Open	45.000 N	46.000 N	—	—
MSN5306EL	—	72 mm	30 mm	Open	87.500 N	103.000 N	—	—
MSN5306EV	—	72 mm	30 mm	Open	78.000 N	88.000 N	—	—
MSN5306EX	—	72 mm	30 mm	Open	87.500 N	103.000 N	—	—
MSN5307EL	—	80 mm	35 mm	Open	102.000 N	124.000 N	—	—
MSN5307EX	—	80 mm	35 mm	Open	102.000 N	124.000 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MSN5308EL	—	90 mm	40 mm	Open	137.000 N	166.000 N	—	—
MSN5308EX	—	90 mm	40 mm	Open	129.000 N	154.000 N	—	—
MSN5309EL	—	100 mm	45 mm	Open	166.000 N	213.000 N	—	—
MSN5309EX	—	100 mm	45 mm	Open	158.000 N	199.000 N	—	—
MSN5310EL	—	110 mm	50 mm	Open	185.000 N	235.000 N	—	—
MSN5310EX	—	110 mm	50 mm	Open	185.000 N	235.000 N	—	—
MSN5311EL	—	120 mm	55 mm	Open	241.000 N	320.000 N	—	—
MSN5312EL	—	130 mm	60 mm	Open	294.000 N	400.000 N	—	—
MSN5312EX	—	130 mm	60 mm	Open	280.000 N	375.000 N	—	—
MSN5313EL	—	140 mm	65 mm	Open	330.000 N	450.000 N	—	—
MSN5313EX	—	140 mm	65 mm	Open	330.000 N	450.000 N	—	—
MSN5316EL	—	170 mm	80 mm	Open	465.000 N	655.000 N	—	—
MSN7222EL	—	200 mm	110 mm	Open	340.000 N	475.000 N	—	—
MSN7305EL	—	62 mm	25 mm	Open	55.500 N	56.000 N	—	—
MSN7306EL	—	72 mm	30 mm	Open	71.500 N	80.000 N	—	—
MSN7306EX	—	72 mm	30 mm	Open	71.500 N	80.000 N	—	—
MSN7307EL	—	80 mm	35 mm	Open	89.000 N	104.000 N	—	—
MSN7307EX	—	80 mm	35 mm	Open	89.000 N	104.000 N	—	—
MSN7308EL	—	90 mm	40 mm	Open	121.000 N	142.000 N	—	—
MSN7308EX	—	90 mm	40 mm	Open	115.000 N	132.000 N	—	—
MSN7309EL	—	100 mm	45 mm	Open	129.000 N	154.000 N	—	—
MSN7309EV	—	100 mm	45 mm	Open	129.000 N	154.000 N	—	—
MSN7309EX	—	100 mm	45 mm	Open	129.000 N	154.000 N	—	—
MSN7311EL	—	120 mm	55 mm	Open	188.000 N	232.000 N	—	—
MSN7312EL	—	130 mm	60 mm	Open	219.000 N	274.000 N	—	—
MSN7312EX	—	130 mm	60 mm	Open	208.000 N	256.000 N	—	—
MSN7313EL	—	140 mm	65 mm	Open	238.000 N	294.000 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MSN7313EX	—	140 mm	65 mm	Open	238.000 N	294.000 N	—	—
MSN7314EL	—	150 mm	70 mm	Open	267.000 N	335.000 N	—	—
MSN7314EX	—	150 mm	70 mm	Open	267.000 N	335.000 N	—	—
MSN7315EL	—	160 mm	75 mm	Open	296.000 N	370.000 N	—	—
MSN7315EX	—	160 mm	75 mm	Open	296.000 N	370.000 N	—	—
MSN7317EL	—	180 mm	85 mm	Open	370.000 N	475.000 N	—	—
MSN7318EL	—	190 mm	90 mm	Open	395.000 N	505.000 N	—	—
MSN7318EX	—	190 mm	90 mm	Open	440.000 N	580.000 N	—	—
MSN7320EL	—	215 mm	100 mm	Open	480.000 N	640.000 N	—	—
MSN7320EX	—	215 mm	100 mm	Open	530.000 N	730.000 N	—	—

CONTACT

Email: infos@catson.com.vn

Website: www.catson.vn

Phone: +84 28 3820 8888

Fax: +84 28 3826 8888