

Four-Row Cylindrical Roller Bearing w/Solid Rollers & Machined Cage

Quadruple Row Cylindrical Roller Bearings

79 mã sản phẩm



Nhập vào mã NTN để mở trang chi tiết trên www.catson.vn.

Mã NTN	d	D	B	Kiểu	Tải động	Tải tĩnh	Tốc độ mỡ	Tốc độ dầu
4R2437	120 mm	180 mm	—	Open	400.000 N	785.000 N	—	—
4R2438	120 mm	180 mm	—	Open	445.000 N	855.000 N	—	—
4R2628	130 mm	200 mm	—	Open	490.000 N	955.000 N	—	—
4R2823	140 mm	210 mm	—	Open	510.000 N	1.030.000 N	—	—
4R2906	145 mm	210 mm	—	Open	705.000 N	1.640.000 N	—	—
4R2906C3	145 mm	210 mm	—	Open	705.000 N	1.640.000 N	—	—
4R2908	145 mm	225 mm	—	Open	810.000 N	1.750.000 N	—	—
4R3029	150 mm	230 mm	—	Open	725.000 N	1.520.000 N	—	—
4R3031	150 mm	220 mm	—	Open	750.000 N	1.640.000 N	—	—
4R3039	150 mm	250 mm	—	Open	885.000 N	1.640.000 N	—	—
4R3040	150 mm	230 mm	—	Open	930.000 N	2.040.000 N	—	—
4R3224	160 mm	220 mm	—	Open	920.000 N	2.490.000 N	—	—
4R3225	160 mm	240 mm	—	Open	980.000 N	2.290.000 N	—	—
4R3226	160 mm	230 mm	—	Open	665.000 N	1.340.000 N	—	—
4R3232	160 mm	230 mm	—	Open	915.000 N	2.170.000 N	—	—
4R3423	170 mm	240 mm	—	Open	905.000 N	2.180.000 N	—	—
4R3425	170 mm	255 mm	—	Open	1.100.000 N	2.430.000 N	—	—

Mã NTN	d	D	B	Kiểu	Tải động	Tải tĩnh	Tốc độ mở	Tốc độ đầu
4R3426	170 mm	230 mm	—	Open	620.000 N	1.520.000 N	—	—
4R3429	170 mm	240 mm	—	Open	905.000 N	2.170.000 N	—	—
4R3431	170 mm	260 mm	—	Open	1.310.000 N	3.150.000 N	—	—
4R3432	170 mm	250 mm	—	Open	970.000 N	2.220.000 N	—	—
4R3433	170 mm	260 mm	—	Open	835.000 N	1.750.000 N	—	—
4R3618	180 mm	265 mm	—	Open	1.090.000 N	2.510.000 N	—	—
4R3625	180 mm	250 mm	—	Open	895.000 N	2.180.000 N	—	—
4R3628	180 mm	260 mm	—	Open	1.020.000 N	2.400.000 N	—	—
4R3818	190 mm	270 mm	—	Open	1.090.000 N	2.660.000 N	—	—
4R3820	190 mm	260 mm	—	Open	980.000 N	2.600.000 N	—	—
4R3821	190 mm	270 mm	—	Open	1.260.000 N	3.100.000 N	—	—
4R3823	190 mm	280 mm	—	Open	1.240.000 N	2.910.000 N	—	—
4R4026	200 mm	280 mm	—	Open	1.190.000 N	3.150.000 N	—	—
4R4028	200 mm	320 mm	—	Open	1.750.000 N	3.650.000 N	—	—
4R4037	200 mm	280 mm	—	Open	1.310.000 N	3.300.000 N	—	—
4R4039	200 mm	270 mm	—	Open	970.000 N	2.610.000 N	—	—
4R4041	200 mm	290 mm	—	Open	1.290.000 N	3.150.000 N	—	—
4R4206	210 mm	290 mm	—	Open	1.230.000 N	3.350.000 N	—	—
4R4413	220 mm	290 mm	—	Open	1.190.000 N	3.350.000 N	—	—
4R4416	220 mm	310 mm	—	Open	1.480.000 N	3.950.000 N	—	—
4R4419	220 mm	300 mm	—	Open	1.000.000 N	2.590.000 N	—	—
4R4420	220 mm	310 mm	—	Open	1.530.000 N	3.750.000 N	—	—
4R4425	220 mm	310 mm	—	Open	1.420.000 N	3.750.000 N	—	—
4R4426	220 mm	310 mm	—	Open	1.390.000 N	3.400.000 N	—	—
4R4428	220 mm	320 mm	—	Open	1.190.000 N	2.550.000 N	—	—
4R4429	220 mm	320 mm	—	Open	1.550.000 N	3.650.000 N	—	—
4R4430	220 mm	310 mm	—	Open	1.630.000 N	4.500.000 N	—	—

Mã NTN	d	D	B	Kiểu	Tải động	Tải tĩnh	Tốc độ mở	Tốc độ đầu
4R4611	230 mm	340 mm	—	Open	2.050.000 N	5.100.000 N	—	—
4R4806	240 mm	340 mm	—	Open	1.670.000 N	4.200.000 N	—	—
4R4807	240 mm	360 mm	—	Open	1.760.000 N	4.050.000 N	—	—
4R4811	240 mm	330 mm	—	Open	1.490.000 N	4.150.000 N	—	—
4R5008	250 mm	350 mm	—	Open	1.730.000 N	4.300.000 N	—	—
4R5213	260 mm	380 mm	—	Open	2.420.000 N	6.250.000 N	—	—
4R5217	260 mm	370 mm	—	Open	1.760.000 N	4.450.000 N	—	—
4R5605	280 mm	420 mm	—	Open	2.430.000 N	6.150.000 N	—	—
4R5611	280 mm	390 mm	—	Open	1.780.000 N	4.650.000 N	—	—
4R5612	280 mm	390 mm	—	Open	2.290.000 N	6.250.000 N	—	—
4R5805	290 mm	420 mm	—	Open	2.830.000 N	7.500.000 N	—	—
4R5806	290 mm	410 mm	—	Open	2.240.000 N	5.550.000 N	—	—
E-4R11202	560 mm	680 mm	—	Open	4.650.000 N	16.500.000 N	—	—
E-4R6014	300 mm	400 mm	—	Open	2.480.000 N	7.500.000 N	—	—
E-4R6015	300 mm	420 mm	—	Open	2.720.000 N	7.600.000 N	—	—
E-4R6017	300 mm	420 mm	—	Open	2.020.000 N	5.450.000 N	—	—
E-4R6019	300 mm	460 mm	—	Open	2.510.000 N	5.350.000 N	—	—
E-4R6202	310 mm	430 mm	—	Open	2.240.000 N	5.950.000 N	—	—
E-4R6411	320 mm	450 mm	—	Open	2.370.000 N	6.150.000 N	—	—
E-4R6412	320 mm	460 mm	—	Open	3.400.000 N	9.450.000 N	—	—
E-4R6414	320 mm	440 mm	—	Open	2.290.000 N	6.050.000 N	—	—
E-4R6603	330 mm	440 mm	—	Open	1.820.000 N	4.850.000 N	—	—
E-4R6605	330 mm	460 mm	—	Open	3.250.000 N	8.850.000 N	—	—
E-4R6804	340 mm	490 mm	—	Open	3.350.000 N	8.300.000 N	—	—
E-4R6811	340 mm	480 mm	—	Open	3.450.000 N	9.650.000 N	—	—
E-4R7203	360 mm	510 mm	—	Open	4.250.000 N	11.500.000 N	—	—
E-4R7404	370 mm	520 mm	—	Open	4.650.000 N	13.500.000 N	—	—

Mã NTN	d	D	B	Kiểu	Tải động	Tải tĩnh	Tốc độ mở	Tốc độ đầu
E-4R7405	370 mm	480 mm	—	Open	2.100.000 N	6.250.000 N	—	—
E-4R7605	380 mm	520 mm	—	Open	3.400.000 N	9.150.000 N	—	—
E-4R8007	400 mm	580 mm	—	Open	4.250.000 N	11.800.000 N	—	—
E-4R8201	410 mm	546 mm	—	Open	4.200.000 N	12.700.000 N	—	—
E-4R8401	420 mm	620 mm	—	Open	5.000.000 N	13.400.000 N	—	—
E-4R8403	420 mm	560 mm	—	Open	3.150.000 N	8.750.000 N	—	—
E-4R8404	420 mm	580 mm	—	Open	2.430.000 N	6.250.000 N	—	—
E-4R9209	460 mm	620 mm	—	Open	4.950.000 N	15.000.000 N	—	—

LIÊN HỆ

Email: infos@catson.com.vn

Website: www.catson.vn

Điện thoại: +84 28 3820 8888

Fax: +84 28 3826 8888

