CAT SON TRADING Co., Ltd
infos@catson.com.vn

High Speed, Single Hybrid Angular Contact Ball Bearing, High Precision

Single Row Machline Angular Contact Ball Bearings

98 items

Select an NTN item number to open its detail page on www.catson.vn.

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MLCH7000CV	10 mm	26 mm	8 mm	Open	—	—	122.200 RPM	162.500 RPM
MLCH7000HV	10 mm	26 mm	8 mm	Open	—	—	107.250 RPM	143.000 RPM
MLCH7001CV	12 mm	28 mm	8 mm	Open	—	—	107.250 RPM	143.000 RPM
MLCH7001HV	12 mm	28 mm	8 mm	Open	—	—	97.500 RPM	130.000 RPM
MLCH7002CV	15 mm	32 mm	9 mm	Open	—	—	89.700 RPM	119.600 RPM
MLCH7002HV	15 mm	32 mm	9 mm	Open	—	—	81.250 RPM	107.900 RPM
MLCH7003CV	17 mm	35 mm	10 mm	Open	—	—	79.950 RPM	106.600 RPM
MLCH7003HV	17 mm	35 mm	10 mm	Open	—	—	72.150 RPM	96.200 RPM
MLCH7004CV	20 mm	42 mm	12 mm	Open	—	—	52.500 RPM	91.000 RPM
MLCH7004HV	20 mm	42 mm	12 mm	Open	—	—	47.500 RPM	81.900 RPM
MLCH7005CV	25 mm	47 mm	12 mm	Open	—	—	44.500 RPM	76.700 RPM
MLCH7005HV	25 mm	47 mm	12 mm	Open	—	—	40.000 RPM	68.900 RPM
MLCH7006CV	30 mm	55 mm	13 mm	Open	—	—	37.500 RPM	65.000 RPM
MLCH7006HV	30 mm	55 mm	13 mm	Open	—	—	34.500 RPM	59.800 RPM
MLCH7007CV	35 mm	62 mm	14 mm	Open	—	—	33.000 RPM	57.200 RPM
MLCH7007HV	35 mm	62 mm	14 mm	Open	—	—	30.000 RPM	52.000 RPM
MLCH7008CV	40 mm	68 mm	15 mm	Open	—	—	29.500 RPM	50.700 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MLCH7008HV	40 mm	68 mm	15 mm	Open	—	—	27.000 RPM	46.800 RPM
MLCH7009CV	45 mm	75 mm	16 mm	Open	—	—	27.000 RPM	46.800 RPM
MLCH7009HV	45 mm	75 mm	16 mm	Open	—	—	24.000 RPM	41.600 RPM
MLCH7010CV	50 mm	80 mm	16 mm	Open	—	—	25.000 RPM	42.900 RPM
MLCH7010HV	50 mm	80 mm	16 mm	Open	—	—	22.500 RPM	39.000 RPM
MLCH7011CV	55 mm	90 mm	18 mm	Open	—	—	28.600 RPM	39.650 RPM
MLCH7011HV	55 mm	90 mm	18 mm	Open	—	—	19.000 RPM	35.100 RPM
MLCH7012CV	60 mm	95 mm	18 mm	Open	—	—	1.900 RPM	37.050 RPM
MLCH7012HV	60 mm	95 mm	18 mm	Open	—	—	17.000 RPM	33.150 RPM
MLCH7013CV	65 mm	100 mm	18 mm	Open	—	—	18.000 RPM	35.100 RPM
MLCH7013HV	65 mm	100 mm	18 mm	Open	—	—	16.000 RPM	31.850 RPM
MLCH7014CV	70 mm	110 mm	20 mm	Open	—	—	16.500 RPM	32.500 RPM
MLCH7014HV	70 mm	110 mm	20 mm	Open	—	—	15.000 RPM	28.340 RPM
MLCH7015CV	75 mm	115 mm	20 mm	Open	—	—	15.500 RPM	30.875 RPM
MLCH7015HV	75 mm	115 mm	20 mm	Open	—	—	13.500 RPM	27.300 RPM
MLCH7016CV	80 mm	125 mm	22 mm	Open	—	—	14.000 RPM	27.950 RPM
MLCH7016HV	80 mm	125 mm	22 mm	Open	—	—	12.500 RPM	24.700 RPM
MLCH7017CV	85 mm	130 mm	22 mm	Open	—	—	17.550 RPM	26.650 RPM
MLCH7017HV	85 mm	130 mm	22 mm	Open	—	—	11.500 RPM	24.050 RPM
MLCH7018CV	90 mm	140 mm	24 mm	Open	—	—	16.250 RPM	24.830 RPM
MLCH7018HV	90 mm	140 mm	24 mm	Open	—	—	10.500 RPM	22.360 RPM
MLCH7019CV	95 mm	145 mm	24 mm	Open	—	—	15.600 RPM	23.920 RPM
MLCH7019HV	95 mm	145 mm	24 mm	Open	—	—	13.000 RPM	21.450 RPM
MLCH7020CV	100 mm	150 mm	24 mm	Open	—	—	14.950 RPM	23.400 RPM
MLCH7020HV	100 mm	150 mm	24 mm	Open	—	—	12.350 RPM	20.670 RPM
MLCH7021CV	105 mm	160 mm	26 mm	Open	—	—	13.650 RPM	21.450 RPM
MLCH7021HV	105 mm	160 mm	26 mm	Open	—	—	11.700 RPM	19.370 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MLCH7022CV	110 mm	170 mm	28 mm	Open	—	—	13.000 RPM	20.540 RPM
MLCH7022HV	110 mm	170 mm	28 mm	Open	—	—	11.050 RPM	18.070 RPM
MLCH7024CV	120 mm	180 mm	28 mm	Open	—	—	11.700 RPM	18.200 RPM
MLCH7024HV	120 mm	180 mm	28 mm	Open	—	—	10.400 RPM	16.250 RPM
MLCH7026CV	130 mm	200 mm	33 mm	Open	—	—	10.400 RPM	16.250 RPM
MLCH7026HV	130 mm	200 mm	33 mm	Open	—	—	9.100 RPM	13.650 RPM
MLCH71900CV	10 mm	22 mm	6 mm	Open	—	—	131.950 RPM	175.500 RPM
MLCH71900HV	10 mm	22 mm	6 mm	Open	—	—	122.200 RPM	162.500 RPM
MLCH71901CV	12 mm	24 mm	6 mm	Open	—	—	117.000 RPM	156.000 RPM
MLCH71901HV	12 mm	24 mm	6 mm	Open	—	—	117.000 RPM	143.000 RPM
MLCH71902CV	15 mm	28 mm	7 mm	Open	—	—	97.500 RPM	130.000 RPM
MLCH71902HV	15 mm	28 mm	7 mm	Open	—	—	87.750 RPM	117.000 RPM
MLCH71903CV	17 mm	30 mm	7 mm	Open	—	—	87.750 RPM	117.000 RPM
MLCH71903HV	17 mm	30 mm	7 mm	Open	—	—	79.950 RPM	106.600 RPM
MLCH71904CV	20 mm	37 mm	9 mm	Open	—	—	73.450 RPM	97.500 RPM
MLCH71904HV	20 mm	37 mm	9 mm	Open	—	—	66.300 RPM	88.400 RPM
MLCH71905CV	25 mm	42 mm	9 mm	Open	—	—	61.750 RPM	81.900 RPM
MLCH71905HV	25 mm	42 mm	9 mm	Open	—	—	55.900 RPM	74.100 RPM
MLCH71906CV	30 mm	47 mm	9 mm	Open	—	—	53.950 RPM	71.500 RPM
MLCH71906HV	30 mm	47 mm	9 mm	Open	—	—	48.750 RPM	65.000 RPM
MLCH71907CV	35 mm	55 mm	10 mm	Open	—	—	46.150 RPM	61.100 RPM
MLCH71907HV	35 mm	55 mm	10 mm	Open	—	—	42.250 RPM	55.900 RPM
MLCH71908CV	40 mm	62 mm	12 mm	Open	—	—	40.950 RPM	54.600 RPM
MLCH71908HV	40 mm	62 mm	12 mm	Open	—	—	37.050 RPM	49.400 RPM
MLCH71909CV	45 mm	68 mm	12 mm	Open	—	—	37.050 RPM	49.400 RPM
MLCH71909HV	45 mm	68 mm	12 mm	Open	—	—	33.150 RPM	44.200 RPM
MLCH71910CV	50 mm	72 mm	12 mm	Open	—	—	34.450 RPM	45.500 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MLCH71910HV	50 mm	72 mm	12 mm	Open	—	—	31.200 RPM	41.600 RPM
MLCH71911CV	55 mm	80 mm	13 mm	Open	—	—	27.300 RPM	40.300 RPM
MLCH71911HV	55 mm	80 mm	13 mm	Open	—	—	23.400 RPM	37.050 RPM
MLCH71912CV	60 mm	85 mm	13 mm	Open	—	—	23.400 RPM	38.350 RPM
MLCH71912HV	60 mm	85 mm	13 mm	Open	—	—	22.750 RPM	34.450 RPM
MLCH71913CV	65 mm	90 mm	13 mm	Open	—	—	24.700 RPM	39.650 RPM
MLCH71913HV	65 mm	90 mm	13 mm	Open	—	—	22.750 RPM	33.800 RPM
MLCH71914CV	70 mm	100 mm	16 mm	Open	—	—	22.100 RPM	35.100 RPM
MLCH71914HV	70 mm	100 mm	16 mm	Open	—	—	19.500 RPM	30.550 RPM
MLCH71915CV	75 mm	105 mm	16 mm	Open	—	—	21.450 RPM	33.800 RPM
MLCH71915HV	75 mm	105 mm	16 mm	Open	—	—	18.200 RPM	28.210 RPM
MLCH71916CV	80 mm	110 mm	16 mm	Open	—	—	20.150 RPM	31.850 RPM
MLCH71916HV	80 mm	110 mm	16 mm	Open	—	—	17.810 RPM	27.300 RPM
MLCH71917CV	85 mm	120 mm	18 mm	Open	—	—	18.850 RPM	29.250 RPM
MLCH71917HV	85 mm	120 mm	18 mm	Open	—	—	16.250 RPM	26.000 RPM
MLCH71918CV	90 mm	125 mm	18 mm	Open	—	—	17.550 RPM	27.300 RPM
MLCH71918HV	90 mm	125 mm	18 mm	Open	—	—	15.210 RPM	24.310 RPM
MLCH71919CV	95 mm	130 mm	18 mm	Open	—	—	16.510 RPM	26.000 RPM
MLCH71919HV	95 mm	130 mm	18 mm	Open	—	—	14.300 RPM	23.010 RPM
MLCH71920CV	100 mm	140 mm	20 mm	Open	—	—	15.210 RPM	24.050 RPM
MLCH71920HV	100 mm	140 mm	20 mm	Open	—	—	13.650 RPM	21.710 RPM
MLCH71922CV	110 mm	150 mm	20 mm	Open	—	—	13.650 RPM	22.100 RPM
MLCH71922HV	110 mm	150 mm	20 mm	Open	—	—	12.090 RPM	19.110 RPM
MLCH71924CV	120 mm	165 mm	22 mm	Open	—	—	12.350 RPM	20.150 RPM
MLCH71924HV	120 mm	165 mm	22 mm	Open	—	—	11.180 RPM	17.550 RPM
MLCH71926CV	130 mm	180 mm	24 mm	Open	—	—	11.050 RPM	18.200 RPM
MLCH71926HV	130 mm	180 mm	24 mm	Open	—	—	9.750 RPM	14.950 RPM

CONTACT

Email: infos@catson.com.vn
Website: www.catson.vn
Phone: +84 28 3820 8888
Fax: +84 28 3826 8888