

Inner Ring

Inner Ring

401 items



Select an NTN item number to open its detail page on www.catson.vn.

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
1R100X110X30	100 mm	—	30 mm	—	—	—	—	—
1R100X110X40	100 mm	—	40 mm	—	—	—	—	—
1R100X115X32	100 mm	—	32 mm	—	—	—	—	—
1R100X115X40	100 mm	—	40 mm	—	—	—	—	—
1R100X115X54	100 mm	—	54 mm	—	—	—	—	—
1R10X13X12-5	10 mm	—	12,500 mm	—	—	—	—	—
1R10X14X12	10 mm	—	12 mm	—	—	—	—	—
1R10X14X13	10 mm	—	13 mm	—	—	—	—	—
1R10X14X14D	10 mm	—	14 mm	—	—	—	—	—
1R10X14X16	10 mm	—	16 mm	—	—	—	—	—
1R10X14X20	10 mm	—	20 mm	—	—	—	—	—
1R10X15X15-5	10 mm	—	15,500 mm	—	—	—	—	—
1R10X15X20-5	10 mm	—	20,500 mm	—	—	—	—	—
1R10X16X16	10 mm	—	16 mm	—	—	—	—	—
1R110X120X30	110 mm	—	30 mm	—	—	—	—	—
1R110X120X40	110 mm	—	40 mm	—	—	—	—	—
1R110X125X40	110 mm	—	40 mm	—	—	—	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
1R110X125X54	110 mm	—	54 mm	—	—	—	—	—
1R120X130X30	120 mm	—	30 mm	—	—	—	—	—
1R120X130X40	120 mm	—	40 mm	—	—	—	—	—
1R120X135X40	120 mm	—	40 mm	—	—	—	—	—
1R120X135X45	120 mm	—	45 mm	—	—	—	—	—
1R120X135X60	120 mm	—	60 mm	—	—	—	—	—
1R12X15X12	12 mm	—	12 mm	—	—	—	—	—
1R12X15X12-5	12 mm	—	12,500 mm	—	—	—	—	—
1R12X15X16	12 mm	—	16 mm	—	—	—	—	—
1R12X15X16-5	12 mm	—	16,500 mm	—	—	—	—	—
1R12X15X22-5	12 mm	—	22,500 mm	—	—	—	—	—
1R12X16X12	12 mm	—	12 mm	—	—	—	—	—
1R12X16X13	12 mm	—	13 mm	—	—	—	—	—
1R12X16X140	12 mm	—	14 mm	—	—	—	—	—
1R12X16X16	12 mm	—	16 mm	—	—	—	—	—
1R12X16X20	12 mm	—	20 mm	—	—	—	—	—
1R12X16X22	12 mm	—	22 mm	—	—	—	—	—
1R12X17X20-5	12 mm	—	20,500 mm	—	—	—	—	—
1R12X17X25-5	12 mm	—	25,500 mm	—	—	—	—	—
1R12X18X16	12 mm	—	16 mm	—	—	—	—	—
1R130X145X32	130 mm	—	32 mm	—	—	—	—	—
1R130X145X35	130 mm	—	35 mm	—	—	—	—	—
1R130X145X42	130 mm	—	42 mm	—	—	—	—	—
1R130X150X50	130 mm	—	50 mm	—	—	—	—	—
1R130X150X52	130 mm	—	52 mm	—	—	—	—	—
1R130X150X67	130 mm	—	67 mm	—	—	—	—	—
1R140X155X32	140 mm	—	32 mm	—	—	—	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
1R140X155X35	140 mm	—	35 mm	—	—	—	—	—
1R140X155X42	140 mm	—	42 mm	—	—	—	—	—
1R140X160X50	140 mm	—	50 mm	—	—	—	—	—
1R140X160X52	140 mm	—	52 mm	—	—	—	—	—
1R140X160X67	140 mm	—	67 mm	—	—	—	—	—
1R14X17X17	14 mm	—	17 mm	—	—	—	—	—
1R150X165X32	150 mm	—	32 mm	—	—	—	—	—
1R150X165X40	150 mm	—	40 mm	—	—	—	—	—
1R150X165X42	150 mm	—	42 mm	—	—	—	—	—
1R150X170X52	150 mm	—	52 mm	—	—	—	—	—
1R150X170X60	150 mm	—	60 mm	—	—	—	—	—
1R15X18X12-5	15 mm	—	12,500 mm	—	—	—	—	—
1R15X18X16-5	15 mm	—	16,500 mm	—	—	—	—	—
1R15X18X17-5	15 mm	—	17,500 mm	—	—	—	—	—
1R15X18X20-5	15 mm	—	20,500 mm	—	—	—	—	—
1R15X18X25-5	15 mm	—	25,500 mm	—	—	—	—	—
1R15X19X16	15 mm	—	16 mm	—	—	—	—	—
1R15X19X20	15 mm	—	20 mm	—	—	—	—	—
1R15X20X12	15 mm	—	12 mm	—	—	—	—	—
1R15X20X13	15 mm	—	13 mm	—	—	—	—	—
1R15X20X14D	15 mm	—	14 mm	—	—	—	—	—
1R15X20X18	15 mm	—	18 mm	—	—	—	—	—
1R15X20X20-5	15 mm	—	20,500 mm	—	—	—	—	—
1R15X20X23	15 mm	—	23 mm	—	—	—	—	—
1R15X20X26	15 mm	—	26 mm	—	—	—	—	—
1R15X20X30-5	15 mm	—	30,500 mm	—	—	—	—	—
1R15X22X20	15 mm	—	20 mm	—	—	—	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
1R160X175X40	160 mm	—	40 mm	—	—	—	—	—
1R160X180X60	160 mm	—	60 mm	—	—	—	—	—
1R170X185X45	170 mm	—	45 mm	—	—	—	—	—
1R170X190X60	170 mm	—	60 mm	—	—	—	—	—
1R17X20X16	17 mm	—	16 mm	—	—	—	—	—
1R17X20X16-5	17 mm	—	16,500 mm	—	—	—	—	—
1R17X20X20	17 mm	—	20 mm	—	—	—	—	—
1R17X20X20-5	17 mm	—	20,500 mm	—	—	—	—	—
1R17X20X30-5	17 mm	—	30,500 mm	—	—	—	—	—
1R17X21X16	17 mm	—	16 mm	—	—	—	—	—
1R17X21X20	17 mm	—	20 mm	—	—	—	—	—
1R17X22X13	17 mm	—	13 mm	—	—	—	—	—
1R17X22X14D	17 mm	—	14 mm	—	—	—	—	—
1R17X22X16	17 mm	—	16 mm	—	—	—	—	—
1R17X22X18	17 mm	—	18 mm	—	—	—	—	—
1R17X22X20-5	17 mm	—	20,500 mm	—	—	—	—	—
1R17X22X23	17 mm	—	23 mm	—	—	—	—	—
1R17X22X26	17 mm	—	26 mm	—	—	—	—	—
1R17X22X32	17 mm	—	32 mm	—	—	—	—	—
1R17X24X20	17 mm	—	20 mm	—	—	—	—	—
1R180X195X45	180 mm	—	45 mm	—	—	—	—	—
1R180X205X69	180 mm	—	69 mm	—	—	—	—	—
1R190X210X50	190 mm	—	50 mm	—	—	—	—	—
1R190X215X69	190 mm	—	69 mm	—	—	—	—	—
1R200X220X50	200 mm	—	50 mm	—	—	—	—	—
1R200X225X80	200 mm	—	80 mm	—	—	—	—	—
1R20X24X16	20 mm	—	16 mm	—	—	—	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
1R20X24X20	20 mm	—	20 mm	—	—	—	—	—
1R20X24X28-5	20 mm	—	28,500 mm	—	—	—	—	—
1R20X25X12-5	20 mm	—	12,500 mm	—	—	—	—	—
1R20X25X16	20 mm	—	16 mm	—	—	—	—	—
1R20X25X16-5	20 mm	—	16,500 mm	—	—	—	—	—
1R20X25X17	20 mm	—	17 mm	—	—	—	—	—
1R20X25X18D	20 mm	—	18 mm	—	—	—	—	—
1R20X25X20-5	20 mm	—	20,500 mm	—	—	—	—	—
1R20X25X23	20 mm	—	23 mm	—	—	—	—	—
1R20X25X26	20 mm	—	26 mm	—	—	—	—	—
1R20X25X26-5	20 mm	—	26,500 mm	—	—	—	—	—
1R20X25X30	20 mm	—	30 mm	—	—	—	—	—
1R20X25X32	20 mm	—	32 mm	—	—	—	—	—
1R20X25X38-5	20 mm	—	38,500 mm	—	—	—	—	—
1R20X28X20	20 mm	—	20 mm	—	—	—	—	—
1R220X240X50	220 mm	—	50 mm	—	—	—	—	—
1R220X245X80	220 mm	—	80 mm	—	—	—	—	—
1R22X26X16	22 mm	—	16 mm	—	—	—	—	—
1R22X26X20	22 mm	—	20 mm	—	—	—	—	—
1R22X28X17	22 mm	—	17 mm	—	—	—	—	—
1R22X28X20	22 mm	—	20 mm	—	—	—	—	—
1R22X28X20-5	22 mm	—	20,500 mm	—	—	—	—	—
1R22X28X23	22 mm	—	23 mm	—	—	—	—	—
1R22X28X30	22 mm	—	30 mm	—	—	—	—	—
1R240X265X60	240 mm	—	60 mm	—	—	—	—	—
1R240X265X80	240 mm	—	80 mm	—	—	—	—	—
1R25X29X20	25 mm	—	20 mm	—	—	—	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
1R25X29X30	25 mm	—	30 mm	—	—	—	—	—
1R25X30X12-5	25 mm	—	12,500 mm	—	—	—	—	—
1R25X30X16	25 mm	—	16 mm	—	—	—	—	—
1R25X30X16-5	25 mm	—	16,500 mm	—	—	—	—	—
1R25X30X17	25 mm	—	17 mm	—	—	—	—	—
1R25X30X18	25 mm	—	18 mm	—	—	—	—	—
1R25X30X20	25 mm	—	20 mm	—	—	—	—	—
1R25X30X20-5	25 mm	—	20,500 mm	—	—	—	—	—
1R25X30X23	25 mm	—	23 mm	—	—	—	—	—
1R25X30X26	25 mm	—	26 mm	—	—	—	—	—
1R25X30X26-5	25 mm	—	26,500 mm	—	—	—	—	—
1R25X30X30	25 mm	—	30 mm	—	—	—	—	—
1R25X30X32	25 mm	—	32 mm	—	—	—	—	—
1R25X30X38-5	25 mm	—	38,500 mm	—	—	—	—	—
1R25X32X22	25 mm	—	22 mm	—	—	—	—	—
1R25X32X30-5	25 mm	—	30,500 mm	—	—	—	—	—
1R260X285X60	260 mm	—	60 mm	—	—	—	—	—
1R260X290X100	260 mm	—	100 mm	—	—	—	—	—
1R280X305X69	280 mm	—	69 mm	—	—	—	—	—
1R280X310X100	280 mm	—	100 mm	—	—	—	—	—
1R28X32X17	28 mm	—	17 mm	—	—	—	—	—
1R28X32X20	28 mm	—	20 mm	—	—	—	—	—
1R28X32X23	28 mm	—	23 mm	—	—	—	—	—
1R28X32X30	28 mm	—	30 mm	—	—	—	—	—
1R29X32X13	29 mm	—	13 mm	—	—	—	—	—
1R300X330X80	300 mm	—	80 mm	—	—	—	—	—
1R300X340X118	300 mm	—	118 mm	—	—	—	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
1R30X35X12-5	30 mm	—	12,500 mm	—	—	—	—	—
1R30X35X13	30 mm	—	13 mm	—	—	—	—	—
1R30X35X16	30 mm	—	16 mm	—	—	—	—	—
1R30X35X16-5	30 mm	—	16,500 mm	—	—	—	—	—
1R30X35X17	30 mm	—	17 mm	—	—	—	—	—
1R30X35X18D	30 mm	—	18 mm	—	—	—	—	—
1R30X35X20	30 mm	—	20 mm	—	—	—	—	—
1R30X35X20-5	30 mm	—	20,500 mm	—	—	—	—	—
1R30X35X23	30 mm	—	23 mm	—	—	—	—	—
1R30X35X26	30 mm	—	26 mm	—	—	—	—	—
1R30X35X30	30 mm	—	30 mm	—	—	—	—	—
1R30X35X32	30 mm	—	32 mm	—	—	—	—	—
1R30X37X18	30 mm	—	18 mm	—	—	—	—	—
1R30X37X22	30 mm	—	22 mm	—	—	—	—	—
1R30X38X20	30 mm	—	20 mm	—	—	—	—	—
1R320X350X80	320 mm	—	80 mm	—	—	—	—	—
1R320X360X118	320 mm	—	118 mm	—	—	—	—	—
1R32X37X20	32 mm	—	20 mm	—	—	—	—	—
1R32X37X30	32 mm	—	30 mm	—	—	—	—	—
1R32X38X32	32 mm	—	32 mm	—	—	—	—	—
1R32X40X20	32 mm	—	20 mm	—	—	—	—	—
1R32X40X27	32 mm	—	27 mm	—	—	—	—	—
1R32X40X36	32 mm	—	36 mm	—	—	—	—	—
1R33X37X13	33 mm	—	13 mm	—	—	—	—	—
1R340X370X80	340 mm	—	80 mm	—	—	—	—	—
1R340X380X118	340 mm	—	118 mm	—	—	—	—	—
1R35X40X12-5	35 mm	—	12,500 mm	—	—	—	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
1R35X40X16-5	35 mm	—	16,500 mm	—	—	—	—	—
1R35X40X17	35 mm	—	17 mm	—	—	—	—	—
1R35X40X20	35 mm	—	20 mm	—	—	—	—	—
1R35X40X20-5	35 mm	—	20,500 mm	—	—	—	—	—
1R35X40X30	35 mm	—	30 mm	—	—	—	—	—
1R35X40X34	35 mm	—	34 mm	—	—	—	—	—
1R35X40X40	35 mm	—	40 mm	—	—	—	—	—
1R35X42X20	35 mm	—	20 mm	—	—	—	—	—
1R35X42X21	35 mm	—	21 mm	—	—	—	—	—
1R35X42X230	35 mm	—	23 mm	—	—	—	—	—
1R35X42X27	35 mm	—	27 mm	—	—	—	—	—
1R35X42X36	35 mm	—	36 mm	—	—	—	—	—
1R35X43X22	35 mm	—	22 mm	—	—	—	—	—
1R360X390X80	360 mm	—	80 mm	—	—	—	—	—
1R360X400X118	360 mm	—	118 mm	—	—	—	—	—
1R380X415X100	380 mm	—	100 mm	—	—	—	—	—
1R380X430X140	380 mm	—	140 mm	—	—	—	—	—
1R38X43X20	38 mm	—	20 mm	—	—	—	—	—
1R38X43X30	38 mm	—	30 mm	—	—	—	—	—
1R400X450X140	400 mm	—	140 mm	—	—	—	—	—
1R40X45X16-5	40 mm	—	16,500 mm	—	—	—	—	—
1R40X45X17	40 mm	—	17 mm	—	—	—	—	—
1R40X45X20	40 mm	—	20 mm	—	—	—	—	—
1R40X45X20-5	40 mm	—	20,500 mm	—	—	—	—	—
1R40X45X26-5	40 mm	—	26,500 mm	—	—	—	—	—
1R40X45X30	40 mm	—	30 mm	—	—	—	—	—
1R40X45X34	40 mm	—	34 mm	—	—	—	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
1R40X45X40	40 mm	—	40 mm	—	—	—	—	—
1R40X48X22	40 mm	—	22 mm	—	—	—	—	—
1R40X48X23	40 mm	—	23 mm	—	—	—	—	—
1R40X48X30	40 mm	—	30 mm	—	—	—	—	—
1R40X48X40	40 mm	—	40 mm	—	—	—	—	—
1R40X50X20	40 mm	—	20 mm	—	—	—	—	—
1R40X50X22	40 mm	—	22 mm	—	—	—	—	—
1R420X470X140	420 mm	—	140 mm	—	—	—	—	—
1R42X47X20	42 mm	—	20 mm	—	—	—	—	—
1R42X47X30	42 mm	—	30 mm	—	—	—	—	—
1R440X490X160	440 mm	—	160 mm	—	—	—	—	—
1R45X50X20	45 mm	—	20 mm	—	—	—	—	—
1R45X50X25	45 mm	—	25 mm	—	—	—	—	—
1R45X50X25-5	45 mm	—	25,500 mm	—	—	—	—	—
1R45X50X32	45 mm	—	32 mm	—	—	—	—	—
1R45X50X35	45 mm	—	35 mm	—	—	—	—	—
1R45X50X40	45 mm	—	40 mm	—	—	—	—	—
1R45X52X22	45 mm	—	22 mm	—	—	—	—	—
1R45X52X23D	45 mm	—	23 mm	—	—	—	—	—
1R45X52X30	45 mm	—	30 mm	—	—	—	—	—
1R45X52X40	45 mm	—	40 mm	—	—	—	—	—
1R45X55X20	45 mm	—	20 mm	—	—	—	—	—
1R45X55X22	45 mm	—	22 mm	—	—	—	—	—
1R45X55X40	45 mm	—	40 mm	—	—	—	—	—
1R50X55X20	50 mm	—	20 mm	—	—	—	—	—
1R50X55X25	50 mm	—	25 mm	—	—	—	—	—
1R50X55X35	50 mm	—	35 mm	—	—	—	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
1R50X55X40	50 mm	—	40 mm	—	—	—	—	—
1R50X58X22	50 mm	—	22 mm	—	—	—	—	—
1R50X58X23D	50 mm	—	23 mm	—	—	—	—	—
1R50X58X30	50 mm	—	30 mm	—	—	—	—	—
1R50X58X40	50 mm	—	40 mm	—	—	—	—	—
1R50X60X20	50 mm	—	20 mm	—	—	—	—	—
1R50X60X25	50 mm	—	25 mm	—	—	—	—	—
1R50X60X28	50 mm	—	28 mm	—	—	—	—	—
1R50X60X40	50 mm	—	40 mm	—	—	—	—	—
1R55X60X25	55 mm	—	25 mm	—	—	—	—	—
1R55X60X35	55 mm	—	35 mm	—	—	—	—	—
1R55X63X25	55 mm	—	25 mm	—	—	—	—	—
1R55X63X34	55 mm	—	34 mm	—	—	—	—	—
1R55X63X45	55 mm	—	45 mm	—	—	—	—	—
1R55X65X28	55 mm	—	28 mm	—	—	—	—	—
1R55X65X30	55 mm	—	30 mm	—	—	—	—	—
1R55X65X60	55 mm	—	60 mm	—	—	—	—	—
1R5X7X10	5 mm	—	10 mm	—	—	—	—	—
1R5X8X12	5 mm	—	12 mm	—	—	—	—	—
1R5X8X16	5 mm	—	16 mm	—	—	—	—	—
1R60X68X25	60 mm	—	25 mm	—	—	—	—	—
1R60X68X34	60 mm	—	34 mm	—	—	—	—	—
1R60X68X35	60 mm	—	35 mm	—	—	—	—	—
1R60X68X45	60 mm	—	45 mm	—	—	—	—	—
1R60X70X25	60 mm	—	25 mm	—	—	—	—	—
1R60X70X28	60 mm	—	28 mm	—	—	—	—	—
1R60X70X30	60 mm	—	30 mm	—	—	—	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
1R60X70X60	60 mm	—	60 mm	—	—	—	—	—
1R65X72X25	65 mm	—	25 mm	—	—	—	—	—
1R65X72X34	65 mm	—	34 mm	—	—	—	—	—
1R65X72X45	65 mm	—	45 mm	—	—	—	—	—
1R65X73X25	65 mm	—	25 mm	—	—	—	—	—
1R65X73X35	65 mm	—	35 mm	—	—	—	—	—
1R65X75X28	65 mm	—	28 mm	—	—	—	—	—
1R65X75X30	65 mm	—	30 mm	—	—	—	—	—
1R65X75X60	65 mm	—	60 mm	—	—	—	—	—
1R6X10X10	6 mm	—	10 mm	—	—	—	—	—
1R6X10X12D	6 mm	—	12 mm	—	—	—	—	—
1R6X10X13	6 mm	—	13 mm	—	—	—	—	—
1R6X8X10	6 mm	—	10 mm	—	—	—	—	—
1R6X9X12	6 mm	—	12 mm	—	—	—	—	—
1R6X9X16	6 mm	—	16 mm	—	—	—	—	—
1R70X80-40	70 mm	—	40 mm	—	—	—	—	—
1R70X80X25	70 mm	—	25 mm	—	—	—	—	—
1R70X80X28	70 mm	—	28 mm	—	—	—	—	—
1R70X80X30	70 mm	—	30 mm	—	—	—	—	—
1R70X80X35	70 mm	—	35 mm	—	—	—	—	—
1R70X80X54	70 mm	—	54 mm	—	—	—	—	—
1R70X80X56	70 mm	—	56 mm	—	—	—	—	—
1R70X80X60	70 mm	—	60 mm	—	—	—	—	—
1R75X85X25	75 mm	—	25 mm	—	—	—	—	—
1R75X85X30	75 mm	—	30 mm	—	—	—	—	—
1R75X85X35	75 mm	—	35 mm	—	—	—	—	—
1R75X85X40	75 mm	—	40 mm	—	—	—	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
1R75X85X54	75 mm	—	54 mm	—	—	—	—	—
1R75X90X32	75 mm	—	32 mm	—	—	—	—	—
1R7X10X10-5	7 mm	—	10,500 mm	—	—	—	—	—
1R7X10X12	7 mm	—	12 mm	—	—	—	—	—
1R7X10X16	7 mm	—	16 mm	—	—	—	—	—
1R7X12X16	7 mm	—	16 mm	—	—	—	—	—
1R7X9X10	7 mm	—	10 mm	—	—	—	—	—
1R80X90X25	80 mm	—	25 mm	—	—	—	—	—
1R80X90X30	80 mm	—	30 mm	—	—	—	—	—
1R80X90X35	80 mm	—	35 mm	—	—	—	—	—
1R80X90X40	80 mm	—	40 mm	—	—	—	—	—
1R80X90X54	80 mm	—	54 mm	—	—	—	—	—
1R80X95X32	80 mm	—	32 mm	—	—	—	—	—
1R85X100X32	85 mm	—	32 mm	—	—	—	—	—
1R85X100X35	85 mm	—	35 mm	—	—	—	—	—
1R85X100X46	85 mm	—	46 mm	—	—	—	—	—
1R85X100X63	85 mm	—	63 mm	—	—	—	—	—
1R85X953X6	85 mm	—	36 mm	—	—	—	—	—
1R85X95X26	85 mm	—	26 mm	—	—	—	—	—
1R85X95X30	85 mm	—	30 mm	—	—	—	—	—
1R8X10X11	8 mm	—	11 mm	—	—	—	—	—
1R8X12X10	8 mm	—	10 mm	—	—	—	—	—
1R8X12X10-5	8 mm	—	10,500 mm	—	—	—	—	—
1R8X12X12-5	8 mm	—	12,500 mm	—	—	—	—	—
1R8X12X12D	8 mm	—	12 mm	—	—	—	—	—
1R8X14X16	8 mm	—	16 mm	—	—	—	—	—
1R90X100X26	90 mm	—	26 mm	—	—	—	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
1R90X100X30	90 mm	—	30 mm	—	—	—	—	—
1R90X100X36	90 mm	—	36 mm	—	—	—	—	—
1R90X105X32	90 mm	—	32 mm	—	—	—	—	—
1R90X105X35	90 mm	—	35 mm	—	—	—	—	—
1R90X105X46	90 mm	—	46 mm	—	—	—	—	—
1R90X105X63	90 mm	—	63 mm	—	—	—	—	—
1R95X105X26	95 mm	—	26 mm	—	—	—	—	—
1R95X105X36	95 mm	—	36 mm	—	—	—	—	—
1R95X110X32	95 mm	—	32 mm	—	—	—	—	—
1R95X110X35	95 mm	—	35 mm	—	—	—	—	—
1R95X110X46	95 mm	—	46 mm	—	—	—	—	—
1R95X110X63	95 mm	—	63 mm	—	—	—	—	—
1R9X12X11	9 mm	—	11 mm	—	—	—	—	—
1R9X12X12	9 mm	—	12 mm	—	—	—	—	—
1R9X12X16	9 mm	—	16 mm	—	—	—	—	—
1R9X15X16	9 mm	—	16 mm	—	—	—	—	—
1RISX18X16	15 mm	—	16 mm	—	—	—	—	—
K1R20X25X20	20 mm	—	20 mm	—	—	—	—	—
M1-060908	9,525 mm	—	12,950 mm	—	—	—	—	—
M1-061012	9,525 mm	—	19,300 mm	—	—	—	—	—
M1-061016	9,525 mm	—	25,650 mm	—	—	—	—	—
M1-081210	12,700 mm	—	16,130 mm	—	—	—	—	—
M1-081212	12,700 mm	—	19,300 mm	—	—	—	—	—
M1-081216	12,700 mm	—	25,650 mm	—	—	—	—	—
M1-101406	15,875 mm	—	9,780 mm	—	—	—	—	—
M1-101408	15,875 mm	—	12,950 mm	—	—	—	—	—
M1-101412	15,875 mm	—	19,300 mm	—	—	—	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
M1-101416	15,875 mm	—	25,650 mm	—	—	—	—	—
M1-10412448	165,100 mm	—	76,580 mm	—	—	—	—	—
M1-11213248	177,800 mm	—	76,580 mm	—	—	—	—	—
M1-12014048	190,500 mm	—	76,580 mm	—	—	—	—	—
M1-121612	19,050 mm	—	19,300 mm	—	—	—	—	—
M1-121616	19,050 mm	—	25,650 mm	—	—	—	—	—
M1-12814848	203,200 mm	—	76,580 mm	—	—	—	—	—
M1-141808	22,225 mm	—	12,950 mm	—	—	—	—	—
M1-141812	22,225 mm	—	19,300 mm	—	—	—	—	—
M1-141816	22,225 mm	—	25,650 mm	—	—	—	—	—
M1-141820	22,225 mm	—	32 mm	—	—	—	—	—
M1-162012	25,400 mm	—	19,300 mm	—	—	—	—	—
M1-162016	25,400 mm	—	25,650 mm	—	—	—	—	—
M1-162020	25,400 mm	—	32 mm	—	—	—	—	—
M1-182208	28,575 mm	—	12,950 mm	—	—	—	—	—
M1-182216	28,575 mm	—	25,650 mm	—	—	—	—	—
M1-182220	28,575 mm	—	32 mm	—	—	—	—	—
M1-202416	31,750 mm	—	25,650 mm	—	—	—	—	—
M1-202420	31,750 mm	—	32 mm	—	—	—	—	—
M1-212616	33,338 mm	—	25,650 mm	—	—	—	—	—
M1-212620	33,338 mm	—	32 mm	—	—	—	—	—
M1-22-2610	34,925 mm	—	16,130 mm	—	—	—	—	—
M1-222816	34,925 mm	—	25,650 mm	—	—	—	—	—
M1-222820	34,925 mm	—	32 mm	—	—	—	—	—
M1242812	38,100 mm	—	19,300 mm	—	—	—	—	—
M1-242816	38,100 mm	—	25,650 mm	—	—	—	—	—
M1-253020	39,688 mm	—	32 mm	—	—	—	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
M1-263216	41,275 mm	—	25,650 mm	—	—	—	—	—
M1-263220	41,275 mm	—	32 mm	—	—	—	—	—
M1-283624	44,450 mm	—	38,350 mm	—	—	—	—	—
M1-283628	44,450 mm	—	44,700 mm	—	—	—	—	—
M1-324024	50,800 mm	—	38,350 mm	—	—	—	—	—
M1-324028	50,800 mm	—	44,700 mm	—	—	—	—	—
M1-364416	57,150 mm	—	25,650 mm	—	—	—	—	—
M1-364424	57,150 mm	—	38,350 mm	—	—	—	—	—
M1-364428	57,150 mm	—	44,700 mm	—	—	—	—	—
M1-404824	63,500 mm	—	38,350 mm	—	—	—	—	—
M1-404828	63,500 mm	—	44,700 mm	—	—	—	—	—
M1-425228	66,675 mm	—	44,700 mm	—	—	—	—	—
M1-425232	66,675 mm	—	51,050 mm	—	—	—	—	—
M1-445228	69,850 mm	—	44,700 mm	—	—	—	—	—
M1-485628	76,200 mm	—	44,700 mm	—	—	—	—	—
M1-485632	76,200 mm	—	51,050 mm	—	—	—	—	—
M1-506032	79,375 mm	—	51,050 mm	—	—	—	—	—
M1-546432	85,725 mm	—	51,050 mm	—	—	—	—	—
M1-586832	92,075 mm	—	51,050 mm	—	—	—	—	—
M1-607236	95,250 mm	—	57,400 mm	—	—	—	—	—
M1-627236	98,425 mm	—	57,400 mm	—	—	—	—	—
M1-627240	98,425 mm	—	63,880 mm	—	—	—	—	—
M1-648032	101,600 mm	—	51,050 mm	—	—	—	—	—
M1-648036	101,600 mm	—	57,400 mm	—	—	—	—	—
M1-648040	101,600 mm	—	63,880 mm	—	—	—	—	—
M1-728840	114,300 mm	—	63,880 mm	—	—	—	—	—
M1-728848	114,300 mm	—	76,580 mm	—	—	—	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
M1-769248	120,650 mm	—	76,580 mm	—	—	—	—	—
M1-809640	127 mm	—	63,880 mm	—	—	—	—	—
M1-809648	127 mm	—	76,580 mm	—	—	—	—	—
M1-8810440	139,700 mm	—	63,880 mm	—	—	—	—	—
M1-8810448	139,700 mm	—	76,580 mm	—	—	—	—	—
M1-9611648	152,400 mm	—	76,580 mm	—	—	—	—	—

CONTACT

Email: infos@catson.com.vn

Website: www.catson.vn

Phone: +84 28 3820 8888

Fax: +84 28 3826 8888

