

## Inner Ring w/ Two Ribs and Rollers

Inner Ring with Cage and Rollers

227 items



Select an NTN item number to open its detail page on [www.catson.vn](http://www.catson.vn).

| Item                    | d | D | B      | Type | Dynamic   | Static    | Grease | Oil |
|-------------------------|---|---|--------|------|-----------|-----------|--------|-----|
| <a href="#">MU1010V</a> | — | — | 50 mm  | Open | 42.500 N  | 54.000 N  | —      | —   |
| <a href="#">MU1011L</a> | — | — | 55 mm  | Open | 52.500 N  | 68.500 N  | —      | —   |
| <a href="#">MU1012L</a> | — | — | 60 mm  | Open | 55.500 N  | 75.000 N  | —      | —   |
| <a href="#">MU1013L</a> | — | — | 65 mm  | Open | 58.500 N  | 82.000 N  | —      | —   |
| <a href="#">MU1013V</a> | — | — | 65 mm  | Open | 58.500 N  | 82.000 N  | —      | —   |
| <a href="#">MU1014L</a> | — | — | 70 mm  | Open | 70.500 N  | 92.000 N  | —      | —   |
| <a href="#">MU1014X</a> | — | — | 70 mm  | Open | 72.500 N  | 96.000 N  | —      | —   |
| <a href="#">MU1015L</a> | — | — | 75 mm  | Open | 72.000 N  | 96.500 N  | —      | —   |
| <a href="#">MU1015V</a> | — | — | 75 mm  | Open | 72.000 N  | 96.500 N  | —      | —   |
| <a href="#">MU1015X</a> | — | — | 75 mm  | Open | 76.500 N  | 105.000 N | —      | —   |
| <a href="#">MU1016L</a> | — | — | 80 mm  | Open | 88.000 N  | 117.000 N | —      | —   |
| <a href="#">MU1016V</a> | — | — | 80 mm  | Open | 91.000 N  | 123.000 N | —      | —   |
| <a href="#">MU1016X</a> | — | — | 80 mm  | Open | 97.000 N  | 133.000 N | —      | —   |
| <a href="#">MU1017L</a> | — | — | 85 mm  | Open | 87.500 N  | 118.000 N | —      | —   |
| <a href="#">MU1017V</a> | — | — | 85 mm  | Open | 93.500 N  | 129.000 N | —      | —   |
| <a href="#">MU1017X</a> | — | — | 85 mm  | Open | 160.000 N | 205.000 N | —      | —   |
| <a href="#">MU1020V</a> | — | — | 100 mm | Open | 233.000 N | 300.000 N | —      | —   |

| Item                    | d | D | B      | Type | Dynamic   | Static    | Grease | Oil |
|-------------------------|---|---|--------|------|-----------|-----------|--------|-----|
| <a href="#">MU1021V</a> | — | — | 105 mm | Open | 149.000 N | 222.000 N | —      | —   |
| <a href="#">MU1021X</a> | — | — | 105 mm | Open | 154.000 N | 231.000 N | —      | —   |
| <a href="#">MU1024X</a> | — | — | 120 mm | Open | 184.000 N | 284.000 N | —      | —   |
| <a href="#">MU1026L</a> | — | — | 130 mm | Open | 229.000 N | 340.000 N | —      | —   |
| <a href="#">MU1205L</a> | — | — | 25 mm  | Open | 31.000 N  | 33.500 N  | —      | —   |
| <a href="#">MU1205X</a> | — | — | 25 mm  | Open | 31.000 N  | 33.500 N  | —      | —   |
| <a href="#">MU1207L</a> | — | — | 35 mm  | Open | 47.000 N  | 49.000 N  | —      | —   |
| <a href="#">MU1207X</a> | — | — | 35 mm  | Open | 47.000 N  | 49.000 N  | —      | —   |
| <a href="#">MU1208L</a> | — | — | 40 mm  | Open | 55.500 N  | 60.000 N  | —      | —   |
| <a href="#">MU1208X</a> | — | — | 40 mm  | Open | 55.500 N  | 60.000 N  | —      | —   |
| <a href="#">MU1209L</a> | — | — | 45 mm  | Open | 64.000 N  | 75.000 N  | —      | —   |
| <a href="#">MU1209V</a> | — | — | 45 mm  | Open | 64.000 N  | 75.000 N  | —      | —   |
| <a href="#">MU1209X</a> | — | — | 45 mm  | Open | 64.000 N  | 75.000 N  | —      | —   |
| <a href="#">MU1210L</a> | — | — | 50 mm  | Open | 65.000 N  | 78.500 N  | —      | —   |
| <a href="#">MU1210X</a> | — | — | 50 mm  | Open | 65.000 N  | 78.500 N  | —      | —   |
| <a href="#">MU1211L</a> | — | — | 55 mm  | Open | 78.000 N  | 95.500 N  | —      | —   |
| <a href="#">MU1211V</a> | — | — | 55 mm  | Open | 78.000 N  | 95.500 N  | —      | —   |
| <a href="#">MU1211X</a> | — | — | 55 mm  | Open | 78.000 N  | 95.500 N  | —      | —   |
| <a href="#">MU1212L</a> | — | — | 60 mm  | Open | 95.000 N  | 112.000 N | —      | —   |
| <a href="#">MU1212V</a> | — | — | 60 mm  | Open | 95.000 N  | 112.000 N | —      | —   |
| <a href="#">MU1212X</a> | — | — | 60 mm  | Open | 95.000 N  | 112.000 N | —      | —   |
| <a href="#">MU1213L</a> | — | — | 65 mm  | Open | 108.000 N | 135.000 N | —      | —   |
| <a href="#">MU1213V</a> | — | — | 65 mm  | Open | 108.000 N | 135.000 N | —      | —   |
| <a href="#">MU1213X</a> | — | — | 65 mm  | Open | 108.000 N | 135.000 N | —      | —   |
| <a href="#">MU1214L</a> | — | — | 70 mm  | Open | 114.000 N | 142.000 N | —      | —   |
| <a href="#">MU1214V</a> | — | — | 70 mm  | Open | 114.000 N | 142.000 N | —      | —   |
| <a href="#">MU1214X</a> | — | — | 70 mm  | Open | 119.000 N | 150.000 N | —      | —   |

| Item                    | d | D | B      | Type | Dynamic   | Static    | Grease | Oil |
|-------------------------|---|---|--------|------|-----------|-----------|--------|-----|
| <a href="#">MU1215L</a> | — | — | 75 mm  | Open | 123.000 N | 159.000 N | —      | —   |
| <a href="#">MU1215M</a> | — | — | 75 mm  | Open | 141.000 N | 191.000 N | —      | —   |
| <a href="#">MU1215X</a> | — | — | 75 mm  | Open | 123.000 N | 159.000 N | —      | —   |
| <a href="#">MU1216L</a> | — | — | 80 mm  | Open | 131.000 N | 166.000 N | —      | —   |
| <a href="#">MU1216X</a> | — | — | 80 mm  | Open | 136.000 N | 174.000 N | —      | —   |
| <a href="#">MU1217L</a> | — | — | 85 mm  | Open | 154.000 N | 194.000 N | —      | —   |
| <a href="#">MU1217M</a> | — | — | 85 mm  | Open | 185.000 N | 248.000 N | —      | —   |
| <a href="#">MU1217V</a> | — | — | 85 mm  | Open | 154.000 N | 194.000 N | —      | —   |
| <a href="#">MU1217X</a> | — | — | 85 mm  | Open | 160.000 N | 205.000 N | —      | —   |
| <a href="#">MU1218L</a> | — | — | 90 mm  | Open | 173.000 N | 217.000 N | —      | —   |
| <a href="#">MU1218M</a> | — | — | 90 mm  | Open | 210.000 N | 281.000 N | —      | —   |
| <a href="#">MU1218V</a> | — | — | 90 mm  | Open | 181.000 N | 230.000 N | —      | —   |
| <a href="#">MU1218X</a> | — | — | 90 mm  | Open | 188.000 N | 243.000 N | —      | —   |
| <a href="#">MU1219L</a> | — | — | 95 mm  | Open | 203.000 N | 258.000 N | —      | —   |
| <a href="#">MU1219X</a> | — | — | 95 mm  | Open | 212.000 N | 273.000 N | —      | —   |
| <a href="#">MU1220L</a> | — | — | 100 mm | Open | 233.000 N | 300.000 N | —      | —   |
| <a href="#">MU1220V</a> | — | — | 100 mm | Open | 233.000 N | 300.000 N | —      | —   |
| <a href="#">MU1220X</a> | — | — | 100 mm | Open | 224.000 N | 286.000 N | —      | —   |
| <a href="#">MU1221M</a> | — | — | 105 mm | Open | 209.000 N | 395.000 N | —      | —   |
| <a href="#">MU1221V</a> | — | — | 105 mm | Open | 249.000 N | 320.000 N | —      | —   |
| <a href="#">MU1222L</a> | — | — | 110 mm | Open | 255.000 N | 330.000 N | —      | —   |
| <a href="#">MU1222M</a> | — | — | 110 mm | Open | 310.000 N | 425.000 N | —      | —   |
| <a href="#">MU1224L</a> | — | — | 120 mm | Open | 300.000 N | 405.000 N | —      | —   |
| <a href="#">MU1226L</a> | — | — | 130 mm | Open | 305.000 N | 400.000 N | —      | —   |
| <a href="#">MU1304L</a> | — | — | 20 mm  | Open | 31.000 N  | 28.000 N  | —      | —   |
| <a href="#">MU1305L</a> | — | — | 25 mm  | Open | 42.000 N  | 39.000 N  | —      | —   |
| <a href="#">MU1306L</a> | — | — | 30 mm  | Open | 55.000 N  | 56.500 N  | —      | —   |

| Item                      | d | D | B     | Type | Dynamic   | Static    | Grease | Oil |
|---------------------------|---|---|-------|------|-----------|-----------|--------|-----|
| <a href="#">MU1306X</a>   | — | — | 30 mm | Open | 55.000 N  | 56.500 N  | —      | —   |
| <a href="#">MU1307L</a>   | — | — | 35 mm | Open | 69.000 N  | 74.500 N  | —      | —   |
| <a href="#">MU1307V</a>   | — | — | 35 mm | Open | 69.000 N  | 74.500 N  | —      | —   |
| <a href="#">MU1307X</a>   | — | — | 35 mm | Open | 69.000 N  | 74.500 N  | —      | —   |
| <a href="#">MU1308L</a>   | — | — | 40 mm | Open | 86.000 N  | 92.500 N  | —      | —   |
| <a href="#">MU1308V</a>   | — | — | 40 mm | Open | 82.000 N  | 86.000 N  | —      | —   |
| <a href="#">MU1308X</a>   | — | — | 40 mm | Open | 82.000 N  | 86.000 N  | —      | —   |
| <a href="#">MU1309L</a>   | — | — | 45 mm | Open | 107.000 N | 121.000 N | —      | —   |
| <a href="#">MU1309V</a>   | — | — | 45 mm | Open | 102.000 N | 113.000 N | —      | —   |
| <a href="#">MU1309X</a>   | — | — | 45 mm | Open | 102.000 N | 113.000 N | —      | —   |
| <a href="#">MU1309XV1</a> | — | — | 45 mm | Open | 102.000 N | 113.000 N | —      | —   |
| <a href="#">MU1310L</a>   | — | — | 50 mm | Open | 121.000 N | 135.000 N | —      | —   |
| <a href="#">MU1310V</a>   | — | — | 50 mm | Open | 121.000 N | 135.000 N | —      | —   |
| <a href="#">MU1310X</a>   | — | — | 50 mm | Open | 121.000 N | 135.000 N | —      | —   |
| <a href="#">MU1311L</a>   | — | — | 55 mm | Open | 139.000 N | 157.000 N | —      | —   |
| <a href="#">MU1311V</a>   | — | — | 55 mm | Open | 132.000 N | 147.000 N | —      | —   |
| <a href="#">MU1311VK</a>  | — | — | 55 mm | Open | 132.000 N | 147.000 N | —      | —   |
| <a href="#">MU1311VV1</a> | — | — | 55 mm | Open | 132.000 N | 147.000 N | —      | —   |
| <a href="#">MU1312L</a>   | — | — | 60 mm | Open | 168.000 N | 195.000 N | —      | —   |
| <a href="#">MU1312V</a>   | — | — | 60 mm | Open | 151.000 N | 169.000 N | —      | —   |
| <a href="#">MU1312X</a>   | — | — | 60 mm | Open | 160.000 N | 182.000 N | —      | —   |
| <a href="#">MU1313L</a>   | — | — | 65 mm | Open | 188.000 N | 218.000 N | —      | —   |
| <a href="#">MU1313V</a>   | — | — | 65 mm | Open | 188.000 N | 218.000 N | —      | —   |
| <a href="#">MU1313X</a>   | — | — | 65 mm | Open | 188.000 N | 218.000 N | —      | —   |
| <a href="#">MU1314L</a>   | — | — | 70 mm | Open | 211.000 N | 247.000 N | —      | —   |
| <a href="#">MU1314V</a>   | — | — | 70 mm | Open | 211.000 N | 247.000 N | —      | —   |
| <a href="#">MU1314VK</a>  | — | — | 70 mm | Open | 211.000 N | 247.000 N | —      | —   |

| Item                    | d | D | B      | Type | Dynamic   | Static      | Grease | Oil |
|-------------------------|---|---|--------|------|-----------|-------------|--------|-----|
| <a href="#">MU1314X</a> | — | — | 70 mm  | Open | 211.000 N | 247.000 N   | —      | —   |
| <a href="#">MU1315L</a> | — | — | 75 mm  | Open | 223.000 N | 258.000 N   | —      | —   |
| <a href="#">MU1315X</a> | — | — | 75 mm  | Open | 223.000 N | 258.000 N   | —      | —   |
| <a href="#">MU1316L</a> | — | — | 80 mm  | Open | 267.000 N | 320.000 N   | —      | —   |
| <a href="#">MU1317L</a> | — | — | 85 mm  | Open | 269.000 N | 315.000 N   | —      | —   |
| <a href="#">MU1318L</a> | — | — | 90 mm  | Open | 300.000 N | 355.000 N   | —      | —   |
| <a href="#">MU1318V</a> | — | — | 90 mm  | Open | 335.000 N | 410.000 N   | —      | —   |
| <a href="#">MU1318X</a> | — | — | 90 mm  | Open | 335.000 N | 410.000 N   | —      | —   |
| <a href="#">MU1319L</a> | — | — | 95 mm  | Open | 320.000 N | 390.000 N   | —      | —   |
| <a href="#">MU1319X</a> | — | — | 95 mm  | Open | 355.000 N | 445.000 N   | —      | —   |
| <a href="#">MU1320L</a> | — | — | 100 mm | Open | 350.000 N | 430.000 N   | —      | —   |
| <a href="#">MU1320X</a> | — | — | 100 mm | Open | 390.000 N | 490.000 N   | —      | —   |
| <a href="#">MU1321L</a> | — | — | 105 mm | Open | 420.000 N | 525.000 N   | —      | —   |
| <a href="#">MU1321V</a> | — | — | 105 mm | Open | 420.000 N | 525.000 N   | —      | —   |
| <a href="#">MU1921V</a> | — | — | 105 mm | Open | 85.500 N  | 133.000 N   | —      | —   |
| <a href="#">MU1922L</a> | — | — | 110 mm | Open | 87.000 N  | 137.000 N   | —      | —   |
| <a href="#">MU1922V</a> | — | — | 110 mm | Open | 87.000 N  | 137.000 N   | —      | —   |
| <a href="#">MU1922X</a> | — | — | 110 mm | Open | 89.500 N  | 141.000 N   | —      | —   |
| <a href="#">MU1924L</a> | — | — | 120 mm | Open | 111.000 N | 176.000 N   | —      | —   |
| <a href="#">MU1924V</a> | — | — | 120 mm | Open | 108.000 N | 171.000 N   | —      | —   |
| <a href="#">MU1926L</a> | — | — | 130 mm | Open | 148.000 N | 241.000 N   | —      | —   |
| <a href="#">MU1926V</a> | — | — | 130 mm | Open | 145.000 N | 233.000 N   | —      | —   |
| <a href="#">MU1934V</a> | — | — | 170 mm | Open | 211.000 N | 375.000 N   | —      | —   |
| <a href="#">MU1956V</a> | — | — | 280 mm | Open | 635.000 N | 1.180.000 N | —      | —   |
| <a href="#">MU5205L</a> | — | — | 25 mm  | Open | 42.500 N  | 50.000 N    | —      | —   |
| <a href="#">MU5205X</a> | — | — | 25 mm  | Open | 42.500 N  | 50.000 N    | —      | —   |
| <a href="#">MU5206L</a> | — | — | 30 mm  | Open | 61.000 N  | 72.500 N    | —      | —   |

| Item                    | d | D | B     | Type | Dynamic   | Static    | Grease | Oil |
|-------------------------|---|---|-------|------|-----------|-----------|--------|-----|
| <a href="#">MU5206V</a> | — | — | 30 mm | Open | 61.000 N  | 72.500 N  | —      | —   |
| <a href="#">MU5207L</a> | — | — | 35 mm | Open | 76.500 N  | 91.500 N  | —      | —   |
| <a href="#">MU5207X</a> | — | — | 35 mm | Open | 76.500 N  | 91.500 N  | —      | —   |
| <a href="#">MU5208L</a> | — | — | 40 mm | Open | 96.500 N  | 122.000 N | —      | —   |
| <a href="#">MU5208X</a> | — | — | 40 mm | Open | 96.500 N  | 122.000 N | —      | —   |
| <a href="#">MU5209L</a> | — | — | 45 mm | Open | 105.000 N | 140.000 N | —      | —   |
| <a href="#">MU5209X</a> | — | — | 45 mm | Open | 105.000 N | 140.000 N | —      | —   |
| <a href="#">MU5210L</a> | — | — | 50 mm | Open | 104.000 N | 144.000 N | —      | —   |
| <a href="#">MU5210X</a> | — | — | 50 mm | Open | 104.000 N | 144.000 N | —      | —   |
| <a href="#">MU5211L</a> | — | — | 55 mm | Open | 127.000 N | 178.000 N | —      | —   |
| <a href="#">MU5211X</a> | — | — | 55 mm | Open | 127.000 N | 178.000 N | —      | —   |
| <a href="#">MU5212L</a> | — | — | 60 mm | Open | 164.000 N | 226.000 N | —      | —   |
| <a href="#">MU5212X</a> | — | — | 60 mm | Open | 164.000 N | 226.000 N | —      | —   |
| <a href="#">MU5213L</a> | — | — | 65 mm | Open | 170.000 N | 242.000 N | —      | —   |
| <a href="#">MU5213X</a> | — | — | 65 mm | Open | 170.000 N | 242.000 N | —      | —   |
| <a href="#">MU5214L</a> | — | — | 70 mm | Open | 188.000 N | 270.000 N | —      | —   |
| <a href="#">MU5214X</a> | — | — | 70 mm | Open | 186.000 N | 285.000 N | —      | —   |
| <a href="#">MU5215L</a> | — | — | 75 mm | Open | 212.000 N | 320.000 N | —      | —   |
| <a href="#">MU5215X</a> | — | — | 75 mm | Open | 212.000 N | 320.000 N | —      | —   |
| <a href="#">MU5216L</a> | — | — | 80 mm | Open | 229.000 N | 340.000 N | —      | —   |
| <a href="#">MU5216X</a> | — | — | 80 mm | Open | 238.000 N | 355.000 N | —      | —   |
| <a href="#">MU5217L</a> | — | — | 85 mm | Open | 272.000 N | 405.000 N | —      | —   |
| <a href="#">MU5217V</a> | — | — | 85 mm | Open | 272.000 N | 405.000 N | —      | —   |
| <a href="#">MU5217X</a> | — | — | 85 mm | Open | 283.000 N | 425.000 N | —      | —   |
| <a href="#">MU5218L</a> | — | — | 90 mm | Open | 305.000 N | 455.000 N | —      | —   |
| <a href="#">MU5218X</a> | — | — | 90 mm | Open | 335.000 N | 510.000 N | —      | —   |
| <a href="#">MU5219L</a> | — | — | 95 mm | Open | 355.000 N | 530.000 N | —      | —   |

| Item                    | d | D | B      | Type | Dynamic   | Static      | Grease | Oil |
|-------------------------|---|---|--------|------|-----------|-------------|--------|-----|
| <a href="#">MU5219X</a> | — | — | 95 mm  | Open | 370.000 N | 560.000 N   | —      | —   |
| <a href="#">MU5220L</a> | — | — | 100 mm | Open | 425.000 N | 655.000 N   | —      | —   |
| <a href="#">MU5220X</a> | — | — | 100 mm | Open | 410.000 N | 620.000 N   | —      | —   |
| <a href="#">MU5222L</a> | — | — | 110 mm | Open | 465.000 N | 710.000 N   | —      | —   |
| <a href="#">MU5224L</a> | — | — | 120 mm | Open | 630.000 N | 1.040.000 N | —      | —   |
| <a href="#">MU5226L</a> | — | — | 130 mm | Open | 570.000 N | 895.000 N   | —      | —   |
| <a href="#">MU5304L</a> | — | — | 20 mm  | Open | 48.000 N  | 50.000 N    | —      | —   |
| <a href="#">MU5305L</a> | — | — | 25 mm  | Open | —         | —           | —      | —   |
| <a href="#">MU5306L</a> | — | — | 30 mm  | Open | 87.500 N  | 103.000 N   | —      | —   |
| <a href="#">MU5306X</a> | — | — | 30 mm  | Open | 87.500 N  | 103.000 N   | —      | —   |
| <a href="#">MU5307L</a> | — | — | 35 mm  | Open | 102.000 N | 124.000 N   | —      | —   |
| <a href="#">MU5307X</a> | — | — | 35 mm  | Open | 102.000 N | 124.000 N   | —      | —   |
| <a href="#">MU5308L</a> | — | — | 40 mm  | Open | 137.000 N | 166.000 N   | —      | —   |
| <a href="#">MU5308X</a> | — | — | 40 mm  | Open | 129.000 N | 154.000 N   | —      | —   |
| <a href="#">MU5309L</a> | — | — | 45 mm  | Open | 166.000 N | 213.000 N   | —      | —   |
| <a href="#">MU5309X</a> | — | — | 45 mm  | Open | 158.000 N | 199.000 N   | —      | —   |
| <a href="#">MU5310L</a> | — | — | 50 mm  | Open | 185.000 N | 235.000 N   | —      | —   |
| <a href="#">MU5310X</a> | — | — | 50 mm  | Open | 185.000 N | 235.000 N   | —      | —   |
| <a href="#">MU5311L</a> | — | — | 55 mm  | Open | 241.000 N | 320.000 N   | —      | —   |
| <a href="#">MU5312L</a> | — | — | 60 mm  | Open | 294.000 N | 400.000 N   | —      | —   |
| <a href="#">MU5312X</a> | — | — | 60 mm  | Open | 280.000 N | 375.000 N   | —      | —   |
| <a href="#">MU5313L</a> | — | — | 65 mm  | Open | 330.000 N | 450.000 N   | —      | —   |
| <a href="#">MU5313X</a> | — | — | 65 mm  | Open | 330.000 N | 450.000 N   | —      | —   |
| <a href="#">MU5316L</a> | — | — | 80 mm  | Open | 465.000 N | 655.000 N   | —      | —   |
| <a href="#">MU7305L</a> | — | — | 25 mm  | Open | 55.500 N  | 56.000 N    | —      | —   |
| <a href="#">MU7306L</a> | — | — | 30 mm  | Open | 71.500 N  | 80.000 N    | —      | —   |
| <a href="#">MU7306X</a> | — | — | 30 mm  | Open | 71.500 N  | 80.000 N    | —      | —   |

| Item                     | d | D | B      | Type | Dynamic   | Static    | Grease | Oil |
|--------------------------|---|---|--------|------|-----------|-----------|--------|-----|
| <a href="#">MU7307L</a>  | — | — | 35 mm  | Open | 89.000 N  | 104.000 N | —      | —   |
| <a href="#">MU7307V</a>  | — | — | 35 mm  | Open | 89.000 N  | 104.000 N | —      | —   |
| <a href="#">MU7307X</a>  | — | — | 35 mm  | Open | 89.000 N  | 104.000 N | —      | —   |
| <a href="#">MU7308L</a>  | — | — | 40 mm  | Open | 121.000 N | 142.000 N | —      | —   |
| <a href="#">MU7308X</a>  | — | — | 40 mm  | Open | 115.000 N | 132.000 N | —      | —   |
| <a href="#">MU7309L</a>  | — | — | 45 mm  | Open | 136.000 N | 165.000 N | —      | —   |
| <a href="#">MU7309X</a>  | — | — | 45 mm  | Open | 129.000 N | 154.000 N | —      | —   |
| <a href="#">MU7311L</a>  | — | — | 55 mm  | Open | 188.000 N | 232.000 N | —      | —   |
| <a href="#">MU7312L</a>  | — | — | 60 mm  | Open | 219.000 N | 274.000 N | —      | —   |
| <a href="#">MU7312X</a>  | — | — | 60 mm  | Open | 208.000 N | 256.000 N | —      | —   |
| <a href="#">MU7313L</a>  | — | — | 65 mm  | Open | 238.000 N | 294.000 N | —      | —   |
| <a href="#">MU7313X</a>  | — | — | 65 mm  | Open | 238.000 N | 294.000 N | —      | —   |
| <a href="#">MU7314L</a>  | — | — | 70 mm  | Open | 267.000 N | 335.000 N | —      | —   |
| <a href="#">MU7314X</a>  | — | — | 70 mm  | Open | 267.000 N | 335.000 N | —      | —   |
| <a href="#">MU7315L</a>  | — | — | 75 mm  | Open | 296.000 N | 370.000 N | —      | —   |
| <a href="#">MU7315X</a>  | — | — | 75 mm  | Open | 296.000 N | 370.000 N | —      | —   |
| <a href="#">MU7317L</a>  | — | — | 85 mm  | Open | 370.000 N | 475.000 N | —      | —   |
| <a href="#">MU7318L</a>  | — | — | 90 mm  | Open | 395.000 N | 505.000 N | —      | —   |
| <a href="#">MU7318X</a>  | — | — | 90 mm  | Open | 440.000 N | 580.000 N | —      | —   |
| <a href="#">MU7320L</a>  | — | — | 100 mm | Open | 480.000 N | 640.000 N | —      | —   |
| <a href="#">MU7320X</a>  | — | — | 100 mm | Open | 530.000 N | 730.000 N | —      | —   |
| <a href="#">MUB1934J</a> | — | — | 170 mm | Open | —         | —         | —      | —   |
| <a href="#">MUB1956V</a> | — | — | 280 mm | Open | 143.000 N | 265.000 N | —      | —   |
| <a href="#">MUB5220</a>  | — | — | 100 mm | Open | —         | —         | —      | —   |
| <a href="#">MUC1308J</a> | — | — | 40 mm  | Open | 19.300 N  | 18.500 N  | —      | —   |
| <a href="#">MUF1210X</a> | — | — | 50 mm  | Open | 65.000 N  | 78.500 N  | —      | —   |
| <a href="#">MUF7308M</a> | — | — | 40 mm  | Open | 134.000 N | 163.000 N | —      | —   |

| Item                      | d | D | B      | Type | Dynamic   | Static    | Grease | Oil |
|---------------------------|---|---|--------|------|-----------|-----------|--------|-----|
| <a href="#">MUF7309M</a>  | — | — | 45 mm  | Open | 150.000 N | 186.000 N | —      | —   |
| <a href="#">MUX1012V</a>  | — | — | 60 mm  | Open | 55.500 N  | 75.000 N  | —      | —   |
| <a href="#">MUX1216X</a>  | — | — | 80 mm  | Open | 136.000 N | 174.000 N | —      | —   |
| <a href="#">MUX5206V</a>  | — | — | 30 mm  | Open | 61.000 N  | 72.500 N  | —      | —   |
| <a href="#">MUX5207</a>   | — | — | 35 mm  | Open | 76.500 N  | 91.500 N  | —      | —   |
| <a href="#">WU1930VV1</a> | — | — | 150 mm | Open | —         | —         | —      | —   |
| <a href="#">WU61018V</a>  | — | — | 90 mm  | Open | 137.000 N | 180.000 N | —      | —   |
| <a href="#">WU61219V</a>  | — | — | 95 mm  | Open | 237.000 N | 293.000 N | —      | —   |
| <a href="#">WU61920V</a>  | — | — | 100 mm | Open | 108.000 N | 161.000 N | —      | —   |
| <a href="#">WU61928V</a>  | — | — | 140 mm | Open | 170.000 N | 268.000 N | —      | —   |
| <a href="#">WU61928X</a>  | — | — | 140 mm | Open | 170.000 N | 268.000 N | —      | —   |
| <a href="#">WU61938X</a>  | — | — | 190 mm | Open | 330.000 N | 540.000 N | —      | —   |
| <a href="#">WU65212V</a>  | — | — | 60 mm  | Open | 193.000 N | 256.000 N | —      | —   |
| <a href="#">WU67217X</a>  | — | — | 85 mm  | Open | 244.000 N | 320.000 N | —      | —   |
| <a href="#">WU67314X</a>  | — | — | 70 mm  | Open | 305.000 N | 365.000 N | —      | —   |
| <a href="#">WU67320X</a>  | — | — | 100 mm | Open | 595.000 N | 735.000 N | —      | —   |
| <a href="#">WU68215X</a>  | — | — | 75 mm  | Open | 236.000 N | 320.000 N | —      | —   |
| <a href="#">WUB67221V</a> | — | — | 105 mm | Open | 375.000 N | 505.000 N | —      | —   |
| <a href="#">WUB67320X</a> | — | — | 100 mm | Open | 595.000 N | 735.000 N | —      | —   |
| <a href="#">WUC61036V</a> | — | — | 180 mm | Open | 540.000 N | 810.000 N | —      | —   |
| <a href="#">WUF67220X</a> | — | — | 100 mm | Open | 340.000 N | 440.000 N | —      | —   |

## CONTACT

Email: [infos@catson.com.vn](mailto:infos@catson.com.vn)

Website: [www.catson.vn](http://www.catson.vn)

Phone: +84 28 3820 8888

Fax: +84 28 3826 8888

