

Needle Roller and Cage Assembly

Needle Roller and Cage Assemblies

506 items



Select an NTN item number to open its detail page on www.catson.vn.

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
8E-K10X14X16-8X1	—	—	—	Open	8.050 N	8.850 N	19.000 RPM	28.000 RPM
8E-K12X16X17-8X1	—	—	—	Open	9.800 N	11.900 N	17.000 RPM	26.000 RPM
8E-K38X43X17	—	—	—	Open	20.900 N	38.500 N	7.500 RPM	11.000 RPM
8E-K47X52X15-3X2	—	—	—	Open	19.400 N	38.000 N	5.500 RPM	8.500 RPM
8E-KV10X13X12-8XS	—	—	—	Open	5.450 N	6.450 N	19.000 RPM	28.000 RPM
8E-KV10X14X10-8XS	—	—	—	Open	5.500 N	5.450 N	19.000 RPM	28.000 RPM
8E-KV10X14X13-8X4S	—	—	—	Open	7.150 N	7.650 N	19.000 RPM	28.000 RPM
8E-KV41X49X21-8XS	—	—	—	Open	30.500 N	46.000 N	6.500 RPM	9.500 RPM
8E-KV8X11X11-8X2S	—	—	—	Open	4.450 N	4.650 N	21.000 RPM	32.000 RPM
8E-KV8X11X8-8X2S	—	—	—	Open	3.150 N	3.000 N	21.000 RPM	32.000 RPM
8E-KV8X12X11-8X1S	—	—	—	Open	5.600 N	5.300 N	21.000 RPM	32.000 RPM
8Q-K112X16X13	—	—	—	Open	7.500 N	8.500 N	17.000 RPM	26.000 RPM
8Q-K12X15X10	—	—	—	Open	5.000 N	6.100 N	17.000 RPM	26.000 RPM
8Q-K12X18X12	—	—	—	Open	8.650 N	8.000 N	17.000 RPM	26.000 RPM
8Q-K20X28X25	—	—	—	Open	27.100 N	32.500 N	13.000 RPM	20.000 RPM
8Q-K22X26X11	—	—	—	Open	10.100 N	14.900 N	12.000 RPM	18.000 RPM
8Q-K85X93X30	—	—	—	Open	71.000 N	175.000 N	3.100 RPM	4.700 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
GK22X28X22-8X2S	—	—	—	Open	—	—	—	—
GK35X40X26-8	—	—	—	Open	—	—	—	—
HWT49X73X27-4	—	—	—	Open	—	—	—	—
HWT79X109X34-8	—	—	—	Open	—	—	—	—
K100X107X31	—	—	—	Open	71.500 N	207.000 N	2.700 RPM	4.000 RPM
K100X108X27	—	—	—	Open	61.000 N	153.000 N	2.700 RPM	4.000 RPM
K100X108X30	—	—	—	Open	76.000 N	201.000 N	2.700 RPM	4.000 RPM
K105X112X21	—	—	—	Open	48.500 N	127.000 N	2.500 RPM	3.800 RPM
K105X112X31	—	—	—	Open	71.000 N	207.000 N	2.500 RPM	3.800 RPM
K105X113X30	—	—	—	Open	77.500 N	210.000 N	2.500 RPM	3.800 RPM
K10X13X10	—	—	—	Open	4.550 N	5.100 N	19.000 RPM	28.000 RPM
K10X13X13	—	—	—	Open	5.450 N	6.450 N	19.000 RPM	28.000 RPM
K10X14X10	—	—	—	Open	5.500 N	5.450 N	19.000 RPM	28.000 RPM
K10X14X13	—	—	—	Open	6.600 N	6.900 N	19.000 RPM	28.000 RPM
K10X14X8	—	—	—	Open	4.300 N	3.950 N	19.000 RPM	28.000 RPM
K10X16X12	—	—	—	Open	7.100 N	5.950 N	19.000 RPM	28.000 RPM
K110X117X24	—	—	—	Open	54.500 N	149.000 N	2.400 RPM	3.600 RPM
K110X117X34	—	—	—	Open	77.500 N	235.000 N	2.400 RPM	3.600 RPM
K110X118X30	—	—	—	Open	79.000 N	219.000 N	2.400 RPM	3.600 RPM
K115X123X27	—	—	—	Open	64.000 N	170.000 N	2.300 RPM	3.500 RPM
K115X125X34	—	—	—	Open	95.000 N	241.000 N	2.300 RPM	3.500 RPM
K11X14X10	—	—	—	Open	5.050 N	6.000 N	18.000 RPM	27.000 RPM
K120X127X24	—	—	—	Open	57.500 N	165.000 N	2.200 RPM	3.300 RPM
K120X127X34	—	—	—	Open	82.000 N	260.000 N	2.200 RPM	3.300 RPM
K125X133X35	—	—	—	Open	87.000 N	260.000 N	2.100 RPM	3.200 RPM
K125X135X34	—	—	—	Open	100.000 N	265.000 N	2.100 RPM	3.200 RPM
K12X15X10S	—	—	—	Open	5.000 N	6.100 N	17.000 RPM	26.000 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
K12X15X13	—	—	—	Open	6.000 N	7.700 N	17.000 RPM	26.000 RPM
K12X15X9	—	—	—	Open	4.450 N	5.250 N	17.000 RPM	26.000 RPM
K12X16X13	—	—	—	Open	7.500 N	8.500 N	17.000 RPM	26.000 RPM
K12X16X19-8X4	—	—	—	Open	10.300 N	12.800 N	17.000 RPM	26.000 RPM
K12X16X8	—	—	—	Open	4.850 N	4.900 N	17.000 RPM	26.000 RPM
K12X17X13	—	—	—	Open	9.000 N	9.400 N	17.000 RPM	26.000 RPM
K12X18X12	—	—	—	Open	8.650 N	8.000 N	17.000 RPM	26.000 RPM
K130X137X24	—	—	—	Open	59.000 N	175.000 N	2.100 RPM	3.100 RPM
K130X137X34	—	—	—	Open	84.500 N	277.000 N	2.100 RPM	3.100 RPM
K135X143X35	—	—	—	Open	92.500 N	288.000 N	2.000 RPM	3.000 RPM
K135X143X35L1	—	—	—	Open	92.500 N	288.000 N	2.000 RPM	3.000 RPM
K135X150X38	—	—	—	Open	145.000 N	325.000 N	2.000 RPM	3.000 RPM
K145X153X26	—	—	—	Open	72.000 N	214.000 N	1.900 RPM	2.800 RPM
K145X153X28	—	—	—	Open	80.500 N	247.000 N	1.900 RPM	2.800 RPM
K145X153X36	—	—	—	Open	100.000 N	325.000 N	1.900 RPM	2.800 RPM
K14X17X10	—	—	—	Open	5.400 N	7.050 N	16.000 RPM	24.000 RPM
K14X18X10	—	—	—	Open	6.900 N	8.000 N	16.000 RPM	24.000 RPM
K14X18X11	—	—	—	Open	7.600 N	9.050 N	16.000 RPM	24.000 RPM
K14X18X13	—	—	—	Open	8.300 N	10.100 N	16.000 RPM	24.000 RPM
K14X18X15S	—	—	—	Open	9.650 N	12.300 N	16.000 RPM	24.000 RPM
K14X18X17	—	—	—	Open	10.900 N	14.400 N	16.000 RPM	24.000 RPM
K14X18X17V5	—	—	—	Open	10.900 N	14.400 N	16.000 RPM	24.000 RPM
K14X19X13	—	—	—	Open	8.950 N	9.650 N	16.000 RPM	24.000 RPM
K14X20X12	—	—	—	Open	9.350 N	9.150 N	16.000 RPM	24.000 RPM
K14X20X17	—	—	—	Open	13.500 N	14.600 N	16.000 RPM	24.000 RPM
K150X160X46	—	—	—	Open	149.000 N	470.000 N	1.800 RPM	2.700 RPM
K155X163X26	—	—	—	Open	73.500 N	224.000 N	1.700 RPM	2.600 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
K155X163X36	—	—	—	Open	102.000 N	340.000 N	1.700 RPM	2.600 RPM
K15X18X14	—	—	—	Open	7.850 N	11.600 N	15.000 RPM	23.000 RPM
K15X19X10	—	—	—	Open	6.850 N	8.050 N	15.000 RPM	23.000 RPM
K15X19X10S	—	—	—	Open	6.850 N	8.050 N	15.000 RPM	23.000 RPM
K15X19X13	—	—	—	Open	8.250 N	10.200 N	15.000 RPM	23.000 RPM
K15X19X13S	—	—	—	Open	8.250 N	10.200 N	15.000 RPM	23.000 RPM
K15X19X13V1	—	—	—	Open	—	—	—	—
K15X19X17	—	—	—	Open	10.900 N	14.600 N	15.000 RPM	23.000 RPM
K15X20X13	—	—	—	Open	10.100 N	11.500 N	15.000 RPM	23.000 RPM
K15X21X15	—	—	—	Open	11.900 N	12.500 N	15.000 RPM	23.000 RPM
K15X21X21	—	—	—	Open	16.500 N	19.100 N	15.000 RPM	23.000 RPM
K160X170X46	—	—	—	Open	155.000 N	505.000 N	1.700 RPM	2.500 RPM
K165X173X26	—	—	—	Open	79.000 N	251.000 N	1.600 RPM	2.400 RPM
K165X173X32	—	—	—	Open	97.000 N	330.000 N	1.600 RPM	2.400 RPM
K165X173X36	—	—	—	Open	109.000 N	380.000 N	1.600 RPM	2.400 RPM
K16X20X10	—	—	—	Open	7.500 N	9.250 N	15.000 RPM	23.000 RPM
K16X20X11	—	—	—	Open	8.300 N	10.500 N	15.000 RPM	23.000 RPM
K16X20X13	—	—	—	Open	9.050 N	11.800 N	15.000 RPM	23.000 RPM
K16X20X17S	—	—	—	Open	11.900 N	16.800 N	15.000 RPM	23.000 RPM
K16X22X12	—	—	—	Open	11.700 N	12.500 N	15.000 RPM	23.000 RPM
K16X22X15-8X	—	—	—	Open	13.600 N	15.200 N	15.000 RPM	23.000 RPM
K16X22X17	—	—	—	Open	14.400 N	16.400 N	15.000 RPM	23.000 RPM
K16X22X20	—	—	—	Open	16.000 N	18.800 N	15.000 RPM	23.000 RPM
K170X180X46	—	—	—	Open	160.000 N	540.000 N	1.600 RPM	2.400 RPM
K175X183X32	—	—	—	Open	101.000 N	350.000 N	1.500 RPM	2.300 RPM
K175X183X32L1	—	—	—	Open	101.000 N	350.000 N	1.500 RPM	2.300 RPM
K17X21X10S	—	—	—	Open	7.450 N	9.300 N	15.000 RPM	22.000 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
K17X21X13S	—	—	—	Open	9.400 N	12.600 N	15.000 RPM	22.000 RPM
K17X21X15	—	—	—	Open	10.400 N	14.400 N	15.000 RPM	22.000 RPM
K17X21X17	—	—	—	Open	11.800 N	16.900 N	15.000 RPM	22.000 RPM
K17X22X20	—	—	—	Open	14.700 N	19.200 N	15.000 RPM	22.000 RPM
K17X23X17	—	—	—	Open	14.400 N	16.500 N	15.000 RPM	22.000 RPM
K17X23X22-8X1	—	—	—	Open	16.800 N	20.200 N	15.000 RPM	22.000 RPM
K185X195X37	—	—	—	Open	131.000 N	425.000 N	1.500 RPM	2.200 RPM
K185X195X37L1	—	—	—	Open	131.000 N	425.000 N	1.500 RPM	2.200 RPM
K18X22X10	—	—	—	Open	7.400 N	9.400 N	14.000 RPM	21.000 RPM
K18X22X13	—	—	—	Open	8.900 N	11.900 N	14.000 RPM	21.000 RPM
K18X22X17	—	—	—	Open	11.700 N	17.000 N	14.000 RPM	21.000 RPM
K18X23X20S	—	—	—	Open	14.600 N	19.300 N	14.000 RPM	21.000 RPM
K18X24X12	—	—	—	Open	12.300 N	13.800 N	14.000 RPM	21.000 RPM
K18X24X13	—	—	—	Open	11.600 N	12.800 N	14.000 RPM	21.000 RPM
K18X24X20	—	—	—	Open	17.000 N	20.900 N	14.000 RPM	21.000 RPM
K18X25X17	—	—	—	Open	18.000 N	20.400 N	14.000 RPM	21.000 RPM
K18X25X22	—	—	—	Open	22.100 N	26.600 N	14.000 RPM	21.000 RPM
K195X205X37	—	—	—	Open	135.000 N	450.000 N	1.400 RPM	2.100 RPM
K195X205X37L1	—	—	—	Open	135.000 N	450.000 N	14.000 RPM	2.100 RPM
K19X23X13	—	—	—	Open	9.650 N	13.500 N	14.000 RPM	21.000 RPM
K19X23X17	—	—	—	Open	12.700 N	19.200 N	14.000 RPM	21.000 RPM
K20X24X10S	—	—	—	Open	8.300 N	11.200 N	13.000 RPM	20.000 RPM
K20X24X11	—	—	—	Open	9.500 N	13.400 N	13.000 RPM	20.000 RPM
K20X24X13S	—	—	—	Open	10.000 N	14.300 N	13.000 RPM	20.000 RPM
K20X24X17S	—	—	—	Open	13.200 N	20.400 N	13.000 RPM	20.000 RPM
K20X24X17SV1	—	—	—	Open	13.200 N	20.400 N	13.000 RPM	—
K20X26X12	—	—	—	Open	12.900 N	15.100 N	13.000 RPM	20.000 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
K20X28X25	—	—	—	Open	27.100 N	32.500 N	13.000 RPM	20.000 RPM
K210X220X42	—	—	—	Open	156.000 N	560.000 N	1.300 RPM	1.900 RPM
K21X25X13	—	—	—	Open	10.300 N	15.100 N	13.000 RPM	19.000 RPM
K220X230X42	—	—	—	Open	161.000 N	590.000 N	1.200 RPM	1.800 RPM
K22X26X10S	—	—	—	Open	8.500 N	11.900 N	12.000 RPM	18.000 RPM
K22X26X11S	—	—	—	Open	10.100 N	14.900 N	12.000 RPM	18.000 RPM
K22X26X13	—	—	—	Open	10.200 N	15.200 N	12.000 RPM	18.000 RPM
K22X26X17S	—	—	—	Open	13.500 N	21.600 N	12.000 RPM	18.000 RPM
K22X27X20	—	—	—	Open	17.500 N	25.900 N	12.000 RPM	18.000 RPM
K22X27X28-3X	—	—	—	Open	24.200 N	39.500 N	12.000 RPM	18.200 RPM
K22X28X17	—	—	—	Open	17.700 N	23.300 N	12.000 RPM	18.000 RPM
K22X28X17V1	—	—	—	Open	17.700 N	23.300 N	12.000 RPM	18.000 RPM
K22X28X22-8X	—	—	—	Open	125.000 N	135.000 N	—	—
K22X29X16	—	—	—	Open	18.700 N	22.700 N	12.000 RPM	18.000 RPM
K22X30X15	—	—	—	Open	19.300 N	21.700 N	12.000 RPM	18.000 RPM
K22X30X19-8X	—	—	—	Open	21.900 N	25.400 N	—	—
K23X28X24	—	—	—	Open	19.800 N	31.000 N	11.000 RPM	17.000 RPM
K240X250X42	—	—	—	Open	167.000 N	635.000 N	1.100 RPM	1.700 RPM
K240X250X42L1	—	—	—	Open	167.000 N	635.000 N	1.100 RPM	1.700 RPM
K24X28X10	—	—	—	Open	9.000 N	13.200 N	11.000 RPM	17.000 RPM
K24X28X10S	—	—	—	Open	9.000 N	13.200 N	11.000 RPM	17.000 RPM
K24X28X13	—	—	—	Open	10.800 N	16.800 N	11.000 RPM	17.000 RPM
K24X28X17	—	—	—	Open	14.300 N	23.900 N	11.000 RPM	17.000 RPM
K24X29X13	—	—	—	Open	12.300 N	16.900 N	11.000 RPM	17.000 RPM
K24X30X17	—	—	—	Open	18.400 N	25.200 N	11.000 RPM	17.000 RPM
K255X31X13V3	—	—	—	Open	15.200 N	19.900 N	11.000 RPM	16.000 RPM
K25X29X10	—	—	—	Open	8.950 N	13.300 N	11.000 RPM	16.000 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
K25X29X13	—	—	—	Open	10.800 N	16.900 N	11.000 RPM	16.000 RPM
K25X29X17S	—	—	—	Open	14.200 N	24.000 N	11.000 RPM	16.000 RPM
K25X301X13	—	—	—	Open	15.200 N	19.900 N	11.000 RPM	16.000 RPM
K25X30X13	—	—	—	Open	13.200 N	18.800 N	11.000 RPM	16.000 RPM
K25X30X17S	—	—	—	Open	17.400 N	26.800 N	11.000 RPM	16.000 RPM
K25X30X20S	—	—	—	Open	19.400 N	31.000 N	11.000 RPM	16.000 RPM
K25X30X20SV3	—	—	—	Open	19.400 N	31.000 N	11.000 RPM	16.000 RPM
K25X31X14	—	—	—	Open	16.500 N	22.100 N	11.000 RPM	16.000 RPM
K25X31X17	—	—	—	Open	18.300 N	25.300 N	11.000 RPM	16.000 RPM
K25X31X21	—	—	—	Open	22.500 N	33.000 N	11.000 RPM	16.000 RPM
K25X31X21V3	—	—	—	Open	22.500 N	33.000 N	11.000 RPM	16.000 RPM
K25X33X24-4X	—	—	—	Open	87.000 N	137.000 N	—	—
K265X280X50	—	—	—	Open	256.000 N	850.000 N	1.000 RPM	1.500 RPM
K265X280X50L1	—	—	—	Open	256.000 N	850.000 N	1.000 RPM	1.500 RPM
K26X30X13	—	—	—	Open	11.800 N	19.200 N	10.000 RPM	15.000 RPM
K26X30X17	—	—	—	Open	15.500 N	27.400 N	10.000 RPM	15.000 RPM
K26X34X22	—	—	—	Open	24.200 N	30.000 N	10.000 RPM	15.000 RPM
K285X300X50	—	—	—	Open	268.000 N	930.000 N	950 RPM	1.400 RPM
K28X32X17	—	—	—	Open	15.300 N	27.500 N	9.500 RPM	14.000 RPM
K28X32X21	—	—	—	Open	18.700 N	35.500 N	9.500 RPM	14.000 RPM
K28X33X13	—	—	—	Open	13.900 N	20.900 N	9.500 RPM	14.000 RPM
K28X33X17S	—	—	—	Open	18.300 N	29.800 N	9.500 RPM	14.000 RPM
K28X33X27	—	—	—	Open	28.300 N	52.000 N	9.500 RPM	14.000 RPM
K28X34X14	—	—	—	Open	17.500 N	24.800 N	9.500 RPM	14.000 RPM
K28X34X17	—	—	—	Open	18.100 N	25.800 N	9.500 RPM	14.000 RPM
K28X34X17V1	—	—	—	Open	18.100 N	25.800 N	9.500 RPM	14.000 RPM
K28X35X16	—	—	—	Open	21.200 N	28.400 N	9.500 RPM	14.000 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
K28X35X18	—	—	—	Open	21.500 N	28.900 N	9.500 RPM	14.000 RPM
K29X34X17S	—	—	—	Open	18.900 N	31.000 N	9.500 RPM	14.000 RPM
K29X34X27	—	—	—	Open	28.100 N	52.000 N	9.500 RPM	14.000 RPM
K30X34X22-8X1	—	—	—	Open	18.000 N	34.500 N	8.500 RPM	13.000 RPM
K30X35X11S	—	—	—	Open	12.200 N	18.000 N	8.500 RPM	13.000 RPM
K30X35X13S	—	—	—	Open	14.700 N	22.900 N	8.500 RPM	13.000 RPM
K30X35X17	—	—	—	Open	76.500 N	91.500 N	—	—
K30X35X20S	—	—	—	Open	21.600 N	37.500 N	8.500 RPM	13.000 RPM
K30X35X27	—	—	—	Open	29.900 N	57.000 N	8.500 RPM	13.000 RPM
K30X35X27S	—	—	—	Open	29.900 N	57.000 N	8.500 RPM	13.000 RPM
K30X37X16	—	—	—	Open	21.900 N	30.500 N	8.500 RPM	13.000 RPM
K30X37X18	—	—	—	Open	23.300 N	33.000 N	8.500 RPM	13.000 RPM
K30X38X18	—	—	—	Open	25.000 N	33.000 N	8.500 RPM	13.000 RPM
K32X36X15S	—	—	—	Open	14.300 N	26.400 N	8.500 RPM	13.000 RPM
K32X37X13	—	—	—	Open	14.500 N	23.000 N	8.500 RPM	1.300 RPM
K32X37X17S	—	—	—	Open	19.200 N	33.000 N	8.500 RPM	13.000 RPM
K32X37X24-8X2	—	—	—	Open	22.900 N	41.500 N	8.500 RPM	13.000 RPM
K32X37X27	—	—	—	Open	29.600 N	57.500 N	8.500 RPM	13.000 RPM
K32X38X26	—	—	—	Open	31.500 N	54.000 N	8.500 RPM	13.000 RPM
K32X39X16	—	—	—	Open	22.600 N	32.000 N	8.500 RPM	13.000 RPM
K32X39X16V1	—	—	—	Open	22.600 N	32.000 N	8.500 RPM	13.000 RPM
K32X39X18	—	—	—	Open	24.000 N	35.000 N	8.500 RPM	13.000 RPM
K33X38X30-3X1	—	—	—	Open	28.400 N	55.000 N	8.000 RPM	12.000 RPM
K35X39X23-8X1	—	—	—	Open	21.300 N	45.000 N	7.500 RPM	11.000 RPM
K35X40X13	—	—	—	Open	15.200 N	25.100 N	7.500 RPM	11.000 RPM
K35X40X17	—	—	—	Open	20.000 N	36.000 N	7.500 RPM	11.000 RPM
K35X40X19	—	—	—	Open	22.300 N	41.000 N	7.500 RPM	11.000 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
K35X41X14	—	—	—	Open	19.400 N	30.500 N	7.500 RPM	11.000 RPM
K35X41X15	—	—	—	Open	20.900 N	33.500 N	7.500 RPM	11.000 RPM
K35X41X23-8X1	—	—	—	Open	31.000 N	55.500 N	7.500 RPM	11.000 RPM
K35X42X16	—	—	—	Open	24.100 N	36.000 N	7.500 RPM	11.000 RPM
K35X42X18	—	—	—	Open	24.700 N	37.000 N	7.500 RPM	11.000 RPM
K35X42X20	—	—	—	Open	28.500 N	44.500 N	7.500 RPM	11.000 RPM
K35X42X30	—	—	—	Open	39.500 N	68.000 N	7.500 RPM	11.000 RPM
K37X42X13	—	—	—	Open	15.900 N	27.100 N	7.500 RPM	11.000 RPM
K37X42X13V4	—	—	—	Open	15.900 N	27.100 N	7.500 RPM	11.000 RPM
K37X42X17V2	—	—	—	Open	21.000 N	38.500 N	7.500 RPM	11.000 RPM
K37X44X18	—	—	—	Open	26.300 N	41.000 N	7.500 RPM	11.000 RPM
K37X45X24-8X	—	—	—	Open	37.000 N	58.000 N	7.500 RPM	11.000 RPM
K38X43X17	—	—	—	Open	20.900 N	38.500 N	7.500 RPM	11.000 RPM
K38X43X27	—	—	—	Open	32.000 N	67.500 N	7.500 RPM	11.000 RPM
K38X43X28-8X	—	—	—	Open	32.500 N	68.000 N	7.500 RPM	11.000 RPM
K38X46X32	—	—	—	Open	54.000 N	95.500 N	7.500 RPM	11.000 RPM
K3X6X7	—	—	—	Open	1.460 N	970 N	33.000 RPM	50.000 RPM
K40X45X13	—	—	—	Open	16.500 N	29.200 N	6.500 RPM	10.000 RPM
K40X45X13V2	—	—	—	Open	16.500 N	29.200 N	6.500 RPM	10.000 RPM
K40X45X17	—	—	—	Open	21.800 N	41.500 N	6.500 RPM	10.000 RPM
K40X45X21	—	—	—	Open	26.700 N	54.000 N	6.500 RPM	10.000 RPM
K40X45X21V2	—	—	—	Open	26.700 N	54.000 N	6.500 RPM	10.000 RPM
K40X45X27	—	—	—	Open	33.500 N	72.500 N	6.500 RPM	10.000 RPM
K40X46X17	—	—	—	Open	24.600 N	43.000 N	6.500 RPM	10.000 RPM
K40X47X18	—	—	—	Open	27.700 N	45.000 N	6.500 RPM	10.000 RPM
K40X47X20	—	—	—	Open	31.000 N	51.500 N	6.500 RPM	10.000 RPM
K40X48X20	—	—	—	Open	33.000 N	51.000 N	6.500 RPM	10.000 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
K40X48X25	—	—	—	Open	42.500 N	71.000 N	6.500 RPM	10.000 RPM
K42X47X17	—	—	—	Open	22.100 N	43.000 N	6.500 RPM	9.500 RPM
K42X47X27	—	—	—	Open	34.000 N	75.500 N	6.500 RPM	9.500 RPM
K42X48X17	—	—	—	Open	25.700 N	46.000 N	6.500 RPM	9.500 RPM
K42X50X20	—	—	—	Open	34.000 N	53.500 N	6.500 RPM	9.500 RPM
K42X54X17-8X	—	—	—	Open	40.500 N	52.000 N	—	—
K43X48X17	—	—	—	Open	22.000 N	43.000 N	6.500 RPM	9.500 RPM
K43X48X27	—	—	—	Open	34.000 N	75.500 N	6.500 RPM	9.500 RPM
K43X50X18	—	—	—	Open	29.100 N	49.000 N	6.500 RPM	9.500 RPM
K45X49X19	—	—	—	Open	22.100 N	52.000 N	6.000 RPM	9.000 RPM
K45X50X17	—	—	—	Open	22.300 N	44.500 N	6.000 RPM	9.000 RPM
K45X50X27	—	—	—	Open	34.500 N	78.000 N	6.000 RPM	9.000 RPM
K45X52X18	—	—	—	Open	29.700 N	51.000 N	6.000 RPM	9.000 RPM
K45X52X21	—	—	—	Open	32.000 N	56.500 N	6.000 RPM	9.000 RPM
K45X53X20	—	—	—	Open	36.000 N	59.000 N	6.000 RPM	9.000 RPM
K45X53X25	—	—	—	Open	46.500 N	82.000 N	6.000 RPM	9.000 RPM
K47X52X17	—	—	—	Open	23.200 N	47.500 N	5.500 RPM	8.500 RPM
K47X52X23-8X	—	—	—	Open	33.500 N	76.500 N	5.500 RPM	8.500 RPM
K47X52X27	—	—	—	Open	35.500 N	83.000 N	5.500 RPM	8.500 RPM
K48X53X25-8X3	—	—	—	Open	36.500 N	86.500 N	5.500 RPM	8.500 RPM
K48X53X29-8X1	—	—	—	Open	36.500 N	85.500 N	5.500 RPM	8.500 RPM
K48X54X19	—	—	—	Open	31.000 N	61.000 N	5.500 RPM	8.500 RPM
K4X6X7-8X	—	—	—	Open	1.560 N	1.330 N	30.000 RPM	45.000 RPM
K4X7X7	—	—	—	Open	1.770 N	1.270 N	30.000 RPM	45.000 RPM
K4X7X72	—	—	—	Open	1.770 N	1.270 N	30.000 RPM	45.000 RPM
K50X55X13-5	—	—	—	Open	18.100 N	35.500 N	5.500 RPM	8.000 RPM
K50X55X20	—	—	—	Open	27.900 N	62.000 N	5.500 RPM	8.000 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
K50X55X27	—	—	—	Open	37.000 N	88.500 N	5.500 RPM	8.000 RPM
K50X55X30	—	—	—	Open	39.500 N	97.000 N	5.500 RPM	8.000 RPM
K50X57X18	—	—	—	Open	31.500 N	57.000 N	5.500 RPM	8.000 RPM
K50X58X20	—	—	—	Open	38.500 N	67.500 N	5.500 RPM	8.000 RPM
K50X58X25	—	—	—	Open	48.500 N	90.000 N	5.500 RPM	8.000 RPM
K52X58X19	—	—	—	Open	32.000 N	65.500 N	5.000 RPM	7.500 RPM
K55X60X17	—	—	—	Open	25.800 N	58.000 N	5.000 RPM	7.500 RPM
K55X60X20	—	—	—	Open	28.800 N	66.500 N	5.000 RPM	7.500 RPM
K55X60X36-8X	—	—	—	Open	47.500 N	127.000 N	5.000 RPM	7.500 RPM
K55X61X19	—	—	—	Open	33.000 N	69.500 N	5.000 RPM	7.500 RPM
K55X61X20	—	—	—	Open	33.000 N	69.500 N	5.000 RPM	7.500 RPM
K55X61X30	—	—	—	Open	48.000 N	113.000 N	5.000 RPM	7.500 RPM
K55X62X18	—	—	—	Open	33.500 N	63.000 N	5.000 RPM	7.500 RPM
K55X63X20	—	—	—	Open	39.000 N	70.000 N	5.000 RPM	7.500 RPM
K55X63X25	—	—	—	Open	50.500 N	97.500 N	5.000 RPM	7.500 RPM
K55X63X32	—	—	—	Open	61.000 N	125.000 N	5.000 RPM	7.500 RPM
K56X66X40-8X	—	—	—	Open	90.000 N	178.000 N	5.000 RPM	7.500 RPM
K58X64X19	—	—	—	Open	34.000 N	73.500 N	4.700 RPM	7.000 RPM
K5X8X10	—	—	—	Open	2.720 N	2.250 N	27.000 RPM	40.000 RPM
K5X8X8	—	—	—	Open	2.640 N	2.190 N	27.000 RPM	40.000 RPM
K60X65X20	—	—	—	Open	29.800 N	71.500 N	4.300 RPM	6.500 RPM
K60X65X26-8X	—	—	—	Open	40.000 N	104.000 N	4.300 RPM	6.500 RPM
K60X65X30	—	—	—	Open	43.500 N	116.000 N	4.300 RPM	6.500 RPM
K60X66X19	—	—	—	Open	33.500 N	73.500 N	4.300 RPM	6.500 RPM
K60X66X20	—	—	—	Open	33.500 N	73.500 N	4.300 RPM	6.500 RPM
K60X66X30	—	—	—	Open	49.000 N	119.000 N	4.300 RPM	6.500 RPM
K60X68X15	—	—	—	Open	27.200 N	45.500 N	4.300 RPM	6.500 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
K60X68X20	—	—	—	Open	40.000 N	75.000 N	4.300 RPM	6.500 RPM
K60X68X23	—	—	—	Open	44.500 N	85.000 N	4.300 RPM	6.500 RPM
K60X68X25	—	—	—	Open	52.000 N	105.000 N	4.300 RPM	6.500 RPM
K60X68X27	—	—	—	Open	52.000 N	105.000 N	4.300 RPM	6.500 RPM
K61X66X20	—	—	—	Open	29.700 N	71.500 N	4.300 RPM	6.500 RPM
K61X66X30	—	—	—	Open	43.500 N	116.000 N	4.300 RPM	6.500 RPM
K63X70X21	—	—	—	Open	44.500 N	95.500 N	4.300 RPM	6.500 RPM
K64X70X16	—	—	—	Open	28.400 N	60.500 N	4.300 RPM	6.500 RPM
K65X70X20	—	—	—	Open	30.500 N	75.000 N	4.000 RPM	6.000 RPM
K65X70X30	—	—	—	Open	45.000 N	124.000 N	4.000 RPM	6.000 RPM
K65X73X23	—	—	—	Open	47.000 N	94.000 N	4.000 RPM	6.000 RPM
K65X73X30	—	—	—	Open	61.000 N	132.000 N	4.000 RPM	6.000 RPM
K68X74X20	—	—	—	Open	36.000 N	83.500 N	4.000 RPM	6.000 RPM
K68X74X30	—	—	—	Open	51.500 N	133.000 N	4.000 RPM	6.000 RPM
K68X75X21	—	—	—	Open	45.500 N	101.000 N	4.000 RPM	6.000 RPM
K6X10X13	—	—	—	Open	4.400 N	3.700 N	25.000 RPM	37.000 RPM
K6X9X10	—	—	—	Open	3.400 N	3.150 N	25.000 RPM	37.000 RPM
K6X9X8	—	—	—	Open	2.660 N	2.280 N	25.000 RPM	37.000 RPM
K6X9X8T2	—	—	—	Open	2.660 N	2.280 N	25.000 RPM	37.000 RPM
K70X76X20	—	—	—	Open	36.500 N	86.000 N	3.700 RPM	5.500 RPM
K70X76X30	—	—	—	Open	53.000 N	139.000 N	3.700 RPM	5.500 RPM
K70X77X21	—	—	—	Open	45.000 N	101.000 N	3.700 RPM	5.500 RPM
K70X78X23	—	—	—	Open	49.500 N	103.000 N	3.700 RPM	5.500 RPM
K70X78X30	—	—	—	Open	65.500 N	149.000 N	3.700 RPM	5.500 RPM
K72X79X21	—	—	—	Open	46.500 N	106.000 N	3.700 RPM	5.500 RPM
K73X79X20	—	—	—	Open	37.500 N	90.000 N	37.000 RPM	5.500 RPM
K73X79X30	—	—	—	Open	54.500 N	146.000 N	3.700 RPM	5.500 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
K74X90X49-8X	—	—	—	Open	157.000 N	287.000 N	3.700 RPM	5.500 RPM
K75683X30	—	—	—	Open	67.500 N	157.000 N	3.700 RPM	5.500 RPM
K75X81X30	—	—	—	Open	56.000 N	152.000 N	3.700 RPM	5.500 RPM
K75X82X21	—	—	—	Open	46.000 N	106.000 N	3.700 RPM	5.500 RPM
K75X83X23	—	—	—	Open	50.500 N	109.000 N	3.700 RPM	5.500 RPM
K7X10X10	—	—	—	Open	3.400 N	3.200 N	23.000 RPM	34.000 RPM
K7X10X10T2	—	—	—	Open	3.400 N	3.200 N	23.000 RPM	34.000 RPM
K7X10X8	—	—	—	Open	2.670 N	2.350 N	23.000 RPM	34.000 RPM
K80X86X20	—	—	—	Open	39.000 N	98.000 N	3.300 RPM	5.000 RPM
K80X86X30	—	—	—	Open	57.000 N	159.000 N	3.300 RPM	5.000 RPM
K80X88X23	—	—	—	Open	53.000 N	118.000 N	3.300 RPM	5.000 RPM
K80X88X26	—	—	—	Open	61.000 N	142.000 N	3.300 RPM	5.000 RPM
K80X88X30	—	—	—	Open	69.000 N	166.000 N	3.300 RPM	5.000 RPM
K85X92X30	—	—	—	Open	66.000 N	176.000 N	3.100 RPM	4.700 RPM
K85X93X27	—	—	—	Open	64.000 N	153.000 N	31.000 RPM	4.700 RPM
K85X93X30	—	—	—	Open	71.000 N	175.000 N	3.100 RPM	4.700 RPM
K8X11X10	—	—	—	Open	4.000 N	4.100 N	21.000 RPM	32.000 RPM
K8X11X10T2	—	—	—	Open	4.000 N	4.100 N	21.000 RPM	32.000 RPM
K8X11X13	—	—	—	Open	4.850 N	5.200 N	21.000 RPM	32.000 RPM
K8X11X8	—	—	—	Open	3.150 N	3.000 N	21.000 RPM	32.000 RPM
K8X12X10	—	—	—	Open	4.650 N	4.150 N	21.000 RPM	32.000 RPM
K8X12X12	—	—	—	Open	5.600 N	5.300 N	21.000 RPM	32.000 RPM
K8X12X13	—	—	—	Open	5.600 N	5.300 N	21.000 RPM	32.000 RPM
K90X97X20	—	—	—	Open	46.000 N	113.000 N	2.900 RPM	4.400 RPM
K90X97X30	—	—	—	Open	67.500 N	184.000 N	2.900 RPM	4.400 RPM
K90X98X26	—	—	—	Open	64.000 N	157.000 N	2.900 RPM	4.000 RPM
K90X98X27	—	—	—	Open	64.000 N	157.000 N	2.900 RPM	4.000 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
K90X98X30	—	—	—	Open	72.500 N	184.000 N	2.900 RPM	4.000 RPM
K95X102X21	—	—	—	Open	48.000 N	122.000 N	2.800 RPM	4.200 RPM
K95X102X31	—	—	—	Open	70.500 N	199.000 N	2.800 RPM	4.200 RPM
K95X103X27	—	—	—	Open	65.500 N	165.000 N	2.800 RPM	4.200 RPM
K95X103X30	—	—	—	Open	74.000 N	193.000 N	2.800 RPM	4.200 RPM
K9X12X10	—	—	—	Open	4.550 N	5.000 N	20.000 RPM	30.000 RPM
K9X12X13	—	—	—	Open	5.500 N	6.400 N	20.000 RPM	30.000 RPM
KJ16X22X23-8XS	—	—	—	Open	12.600 N	13.900 N	—	—
KJ30X35X17S	—	—	—	Open	19.400 N	32.500 N	8.500 RPM	13.000 RPM
KJ30X36X31-8X1S	—	—	—	Open	—	—	—	—
KJ32X36X25-7XS	—	—	—	Open	65.000 N	69.000 N	—	—
KJ32X37X27S	—	—	—	Open	29.600 N	57.500 N	8.500 RPM	13.000 RPM
KJ32X38X20S	—	—	—	Open	25.100 N	41.000 N	8.500 RPM	13.000 RPM
KJ32X38X23-8X1S	—	—	—	Open	—	—	—	—
KJ32X39X20S	—	—	—	Open	26.800 N	40.000 N	8.500 RPM	13.000 RPM
KJ35X40X27S	—	—	—	Open	32.000 N	65.000 N	7.500 RPM	11.000 RPM
KJ37X42X17S	—	—	—	Open	20.400 N	37.500 N	7.500 RPM	11.000 RPM
KJ37X42X27S	—	—	—	Open	32.500 N	67.500 N	7.500 RPM	11.000 RPM
KJ45X50X17S	—	—	—	Open	22.800 N	46.000 N	6.000 RPM	9.000 RPM
KJ45X53X28S	—	—	—	Open	49.500 N	90.000 N	6.000 RPM	9.000 RPM
KMJ10X14X11-3XS	—	—	—	Open	6.800 N	7.200 N	19.000 RPM	28.000 RPM
KMJ12X16X11-3XS	—	—	—	Open	6.750 N	7.400 N	17.000 RPM	26.000 RPM
KMJ12X17X9-8XS	—	—	—	Open	7.350 N	7.200 N	17.000 RPM	26.000 RPM
KMJ15X20X15-8XS	—	—	—	Open	12.600 N	15.200 N	15.000 RPM	23.000 RPM
KMJ15X21X16-8X1SK	—	—	—	Open	14.900 N	16.800 N	15.000 RPM	23.000 RPM
KMJ15X21X17	—	—	—	Open	15.100 N	17.200 N	15.000 RPM	23.000 RPM
KMJ15X21X21X1	—	—	—	Open	—	—	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
KMJ16X22X13	—	—	—	Open	12.600 N	13.900 N	15.000 RPM	23.000 RPM
KMJ16X22X16	—	—	—	Open	14.200 N	16.100 N	15.000 RPM	23.000 RPM
KMJ18X24X17S	—	—	—	Open	16.000 N	19.300 N	14.000 RPM	21.000 RPM
KMJ18X24X17SV1	—	—	—	Open	16.000 N	19.300 N	14.000 RPM	21.000 RPM
KMJ20X26X13	—	—	—	Open	14.000 N	16.700 N	13.000 RPM	20.000 RPM
KMJ20X26X13-8X1S	—	—	—	Open	15.800 N	19.600 N	13.000 RPM	13.000 RPM
KMJ20X26X17S	—	—	—	Open	17.800 N	22.800 N	13.000 RPM	20.000 RPM
KMJ20X26X20	—	—	—	Open	20.600 N	27.600 N	13.000 RPM	—
KMJ20X26X20S	—	—	—	Open	20.600 N	27.600 N	13.000 RPM	20.000 RPM
KMJ20X28X16-8XS	—	—	—	Open	21.700 N	24.600 N	13.000 RPM	20.000 RPM
KMJ20X28X19-8X4S	—	—	—	Open	24.600 N	28.900 N	13.000 RPM	20.000 RPM
KMJ21X25X12-8X1S	—	—	—	Open	10.700 N	15.900 N	13.000 RPM	19.000 RPM
KMJ22X29X16	—	—	—	Open	18.700 N	22.700 N	12.000 RPM	18.000 RPM
KMJ22X30X17-3X2S	—	—	—	Open	23.200 N	27.500 N	12.000 RPM	18.000 RPM
KMJ22X30X23-8X3S	—	—	—	Open	31.000 N	40.000 N	12.000 RPM	18.000 RPM
KMJ23X27X12-8X1S	—	—	—	Open	11.400 N	17.700 N	11.000 RPM	17.000 RPM
KMJ23X29X17-8X2S	—	—	—	Open	20.600 N	28.800 N	11.000 RPM	17.000 RPM
KMJ23X31X21-8XS	—	—	—	Open	—	—	—	—
KMJ23X31X25-3XS	—	—	—	Open	—	—	—	—
KMJ25X30X21-8XS	—	—	—	Open	22.300 N	37.000 N	11.000 RPM	16.000 RPM
KMJ25X31X18-3X1SK	—	—	—	Open	21.000 N	30.000 N	11.000 RPM	16.000 RPM
KMJ25X32X16	—	—	—	Open	19.500 N	24.700 N	11.000 RPM	16.000 RPM
KMJ25X33X24S	—	—	—	Open	34.500 N	47.000 N	11.000 RPM	16.000 RPM
KMJ25X33X24SV4	—	—	—	Open	34.500 N	47.000 N	11.000 RPM	—
KMJ30X36X14	—	—	—	Open	18.600 N	27.400 N	8.500 RPM	13.000 RPM
KMJ30X36X14V2	—	—	—	Open	18.600 N	27.400 N	8.500 RPM	13.000 RPM
KMJ30X37X20	—	—	—	Open	26.200 N	38.000 N	8.500 RPM	13.000 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
KMJ30X37X20S	—	—	—	Open	26.200 N	38.000 N	8.500 RPM	13.000 RPM
KMJ30X38X26-3X2	—	—	—	Open	78.000 N	88.000 N	—	—
KMJ32X38X14	—	—	—	Open	19.800 N	30.500 N	8.500 RPM	13.000 RPM
KMJ38X46X20	—	—	—	Open	34.000 N	52.000 N	7.500 RPM	11.000 RPM
KMJ73X79X20	—	—	—	Open	39.500 N	95.500 N	3.700 RPM	5.500 RPM
KMJ75X81X20	—	—	—	Open	40.500 N	100.000 N	3.700 RPM	5.500 RPM
KMJ85X92X20	—	—	—	Open	47.500 N	115.000 N	3.100 RPM	4.700 RPM
KR21X25X17	—	—	—	Open	13.600 N	21.500 N	13.000 RPM	19.000 RPM
KV100X107X21S	—	—	—	Open	49.000 N	127.000 N	2.700 RPM	4.000 RPM
KV105X112X20-8X1S	—	—	—	Open	51.000 N	136.000 N	—	—
KV105X113X29-8X1S	—	—	—	Open	75.500 N	205.000 N	—	—
KV12X17X17-8XS	—	—	—	Open	12.600 N	14.400 N	17.000 RPM	26.000 RPM
KV14X17X10S	—	—	—	Open	5.400 N	7.050 N	16.000 RPM	24.000 RPM
KV15X19X7-8XS	—	—	—	Open	5.350 N	5.850 N	15.000 RPM	23.000 RPM
KV30X34X13-8XS	—	—	—	Open	12.400 N	21.500 N	8.500 RPM	13.000 RPM
KV30X35X13S	—	—	—	Open	14.700 N	22.900 N	8.500 RPM	13.000 RPM
KV31X35X23-8XS	—	—	—	Open	21.200 N	43.500 N	8.500 RPM	13.000 RPM
KV31X36X13-8XS	—	—	—	Open	15.800 N	25.400 N	8.500 RPM	13.000 RPM
KV35X39X22-3XS	—	—	—	Open	21.500 N	46.000 N	7.500 RPM	11.000 RPM
KV35X42X20SV2	—	—	—	Open	26.500 N	40.500 N	7.500 RPM	11.000 RPM
KV37X43X33-3XS	—	—	—	Open	39.000 N	76.000 N	7.500 RPM	11.000 RPM
KV40X46X33-8XS	—	—	—	Open	40.500 N	80.500 N	6.500 RPM	10.000 RPM
KV40X48X25SV1	—	—	—	Open	41.000 N	68.000 N	6.500 RPM	10.000 RPM
KV44X50X30-8XS	—	—	—	Open	43.500 N	91.500 N	6.500 RPM	9.500 RPM
KV45X50X25-8XS	—	—	—	Open	30.500 N	66.500 N	6.000 RPM	9.000 RPM
KV45X51X26-8XS	—	—	—	Open	34.500 N	68.000 N	6.000 RPM	9.000 RPM
KV47X52X22-8XS	—	—	—	Open	29.600 N	65.500 N	5.500 RPM	8.500 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
KV48X53X22-3XS	—	—	—	Open	31.000 N	69.500 N	5.500 RPM	8.500 RPM
KV48X55X24-3XS	—	—	—	Open	39.000 N	73.500 N	5.500 RPM	8.500 RPM
KV50X55X20S	—	—	—	Open	27.900 N	62.000 N	5.500 RPM	8.000 RPM
KV52X57X17-8XS	—	—	—	Open	22.800 N	48.000 N	5.000 RPM	7.500 RPM
KV52X57X22-8X1S	—	—	—	Open	30.500 N	69.500 N	5.000 RPM	7.500 RPM
KV54X59X22-8XS	—	—	—	Open	31.500 N	73.500 N	5.000 RPM	7.500 RPM
KV55X60X30S	—	—	—	Open	42.000 N	108.000 N	5.000 RPM	7.500 RPM
KV65X70X21-3X1S	—	—	—	Open	30.500 N	75.000 N	4.000 RPM	6.000 RPM
KV75X81X19-8X1S	—	—	—	Open	40.000 N	99.500 N	3.700 RPM	5.500 RPM
KV7X10X12-8X3S	—	—	—	Open	5.050 N	5.400 N	23.000 RPM	34.000 RPM
KV80X86X20SV1	—	—	—	Open	39.000 N	98.000 N	3.300 RPM	5.000 RPM
PCJ081008	—	—	—	Open	6.650 N	8.600 N	16.000 RPM	24.000 RPM
PCJ121616	—	—	—	Open	25.700 N	35.000 N	13.000 RPM	20.000 RPM
PCJ141816	—	—	—	Open	29.600 N	44.000 N	11.000 RPM	17.000 RPM
PCJ162112	—	—	—	Open	29.200 N	38.500 N	10.000 RPM	15.000 RPM
PCJ162116	—	—	—	Open	38.000 N	54.000 N	10.000 RPM	15.000 RPM
PCJ182416	—	—	—	Open	44.000 N	60.000 N	9.500 RPM	14.000 RPM
PCJ182420	—	—	—	Open	53.500 N	77.000 N	9.500 RPM	14.000 RPM
PCJ202612	—	—	—	Open	35.000 N	46.000 N	8.500 RPM	13.000 RPM
PCJ202616	—	—	—	Open	45.500 N	64.500 N	8.500 RPM	13.000 RPM
PCJ202624	—	—	—	Open	65.000 N	102.000 N	8.500 RPM	13.000 RPM
PCJ222820	—	—	—	Open	60.000 N	94.500 N	7.500 RPM	11.000 RPM
PCJ243016	—	—	—	Open	51.000 N	78.500 N	6.500 RPM	10.000 RPM
PCJ243020	—	—	—	Open	62.000 N	101.000 N	6.500 RPM	10.000 RPM
PCJ243024	—	—	—	Open	72.500 N	124.000 N	6.500 RPM	10.000 RPM
PCJ283416	—	—	—	Open	56.000 N	92.500 N	6.000 RPM	9.000 RPM
PCJ283420	—	—	—	Open	68.000 N	119.000 N	6.000 RPM	9.000 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
PCJ283424	—	—	—	Open	79.500 N	145.000 N	6.000 RPM	9.000 RPM
PCJ323816	—	—	—	Open	58.500 N	102.000 N	5.000 RPM	7.500 RPM
PCJ323820	—	—	—	Open	71.000 N	131.000 N	5.000 RPM	7.500 RPM
PCJ323824	—	—	—	Open	83.000 N	160.000 N	5.000 RPM	7.500 RPM
PCJ333916	—	—	—	Open	55.000 N	95.500 N	5.000 RPM	7.500 RPM
PCJ344016	—	—	—	Open	56.500 N	99.500 N	5.000 RPM	7.500 RPM
PCJ344024	—	—	—	Open	82.000 N	161.000 N	5.000 RPM	7.500 RPM
PCJ364216	—	—	—	Open	57.500 N	104.000 N	4.300 RPM	6.500 RPM
PCJ384424	—	—	—	Open	87.500 N	182.000 N	4.300 RPM	6.500 RPM
PCJ404616	—	—	—	Open	61.500 N	117.000 N	4.000 RPM	6.000 RPM
PCJ404624	—	—	—	Open	89.000 N	189.000 N	4.000 RPM	4.000 RPM
PCJ445016	—	—	—	Open	6.500 N	130.000 N	3.700 RPM	5.500 RPM
PCJ485416	—	—	—	Open	68.500 N	143.000 N	3.300 RPM	5.000 RPM
PCJ485424	—	—	—	Open	99.500 N	231.000 N	3.300 RPM	5.000 RPM
PCJ566216	—	—	—	Open	75.000 N	169.000 N	2.900 RPM	4.000 RPM
PCJ566416	—	—	—	Open	82.000 N	154.000 N	2.900 RPM	4.000 RPM
PCJ566424	—	—	—	Open	121.000 N	253.000 N	2.900 RPM	4.000 RPM
PCJ647216	—	—	—	Open	87.500 N	176.000 N	2.500 RPM	3.800 RPM
PCJ647224	—	—	—	Open	129.000 N	290.000 N	2.500 RPM	3.800 RPM
PK10X14X9-8X14	—	—	—	Open	5.050 N	4.900 N	—	—
PK12X16X10-2	—	—	—	Open	5.450 N	5.600 N	—	—
PK12X17X9-8X15	—	—	—	Open	6.800 N	6.550 N	—	—
PK14X19X11-8X1	—	—	—	Open	8.200 N	8.600 N	—	—
PK14X19X9-7X1	—	—	—	Open	7.300 N	7.400 N	—	—
PK14X20X11-8X3	—	—	—	Open	19.100 N	10.000 N	—	—
PK15X20X9-8X	—	—	—	Open	7.250 N	7.450 N	—	—
PK15X21X11-8X8	—	—	—	Open	10.000 N	10.200 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
PK16X22X11-8X2	—	—	—	Open	10.000 N	10.300 N	—	—
PK16X22X13-2X	—	—	—	Open	10.900 N	11.500 N	—	—
PK18X24X11-8X3	—	—	—	Open	11.300 N	12.400 N	—	—
PK18X24X13-3X1	—	—	—	Open	13.300 N	15.300 N	—	—
PK19X24X13-9X	—	—	—	Open	11.900 N	15.200 N	—	—
PK19X25X15-8X1	—	—	—	Open	14.300 N	17.000 N	—	—
PK20X26X13-8X6	—	—	—	Open	14.000 N	16.700 N	5.400 RPM	—
PK22X28X15-8X1	—	—	—	Open	15.900 N	20.200 N	—	—
PK22X29X17-8X7	—	—	—	Open	18.800 N	22.800 N	—	—
PK22X30X14-7X2	—	—	—	Open	16.900 N	18.200 N	5.400 RPM	—
PK22X30X17-8X2	—	—	—	Open	21.900 N	25.400 N	—	—
PK24X31X16-8X7	—	—	—	Open	20.800 N	26.600 N	—	—
PK24X32X19-8X6	—	—	—	Open	22.900 N	27.500 N	—	—
PK26X31X13-8X31	—	—	—	Open	14.200 N	20.900 N	—	—
PK26X32X13-8X	—	—	—	Open	16.400 N	22.200 N	—	—
PK26X34X16-8X7	—	—	—	Open	21.600 N	26.100 N	—	—
PK27X36X20-8X1	—	—	—	Open	30.500 N	38.500 N	—	—
PK28X35X13-8X1	—	—	—	Open	18.400 N	23.700 N	—	—
PK28X36X13-8X4	—	—	—	Open	20.600 N	25.100 N	—	—
PK28X36X15-8X6	—	—	—	Open	23.700 N	30.000 N	—	—
PK28X37X20-8X	—	—	—	Open	32.500 N	41.500 N	—	—
PK29X39X21-4X2	—	—	—	Open	32.500 N	39.500 N	—	—
PK30X37X15-9X	—	—	—	Open	21.900 N	30.500 N	—	—
PK30X38X13-8X1	—	—	—	Open	21.400 N	26.900 N	—	—
PK30X38X15-8X	—	—	—	Open	24.600 N	32.000 N	—	—
PK30X38X17-8X1	—	—	—	Open	27.700 N	37.500 N	4.400 RPM	—
PK31X41X21-4X	—	—	—	Open	34.000 N	43.000 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
PK32X43X22-4X	—	—	—	Open	40.000 N	49.500 N	—	—
PK34X42X19-8X	—	—	—	Open	31.500 N	45.500 N	—	—
PK38X47X19-8X1	—	—	—	Open	35.500 N	51.000 N	—	—

CONTACT

Email: infos@catson.com.vn

Website: www.catson.vn

Phone: +84 28 3820 8888

Fax: +84 28 3826 8888

