

Outer Ring w/ Cage & Rollers, One Rib & One Retaining Ring

Outer Ring with Cage and Rollers

192 mã sản phẩm



Nhập vào mã NTN để mở trang chi tiết trên www.catson.vn.

Mã NTN	d	D	B	Kiểu	Tải động	Tải tĩnh	Tốc độ mỡ	Tốc độ dầu
M1013UL	—	100 mm	—	Open	58.500 N	82.000 N	—	—
M1014UL	—	110 mm	—	Open	70.500 N	92.000 N	—	—
M1014UX	—	110 mm	—	Open	72.500 N	96.000 N	—	—
M1015UL	—	115 mm	—	Open	72.000 N	96.500 N	—	—
M1015UV	—	115 mm	—	Open	72.000 N	96.500 N	—	—
M1015UX	—	115 mm	—	Open	76.500 N	105.000 N	—	—
M1016UL	—	125 mm	—	Open	88.000 N	117.000 N	—	—
M1016UX	—	125 mm	—	Open	97.000 N	133.000 N	—	—
M1017UL	—	130 mm	—	Open	87.500 N	118.000 N	—	—
M1017UX	—	130 mm	—	Open	96.500 N	134.000 N	—	—
M1021UX	—	150 mm	—	Open	154.000 N	231.000 N	—	—
M1024UX	—	180 mm	—	Open	184.000 N	284.000 N	—	—
M1203UV	—	40 mm	—	Open	19.400 N	17.000 N	—	—
M1204UV	—	47 mm	—	Open	22.200 N	20.900 N	—	—
M1205UL	—	52 mm	—	Open	31.000 N	33.500 N	—	—
M1205UV	—	52 mm	—	Open	28.200 N	29.500 N	—	—
M1205UX	—	52 mm	—	Open	31.000 N	33.500 N	—	—

Mã NTN	d	D	B	Kiểu	Tải động	Tải tĩnh	Tốc độ mở	Tốc độ đầu
M1206UL	—	62 mm	—	Open	41.000 N	43.000 N	—	—
M1206UV	—	62 mm	—	Open	39.000 N	40.500 N	—	—
M1207UL	—	72 mm	—	Open	47.000 N	49.000 N	—	—
M1207UV	—	52 mm	—	Open	44.500 N	45.500 N	—	—
M1207UX	—	72 mm	—	Open	47.000 N	49.000 N	—	—
M1208UL	—	80 mm	—	Open	55.500 N	60.000 N	—	—
M1208UV	—	83 mm	—	Open	53.000 N	56.500 N	—	—
M1208UX	—	80 mm	—	Open	55.500 N	60.000 N	—	—
M1209UL	—	85 mm	—	Open	64.000 N	75.000 N	—	—
M1209UV	—	85 mm	—	Open	59.000 N	66.500 N	—	—
M1209UX	—	85 mm	—	Open	64.000 N	75.000 N	—	—
M1210UL	—	90 mm	—	Open	65.000 N	78.500 N	—	—
M1210UX	—	90 mm	—	Open	65.000 N	78.500 N	—	—
M1211UL	—	100 mm	—	Open	78.000 N	95.500 N	—	—
M1211UV	—	100 mm	—	Open	71.500 N	85.500 N	—	—
M1211UX	—	100 mm	—	Open	78.000 N	95.500 N	—	—
M1212UL	—	110 mm	—	Open	95.000 N	112.000 N	—	—
M1212UV	—	110 mm	—	Open	91.000 N	106.000 N	—	—
M1212UX	—	110 mm	—	Open	95.000 N	112.000 N	—	—
M1213UL	—	120 mm	—	Open	108.000 N	135.000 N	—	—
M1213UX	—	120 mm	—	Open	108.000 N	135.000 N	—	—
M1214UL	—	125 mm	—	Open	114.000 N	142.000 N	—	—
M1214UV	—	125 mm	—	Open	114.000 N	142.000 N	—	—
M1214UX	—	125 mm	—	Open	119.000 N	150.000 N	—	—
M1215UL	—	130 mm	—	Open	123.000 N	159.000 N	—	—
M1215UV	—	130 mm	—	Open	118.000 N	151.000 N	—	—
M1215UX	—	130 mm	—	Open	123.000 N	159.000 N	—	—

Mã NTN	d	D	B	Kiểu	Tải động	Tải tĩnh	Tốc độ mở	Tốc độ đầu
M1216UL	—	140 mm	—	Open	131.000 N	166.000 N	—	—
M1216UV	—	140 mm	—	Open	126.000 N	157.000 N	—	—
M1216UX	—	140 mm	—	Open	136.000 N	174.000 N	—	—
M1217UL	—	150 mm	—	Open	154.000 N	194.000 N	—	—
M1217UX	—	150 mm	—	Open	160.000 N	205.000 N	—	—
M1218UL	—	160 mm	—	Open	173.000 N	217.000 N	—	—
M1218UX	—	160 mm	—	Open	188.000 N	243.000 N	—	—
M1219UL	—	170 mm	—	Open	212.000 N	273.000 N	—	—
M1219UX	—	170 mm	—	Open	203.000 N	258.000 N	—	—
M1220UL	—	180 mm	—	Open	233.000 N	300.000 N	—	—
M1220UX	—	180 mm	—	Open	224.000 N	286.000 N	—	—
M1221UV	—	190 mm	—	Open	238.000 N	305.000 N	—	—
M1222UL	—	200 mm	—	Open	255.000 N	330.000 N	—	—
M1222UV	—	200 mm	—	Open	266.000 N	350.000 N	—	—
M1224UL	—	215 mm	—	Open	300.000 N	405.000 N	—	—
M1226UL	—	230 mm	—	Open	305.000 N	400.000 N	—	—
M1228UV	—	250 mm	—	Open	385.000 N	505.000 N	—	—
M1304UL	—	52 mm	—	Open	31.000 N	28.000 N	—	—
M1304UV	—	52 mm	—	Open	29.000 N	25.700 N	—	—
M1305UL	—	62 mm	—	Open	42.000 N	39.000 N	—	—
M1305UV	—	62 mm	—	Open	39.500 N	36.000 N	—	—
M1306UL	—	72 mm	—	Open	55.000 N	56.500 N	—	—
M1306UV	—	72 mm	—	Open	52.000 N	52.500 N	—	—
M1306UX	—	72 mm	—	Open	55.000 N	56.500 N	—	—
M1307UL	—	80 mm	—	Open	69.000 N	74.500 N	—	—
M1307UV	—	80 mm	—	Open	65.000 N	69.000 N	—	—
M1307UX	—	80 mm	—	Open	69.000 N	74.500 N	—	—

Mã NTN	d	D	B	Kiểu	Tải động	Tải tĩnh	Tốc độ mở	Tốc độ đầu
M1308UL	—	90 mm	—	Open	87.000 N	92.500 N	—	—
M1308UX	—	90 mm	—	Open	82.000 N	86.000 N	—	—
M1309UL	—	100 mm	—	Open	107.000 N	121.000 N	—	—
M1309UV	—	100 mm	—	Open	96.500 N	105.000 N	—	—
M1309UX	—	100 mm	—	Open	102.000 N	113.000 N	—	—
M1310UL	—	110 mm	—	Open	125.000 N	135.000 N	—	—
M1310UV	—	110 mm	—	Open	114.000 N	126.000 N	—	—
M1310UX	—	110 mm	—	Open	125.000 N	135.000 N	—	—
M1311UL	—	120 mm	—	Open	139.000 N	157.000 N	—	—
M1311UV	—	120 mm	—	Open	125.000 N	136.000 N	—	—
M1312UL	—	130 mm	—	Open	168.000 N	195.000 N	—	—
M1312UV	—	130 mm	—	Open	151.000 N	169.000 N	—	—
M1312UX	—	130 mm	—	Open	160.000 N	182.000 N	—	—
M1313UL	—	140 mm	—	Open	188.000 N	218.000 N	—	—
M1313UV	—	140 mm	—	Open	188.000 N	218.000 N	—	—
M1313UX	—	140 mm	—	Open	188.000 N	218.000 N	—	—
M1314UL	—	150 mm	—	Open	211.000 N	247.000 N	—	—
M1314UV	—	150 mm	—	Open	211.000 N	247.000 N	—	—
M1314UX	—	150 mm	—	Open	211.000 N	247.000 N	—	—
M1315UL	—	160 mm	—	Open	223.000 N	258.000 N	—	—
M1315UX	—	160 mm	—	Open	223.000 N	258.000 N	—	—
M1316UL	—	170 mm	—	Open	267.000 N	320.000 N	—	—
M1317UL	—	180 mm	—	Open	269.000 N	315.000 N	—	—
M1318UL	—	190 mm	—	Open	300.000 N	355.000 N	—	—
M1318UX	—	190 mm	—	Open	335.000 N	410.000 N	—	—
M1319UL	—	200 mm	—	Open	320.000 N	390.000 N	—	—
M1319UX	—	200 mm	—	Open	355.000 N	445.000 N	—	—

Mã NTN	d	D	B	Kiểu	Tải động	Tải tĩnh	Tốc độ mở	Tốc độ đầu
M1320UL	—	215 mm	—	Open	350.000 N	430.000 N	—	—
M1320UX	—	215 mm	—	Open	390.000 N	490.000 N	—	—
M1321UL	—	225 mm	—	Open	420.000 N	525.000 N	—	—
M1321UV	—	225 mm	—	Open	87.000 N	137.000 N	—	—
M1922UL	—	150 mm	—	Open	87.000 N	137.000 N	—	—
M1922UX	—	150 mm	—	Open	90.500 N	145.000 N	—	—
M1924UL	—	165 mm	—	Open	111.000 N	176.000 N	—	—
M1926UL	—	180 mm	—	Open	148.000 N	241.000 N	—	—
M5204UV	—	47 mm	—	Open	36.500 N	39.500 N	—	—
M5205UL	—	52 mm	—	Open	42.500 N	50.000 N	—	—
M5205UX	—	52 mm	—	Open	42.500 N	50.000 N	—	—
M5206UL	—	62 mm	—	Open	61.000 N	72.500 N	—	—
M5206UV	—	62 mm	—	Open	61.000 N	72.500 N	—	—
M5207UL	—	72 mm	—	Open	76.500 N	91.500 N	—	—
M5207UX	—	72 mm	—	Open	76.500 N	91.500 N	—	—
M5208UL	—	80 mm	—	Open	96.500 N	122.000 N	—	—
M5208UX	—	80 mm	—	Open	96.500 N	122.000 N	—	—
M5209UL	—	85 mm	—	Open	105.000 N	140.000 N	—	—
M5209UX	—	85 mm	—	Open	105.000 N	140.000 N	—	—
M5210UL	—	90 mm	—	Open	104.000 N	144.000 N	—	—
M5210UV	—	90 mm	—	Open	95.500 N	129.000 N	—	—
M5210UX	—	90 mm	—	Open	104.000 N	144.000 N	—	—
M5211UL	—	100 mm	—	Open	127.000 N	178.000 N	—	—
M5211UV	—	100 mm	—	Open	116.000 N	160.000 N	—	—
M5211UX	—	100 mm	—	Open	127.000 N	178.000 N	—	—
M5212UL	—	110 mm	—	Open	164.000 N	226.000 N	—	—
M5212UV	—	110 mm	—	Open	150.000 N	201.000 N	—	—

Mã NTN	d	D	B	Kiểu	Tải động	Tải tĩnh	Tốc độ mở	Tốc độ đầu
M5212UX	—	110 mm	—	Open	164.000 N	226.000 N	—	—
M5213UL	—	120 mm	—	Open	170.000 N	242.000 N	—	—
M5213UV	—	120 mm	—	Open	163.000 N	229.000 N	—	—
M5213UX	—	120 mm	—	Open	170.000 N	242.000 N	—	—
M5214UL	—	125 mm	—	Open	188.000 N	270.000 N	—	—
M5214UX	—	125 mm	—	Open	196.000 N	285.000 N	—	—
M5215UL	—	130 mm	—	Open	188.000 N	270.000 N	—	—
M5215UX	—	130 mm	—	Open	196.000 N	285.000 N	—	—
M5216UL	—	140 mm	—	Open	229.000 N	340.000 N	—	—
M5216UX	—	140 mm	—	Open	238.000 N	355.000 N	—	—
M5217UL	—	150 mm	—	Open	272.000 N	405.000 N	—	—
M5217UX	—	150 mm	—	Open	283.000 N	425.000 N	—	—
M5218UL	—	160 mm	—	Open	305.000 N	455.000 N	—	—
M5218UV	—	160 mm	—	Open	320.000 N	480.000 N	—	—
M5218UX	—	160 mm	—	Open	335.000 N	510.000 N	—	—
M5219UL	—	170 mm	—	Open	355.000 N	530.000 N	—	—
M5219UX	—	170 mm	—	Open	370.000 N	560.000 N	—	—
M5220UL	—	180 mm	—	Open	425.000 N	655.000 N	—	—
M5220UV	—	180 mm	—	Open	410.000 N	620.000 N	—	—
M5220UX	—	180 mm	—	Open	410.000 N	620.000 N	—	—
M5222UL	—	200 mm	—	Open	465.000 N	710.000 N	—	—
M5224UL	—	215 mm	—	Open	630.000 N	1.040.000 N	—	—
M5226UL	—	230 mm	—	Open	570.000 N	895.000 N	—	—
M5304UL	—	52 mm	—	Open	48.000 N	50.000 N	—	—
M5304UV	—	52 mm	—	Open	45.000 N	46.000 N	—	—
M5306UL	—	72 mm	—	Open	87.500 N	103.000 N	—	—
M5306UV	—	72 mm	—	Open	78.000 N	88.000 N	—	—

Mã NTN	d	D	B	Kiểu	Tải động	Tải tĩnh	Tốc độ mở	Tốc độ đầu
M5306UX	—	72 mm	—	Open	87.500 N	103.000 N	—	—
M5307UL	—	80 mm	—	Open	102.000 N	124.000 N	—	—
M5307UX	—	80 mm	—	Open	102.000 N	124.000 N	—	—
M5308UL	—	90 mm	—	Open	137.000 N	166.000 N	—	—
M5308UX	—	90 mm	—	Open	129.000 N	154.000 N	—	—
M5309UL	—	100 mm	—	Open	166.000 N	213.000 N	—	—
M5309UX	—	100 mm	—	Open	158.000 N	199.000 N	—	—
M5310UL	—	110 mm	—	Open	185.000 N	235.000 N	—	—
M5310UX	—	110 mm	—	Open	185.000 N	235.000 N	—	—
M5311UL	—	120 mm	—	Open	241.000 N	320.000 N	—	—
M5312UL	—	130 mm	—	Open	294.000 N	400.000 N	—	—
M5312UX	—	130 mm	—	Open	280.000 N	375.000 N	—	—
M5313UL	—	140 mm	—	Open	330.000 N	450.000 N	—	—
M5313UX	—	140 mm	—	Open	330.000 N	450.000 N	—	—
M5316UL	—	170 mm	—	Open	465.000 N	655.000 N	—	—
M7222UL	—	200 mm	—	Open	340.000 N	475.000 N	—	—
M7305UL	—	62 mm	—	Open	55.500 N	56.000 N	—	—
M7306UL	—	72 mm	—	Open	71.500 N	80.000 N	—	—
M7306UX	—	72 mm	—	Open	71.500 N	80.000 N	—	—
M7307UL	—	80 mm	—	Open	89.000 N	104.000 N	—	—
M7307UX	—	80 mm	—	Open	89.000 N	104.000 N	—	—
M7308UL	—	90 mm	—	Open	121.000 N	142.000 N	—	—
M7308UX	—	90 mm	—	Open	115.000 N	132.000 N	—	—
M7309UL	—	100 mm	—	Open	136.000 N	165.000 N	—	—
M7309UV	—	100 mm	—	Open	129.000 N	154.000 N	—	—
M7309UX	—	100 mm	—	Open	129.000 N	154.000 N	—	—
M7311UL	—	120 mm	—	Open	188.000 N	232.000 N	—	—

Mã NTN	d	D	B	Kiểu	Tải động	Tải tĩnh	Tốc độ mở	Tốc độ đầu
M7312UL	—	130 mm	—	Open	219.000 N	274.000 N	—	—
M7312UX	—	130 mm	—	Open	208.000 N	256.000 N	—	—
M7313UL	—	140 mm	—	Open	238.000 N	294.000 N	—	—
M7313UX	—	140 mm	—	Open	238.000 N	294.000 N	—	—
M7314UL	—	150 mm	—	Open	267.000 N	335.000 N	—	—
M7314UX	—	150 mm	—	Open	267.000 N	335.000 N	—	—
M7315UL	—	160 mm	—	Open	296.000 N	370.000 N	—	—
M7315UX	—	160 mm	—	Open	296.000 N	370.000 N	—	—
M7317UL	—	180 mm	—	Open	370.000 N	475.000 N	—	—
M7318UL	—	190 mm	—	Open	395.000 N	505.000 N	—	—
M7318UX	—	190 mm	—	Open	440.000 N	580.000 N	—	—
M7320UL	—	215 mm	—	Open	480.000 N	640.000 N	—	—
M7320UX	—	215 mm	—	Open	530.000 N	730.000 N	—	—

LIÊN HỆ

Email: infos@catson.com.vn

Website: www.catson.vn

Điện thoại: +84 28 3820 8888

Fax: +84 28 3826 8888

