

Sealed Angular Contact Ball Bearings

Sealed Angular Contact Ball Bearings

45 items



Select an NTN item number to open its detail page on www.catson.vn.

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
700ADLLB	10 mm	26 mm	8 mm	Double Sealed	5.150 N	2.410 N	58.300 RPM	—
700CDLLB	10 mm	26 mm	8 mm	Double Sealed	5.300 N	2.490 N	67.300 RPM	—
7001ADLLB	12 mm	28 mm	8 mm	Double Sealed	5.600 N	2.790 N	52.500 RPM	—
7001CDLLB	12 mm	28 mm	8 mm	Double Sealed	5.800 N	2.900 N	60.600 RPM	—
7002ADLLB	15 mm	32 mm	9 mm	Double Sealed	5.950 N	3.250 N	44.700 RPM	—
7002CDLLB	15 mm	32 mm	9 mm	Double Sealed	6.250 N	3.400 N	51.500 RPM	—
7003ADLLB	17 mm	35 mm	10 mm	Double Sealed	7.900 N	4.350 N	40.400 RPM	—
7003CDLLB	17 mm	35 mm	10 mm	Double Sealed	8.250 N	4.500 N	46.600 RPM	—
7004ADLLB	20 mm	42 mm	12 mm	Double Sealed	10.000 N	5.750 N	33.900 RPM	—
7004CDLLB	20 mm	42 mm	12 mm	Double Sealed	10.500 N	6.000 N	39.100 RPM	—
7005ADLLB	25 mm	47 mm	12 mm	Double Sealed	11.700 N	7.650 N	29.200 RPM	—
7005CDLLB	25 mm	47 mm	12 mm	Double Sealed	12.300 N	8.000 N	33.600 RPM	—
7006ADLLB	30 mm	55 mm	13 mm	Double Sealed	14.400 N	9.800 N	24.700 RPM	—
7006CDLLB	30 mm	55 mm	13 mm	Double Sealed	15.100 N	10.300 N	28.500 RPM	—
7007ADLLB	35 mm	62 mm	14 mm	Double Sealed	18.200 N	13.000 N	21.600 RPM	—
7007CDLLB	35 mm	62 mm	14 mm	Double Sealed	19.100 N	13.700 N	25.000 RPM	—
7008ADLLB	40 mm	68 mm	15 mm	Double Sealed	19.500 N	15.100 N	19.400 RPM	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
7008CDLLB	40 mm	68 mm	15 mm	Double Sealed	20.600 N	15.900 N	22.400 RPM	—
7009ADLLB	45 mm	75 mm	16 mm	Double Sealed	26.300 N	20.100 N	17.500 RPM	—
7009CDLLB	45 mm	75 mm	16 mm	Double Sealed	27.700 N	21.100 N	20.200 RPM	—
7010ADLLB	50 mm	80 mm	16 mm	Double Sealed	27.100 N	21.800 N	16.200 RPM	—
7010CDLLB	50 mm	80 mm	16 mm	Double Sealed	28.600 N	22.900 N	18.600 RPM	—
71903CDLLBG-GNP42	17 mm	30 mm	7 mm	Double Sealed	5.250 N	3.150 N	51.500 RPM	—
7900ADLLB	10 mm	22 mm	6 mm	Double Sealed	2.880 N	1.010 N	79.700 RPM	—
7900CDLLB	10 mm	22 mm	6 mm	Double Sealed	3.000 N	1.520 N	75.700 RPM	—
7901ADLLB	12 mm	24 mm	6 mm	Double Sealed	3.200 N	1.230 N	70.800 RPM	—
7901CDLLB	12 mm	24 mm	6 mm	Double Sealed	3.350 N	1.860 N	67.300 RPM	—
7902ADLLB	15 mm	28 mm	7 mm	Double Sealed	4.800 N	1.900 N	59.300 RPM	—
7902CDLLB	15 mm	28 mm	7 mm	Double Sealed	5.050 N	2.860 N	56.300 RPM	—
7903ADLLB	17 mm	30 mm	7 mm	Double Sealed	5.000 N	2.090 N	54.300 RPM	—
7903CDLLB	17 mm	30 mm	7 mm	Double Sealed	5.250 N	3.150 N	51.500 RPM	—
7904ADLLB	20 mm	37 mm	9 mm	Double Sealed	6.950 N	3.000 N	44.700 RPM	—
7904CDLLB	20 mm	37 mm	9 mm	Double Sealed	7.300 N	4.550 N	42.500 RPM	—
7905ADLLB	25 mm	42 mm	9 mm	Double Sealed	7.750 N	3.800 N	38.100 RPM	—
7905CDLLB	25 mm	42 mm	9 mm	Double Sealed	8.150 N	5.750 N	36.100 RPM	—
7906ADLLB	30 mm	47 mm	9 mm	Double Sealed	8.150 N	4.350 N	33.100 RPM	—
7906CDLLB	30 mm	47 mm	9 mm	Double Sealed	8.600 N	6.600 N	31.400 RPM	—
7907ADLLB	35 mm	55 mm	10 mm	Double Sealed	11.100 N	6.250 N	28.300 RPM	—
7907CDLLB	35 mm	55 mm	10 mm	Double Sealed	11.800 N	9.500 N	23.700 RPM	—
7908ADLLB	40 mm	62 mm	12 mm	Double Sealed	16.700 N	9.050 N	25.000 RPM	—
7908CDLLB	40 mm	62 mm	12 mm	Double Sealed	17.600 N	13.800 N	21.400 RPM	—
7909ADLLB	45 mm	68 mm	12 mm	Double Sealed	17.600 N	10.300 N	21.400 RPM	—
7909CDLLB	45 mm	68 mm	12 mm	Double Sealed	18.600 N	15.600 N	21.400 RPM	—
7910ADLLB	50 mm	72 mm	12 mm	Double Sealed	15.000 N	9.600 N	20.000 RPM	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
7910CDLLB	50 mm	72 mm	12 mm	Double Sealed	15.900 N	14.700 N	20.000 RPM	—

CONTACT

Email: infos@catson.com.vn

Website: www.catson.vn

Phone: +84 28 3820 8888

Fax: +84 28 3826 8888

