

Sealed Single Angular Contact Ball Bearing - High Precision

Single Row Machine Angular Contact Ball Bearings

135 items



Select an NTN item number to open its detail page on www.catson.vn.

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MLE7000CV	10 mm	26 mm	8 mm	Double Sealed	2.040 N	3.050 N	—	—
MLE7000HV	10 mm	26 mm	8 mm	Double Sealed	1.950 N	3.050 N	—	—
MLE7000HVVJ74S	10 mm	26 mm	8 mm	Double Sealed	1.950 N	3.050 N	—	—
MLE7001CV	12 mm	28 mm	8 mm	Double Sealed	2.280 N	3.050 N	—	—
MLE7001CVVJ74S	12 mm	28 mm	8 mm	Double Sealed	2.280 N	3.050 N	—	—
MLE7001HV	12 mm	28 mm	8 mm	Double Sealed	2.180 N	3.050 N	—	—
MLE7001HVVJ74S	12 mm	28 mm	8 mm	Double Sealed	2.180 N	3.050 N	—	—
MLE7002CV	15 mm	32 mm	9 mm	Double Sealed	3.450 N	3.050 N	—	—
MLE7002CVVJ74S	15 mm	32 mm	9 mm	Double Sealed	3.450 N	3.050 N	—	—
MLE7002HV	15 mm	32 mm	9 mm	Double Sealed	3.300 N	3.050 N	—	—
MLE7003CV	17 mm	35 mm	10 mm	Double Sealed	3.750 N	3.050 N	—	—
MLE7003CVVJ74S	17 mm	35 mm	10 mm	Double Sealed	3.750 N	3.050 N	—	—
MLE7003HV	17 mm	35 mm	10 mm	Double Sealed	3.600 N	3.050 N	—	—
MLE7003HVVJ74S	17 mm	35 mm	10 mm	Double Sealed	3.600 N	3.050 N	—	—
MLE7004CV	20 mm	42 mm	12 mm	Double Sealed	6.550 N	3.100 N	—	—
MLE7004CVVJ74S	20 mm	42 mm	12 mm	Double Sealed	6.550 N	3.100 N	—	—
MLE7004HV	20 mm	42 mm	12 mm	Double Sealed	6.300 N	3.100 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MLE7004HVUJ74S	20 mm	42 mm	12 mm	Double Sealed	6.300 N	3.100 N	—	—
MLE7005CV	25 mm	47 mm	12 mm	Double Sealed	7.450 N	3.100 N	—	—
MLE7005CVUJ74S	25 mm	47 mm	12 mm	Double Sealed	7.450 N	3.100 N	—	—
MLE7005HV	25 mm	47 mm	12 mm	Double Sealed	7.100 N	3.100 N	—	—
MLE7005HVUJ84S	25 mm	47 mm	12 mm	Double Sealed	7.100 N	3.100 N	—	—
MLE7006CV	30 mm	55 mm	13 mm	Double Sealed	8.300 N	3.100 N	—	—
MLE7006CVUJ74S	30 mm	55 mm	13 mm	Double Sealed	8.300 N	3.100 N	—	—
MLE7006HV	30 mm	55 mm	13 mm	Double Sealed	7.800 N	3.100 N	—	—
MLE7006HVUJ74S	30 mm	55 mm	13 mm	Double Sealed	7.800 N	3.100 N	—	—
MLE7006HVUJ84S	30 mm	55 mm	13 mm	Double Sealed	7.800 N	3.100 N	—	—
MLE7007CV	35 mm	62 mm	14 mm	Double Sealed	10.500 N	3.100 N	—	—
MLE7007CVUJ74S	35 mm	62 mm	14 mm	Double Sealed	10.500 N	3.100 N	—	—
MLE7007HV	35 mm	62 mm	14 mm	Double Sealed	10.000 N	3.100 N	—	—
MLE7007HVUJ74S	35 mm	62 mm	14 mm	Double Sealed	10.000 N	3.100 N	—	—
MLE7008CV	40 mm	68 mm	15 mm	Double Sealed	11.000 N	3.150 N	—	—
MLE7008CVUJ74S	40 mm	68 mm	15 mm	Double Sealed	11.000 N	3.150 N	—	—
MLE7008HV	40 mm	68 mm	15 mm	Double Sealed	10.500 N	3.150 N	—	—
MLE7009CV	45 mm	75 mm	16 mm	Double Sealed	10.900 N	3.150 N	—	—
MLE7009CVUJ74S	45 mm	75 mm	16 mm	Double Sealed	10.900 N	3.150 N	—	—
MLE7009HV	45 mm	75 mm	16 mm	Double Sealed	10.300 N	3.150 N	—	—
MLE7009HVUJ74S	45 mm	75 mm	16 mm	Double Sealed	10.300 N	3.150 N	—	—
MLE7010CV	50 mm	80 mm	16 mm	Double Sealed	11.700 N	3.150 N	—	—
MLE7010CVUJ74S	50 mm	80 mm	16 mm	Double Sealed	11.700 N	3.150 N	—	—
MLE7010HV	50 mm	80 mm	16 mm	Double Sealed	11.100 N	3.150 N	—	—
MLE7010HVUJ74S	50 mm	80 mm	16 mm	Double Sealed	11.100 N	3.150 N	—	—
MLE7011CV	55 mm	90 mm	18 mm	Double Sealed	23.300 N	3.200 N	—	—
MLE7011CVUJ74S	55 mm	90 mm	18 mm	Double Sealed	23.300 N	3.200 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MLE7011HV	55 mm	90 mm	18 mm	Double Sealed	22.000 N	3.200 N	—	—
MLE7011HVUJ84S	55 mm	90 mm	18 mm	Double Sealed	11.100 N	3.200 N	—	—
MLE7012CV	60 mm	95 mm	18 mm	Double Sealed	24.400 N	3.200 N	—	—
MLE7012CVUJ84S	60 mm	95 mm	18 mm	Double Sealed	24.400 N	3.200 N	—	—
MLE7012HV	60 mm	95 mm	18 mm	Double Sealed	23.000 N	3.200 N	—	—
MLE7013CV	65 mm	100 mm	18 mm	Double Sealed	25.500 N	3.200 N	—	—
MLE7013HV	65 mm	100 mm	18 mm	Double Sealed	23.900 N	3.200 N	—	—
MLE7014CV	70 mm	110 mm	20 mm	Double Sealed	34.000 N	3.200 N	—	—
MLE7014HV	70 mm	110 mm	20 mm	Double Sealed	32.000 N	3.200 N	—	—
MLE7014HVUJ74S	70 mm	110 mm	20 mm	Double Sealed	32.000 N	3.200 N	—	—
MLE7015CV	75 mm	115 mm	20 mm	Double Sealed	34.500 N	3.250 N	—	—
MLE7015HV	75 mm	115 mm	20 mm	Double Sealed	32.500 N	3.250 N	—	—
MLE7016CV	80 mm	125 mm	22 mm	Double Sealed	44.000 N	3.250 N	—	—
MLE7016HV	80 mm	125 mm	22 mm	Double Sealed	41.500 N	3.250 N	—	—
MLE7017CV	85 mm	130 mm	22 mm	Double Sealed	46.000 N	3.250 N	—	—
MLE7017HV	85 mm	130 mm	22 mm	Double Sealed	43.500 N	3.250 N	—	—
MLE7018CV	90 mm	140 mm	24 mm	Double Sealed	52.000 N	3.250 N	—	—
MLE7018HV	90 mm	140 mm	24 mm	Double Sealed	49.000 N	3.250 N	—	—
MLE7019CV	95 mm	145 mm	24 mm	Double Sealed	53.000 N	3.300 N	—	—
MLE7019HV	95 mm	145 mm	24 mm	Double Sealed	50.000 N	3.300 N	—	—
MLE7020CV	100 mm	150 mm	24 mm	Double Sealed	54.000 N	3.300 N	—	—
MLE7020HV	100 mm	150 mm	24 mm	Double Sealed	51.000 N	3.300 N	—	—
MLE7021CV	105 mm	160 mm	26 mm	Double Sealed	65.000 N	3.300 N	—	—
MLE7021HV	105 mm	160 mm	26 mm	Double Sealed	61.000 N	3.300 N	—	—
MLE7022CV	110 mm	170 mm	28 mm	Double Sealed	72.000 N	3.300 N	—	—
MLE7022HV	110 mm	170 mm	28 mm	Double Sealed	68.000 N	3.300 N	—	—
MLE7024CV	120 mm	180 mm	28 mm	Double Sealed	75.000 N	3.350 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MLE7024HV	120 mm	180 mm	28 mm	Double Sealed	70.000 N	3.350 N	—	—
MLE7026CV	130 mm	200 mm	33 mm	Double Sealed	97.000 N	3.350 N	—	—
MLE7026HV	130 mm	200 mm	33 mm	Double Sealed	92.000 N	3.350 N	—	—
MLE71900CV	10 mm	22 mm	6 mm	Double Sealed	1.430 N	3.000 N	—	—
MLE71900CVUJ74S	10 mm	22 mm	6 mm	Double Sealed	1.430 N	3.000 N	—	—
MLE71900HV	10 mm	22 mm	6 mm	Double Sealed	1.360 N	3.000 N	—	—
MLE71901CV	12 mm	24 mm	6 mm	Double Sealed	1.490 N	3.050 N	—	—
MLE71901HV	12 mm	24 mm	6 mm	Double Sealed	1.410 N	3.050 N	—	—
MLE71902CV	15 mm	28 mm	7 mm	Double Sealed	2.030 N	3.050 N	—	—
MLE71902CVUJ74S	15 mm	28 mm	7 mm	Double Sealed	2.030 N	3.050 N	—	—
MLE71902HV	15 mm	28 mm	7 mm	Double Sealed	2.030 N	3.050 N	—	—
MLE71903CV	17 mm	30 mm	7 mm	Double Sealed	2.170 N	3.050 N	—	—
MLE71903CVUJ74S	17 mm	30 mm	7 mm	Double Sealed	2.170 N	3.050 N	—	—
MLE71903HV	17 mm	30 mm	7 mm	Double Sealed	2.060 N	3.050 N	—	—
MLE71903HVUJ74S	17 mm	30 mm	7 mm	Double Sealed	2.060 N	3.050 N	—	—
MLE71904CV	20 mm	37 mm	9 mm	Double Sealed	3.900 N	3.100 N	—	—
MLE71904HV	20 mm	37 mm	9 mm	Double Sealed	3.700 N	3.100 N	—	—
MLE71905CV	25 mm	42 mm	9 mm	Double Sealed	4.300 N	3.100 N	—	—
MLE71905CVUJ74S	25 mm	42 mm	9 mm	Double Sealed	4.300 N	3.100 N	—	—
MLE71905HV	25 mm	42 mm	9 mm	Double Sealed	4.100 N	3.100 N	—	—
MLE71906CV	30 mm	47 mm	9 mm	Double Sealed	4.650 N	3.100 N	—	—
MLE71906HV	30 mm	47 mm	9 mm	Double Sealed	4.400 N	3.100 N	—	—
MLE71907CV	35 mm	55 mm	10 mm	Double Sealed	5.100 N	3.100 N	—	—
MLE71907CVUJ84S	35 mm	55 mm	10 mm	Double Sealed	5.100 N	3.100 N	—	—
MLE71907HV	35 mm	55 mm	10 mm	Double Sealed	4.800 N	3.100 N	—	—
MLE71908CV	40 mm	62 mm	12 mm	Double Sealed	6.950 N	3.150 N	—	—
MLE71908CVUJ74S	40 mm	62 mm	12 mm	Double Sealed	6.950 N	3.150 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MLE71908CVUJ84S	40 mm	62 mm	12 mm	Double Sealed	6.950 N	3.150 N	—	—
MLE71908HV	40 mm	62 mm	12 mm	Double Sealed	6.550 N	3.150 N	—	—
MLE71908HVUJ74S	40 mm	62 mm	12 mm	Double Sealed	6.550 N	3.150 N	—	—
MLE71909CV	45 mm	68 mm	12 mm	Double Sealed	7.350 N	3.150 N	—	—
MLE71909HV	45 mm	68 mm	12 mm	Double Sealed	6.950 N	3.150 N	—	—
MLE71909HVUJ74S	45 mm	68 mm	12 mm	Double Sealed	6.950 N	3.150 N	—	—
MLE71910CV	50 mm	72 mm	12 mm	Double Sealed	7.600 N	3.150 N	—	—
MLE71910HV	50 mm	72 mm	12 mm	Double Sealed	7.150 N	3.150 N	—	—
MLE71911CV	55 mm	80 mm	13 mm	Double Sealed	10.100 N	3.150 N	—	—
MLE71911HV	55 mm	80 mm	13 mm	Double Sealed	9.600 N	3.150 N	—	—
MLE71912CV	60 mm	85 mm	13 mm	Double Sealed	10.400 N	3.200 N	—	—
MLE71912HV	60 mm	85 mm	13 mm	Double Sealed	9.800 N	3.200 N	—	—
MLE71912HVUJ74S	60 mm	85 mm	13 mm	Double Sealed	9.800 N	3.200 N	—	—
MLE71913CV	65 mm	90 mm	13 mm	Double Sealed	17.600 N	3.200 N	—	—
MLE71913CVUJ74S	65 mm	90 mm	13 mm	Double Sealed	17.600 N	3.200 N	—	—
MLE71913HV	65 mm	90 mm	13 mm	Double Sealed	16.600 N	3.200 N	—	—
MLE71914CV	70 mm	100 mm	16 mm	Double Sealed	25.000 N	3.200 N	—	—
MLE71914HV	70 mm	100 mm	16 mm	Double Sealed	23.700 N	3.200 N	—	—
MLE71914HVUJ74S	70 mm	100 mm	16 mm	Double Sealed	23.700 N	3.200 N	—	—
MLE71915CV	75 mm	105 mm	16 mm	Double Sealed	26.000 N	3.200 N	—	—
MLE71915HV	75 mm	105 mm	16 mm	Double Sealed	24.600 N	3.200 N	—	—
MLE71916CV	80 mm	110 mm	16 mm	Double Sealed	27.000 N	3.250 N	—	—
MLE71916HV	80 mm	110 mm	16 mm	Double Sealed	25.500 N	3.250 N	—	—
MLE71917CV	85 mm	120 mm	18 mm	Double Sealed	31.500 N	3.250 N	—	—
MLE71917HV	85 mm	120 mm	18 mm	Double Sealed	29.500 N	3.250 N	—	—
MLE71918CV	90 mm	125 mm	18 mm	Double Sealed	32.500 N	3.250 N	—	—
MLE71918HV	90 mm	125 mm	18 mm	Double Sealed	30.500 N	3.250 N	—	—

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
MLE71919CV	95 mm	130 mm	18 mm	Double Sealed	33.000 N	3.300 N	—	—
MLE71919HV	95 mm	130 mm	18 mm	Double Sealed	31.000 N	3.300 N	—	—
MLE71920CV	100 mm	140 mm	20 mm	Double Sealed	42.500 N	3.300 N	—	—
MLE71920HV	100 mm	140 mm	20 mm	Double Sealed	40.000 N	3.300 N	—	—
MLE71922CV	110 mm	150 mm	20 mm	Double Sealed	44.500 N	3.300 N	—	—
MLE71922HV	110 mm	150 mm	20 mm	Double Sealed	42.000 N	3.300 N	—	—
MLE71924CV	120 mm	165 mm	22 mm	Double Sealed	52.000 N	3.350 N	—	—
MLE71924HV	120 mm	165 mm	22 mm	Double Sealed	49.000 N	3.350 N	—	—
MLE71926CV	130 mm	180 mm	24 mm	Double Sealed	64.000 N	3.350 N	—	—
MLE71926HV	130 mm	180 mm	24 mm	Double Sealed	60.000 N	3.350 N	—	—

CONTACT

Email: infos@catson.com.vn

Website: www.catson.vn

Phone: +84 28 3820 8888

Fax: +84 28 3826 8888