

Spherical Roller Bearing w/ Standard Bore & Oil Groove, 222 Series

Spherical Roller Bearings w/ Standard Bore

145 items



Select an NTN item number to open its detail page on www.catson.vn.

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
22205EAD1	25 mm	52 mm	18 mm	Open	57.300 N	46.100 N	10.400 RPM	13.000 RPM
22205EAD1C3	25 mm	52 mm	18 mm	Open	57.300 N	46.100 N	10.400 RPM	13.000 RPM
22205EAD1C4	25 mm	52 mm	18 mm	Open	57.300 N	46.100 N	10.400 RPM	13.000 RPM
22205EMD1	25 mm	52 mm	18 mm	Open	57.300 N	46.100 N	10.400 RPM	13.000 RPM
22205EMD1C3	25 mm	52 mm	18 mm	Open	57.300 N	46.100 N	10.400 RPM	13.000 RPM
22206EAD1	30 mm	62 mm	20 mm	Open	72.000 N	64.500 N	8.800 RPM	11.000 RPM
22206EAD1C3	30 mm	62 mm	20 mm	Open	75.700 N	64.500 N	8.800 RPM	11.000 RPM
22206EAD1C4	30 mm	62 mm	20 mm	Open	72.000 N	64.500 N	8.800 RPM	11.000 RPM
22206EMD1	30 mm	62 mm	20 mm	Open	75.700 N	64.500 N	8.800 RPM	11.000 RPM
22206EMD1C3	30 mm	62 mm	20 mm	Open	72.000 N	64.500 N	8.800 RPM	11.000 RPM
22207EAD1	35 mm	72 mm	23 mm	Open	100.000 N	92.000 N	7.500 RPM	9.400 RPM
22207EAD1C3	35 mm	72 mm	23 mm	Open	100.000 N	92.000 N	7.500 RPM	9.400 RPM
22207EAD1C4	35 mm	72 mm	23 mm	Open	100.000 N	92.000 N	7.500 RPM	9.400 RPM
22207EMD1	35 mm	72 mm	23 mm	Open	100.000 N	92.000 N	7.500 RPM	9.400 RPM
22207EMD1C3	35 mm	72 mm	23 mm	Open	100.000 N	92.000 N	7.500 RPM	9.400 RPM
22208EAD1	40 mm	80 mm	23 mm	Open	116.000 N	105.000 N	6.800 RPM	8.500 RPM
22208EAD1C3	40 mm	80 mm	23 mm	Open	116.000 N	105.000 N	6.800 RPM	8.500 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
22208EAD1C4	40 mm	80 mm	23 mm	Open	116.000 N	105.000 N	6.800 RPM	8.500 RPM
22208EMD1	40 mm	80 mm	23 mm	Open	110.000 N	98.000 N	6.800 RPM	8.500 RPM
22208EMD1C3	40 mm	80 mm	23 mm	Open	110.000 N	98.000 N	6.800 RPM	8.500 RPM
22209EAD1	45 mm	85 mm	23 mm	Open	121.000 N	113.000 N	6.100 RPM	7.700 RPM
22209EAD1C3	45 mm	85 mm	23 mm	Open	121.000 N	113.000 N	6.100 RPM	7.700 RPM
22209EAD1C4	45 mm	85 mm	23 mm	Open	121.000 N	113.000 N	6.100 RPM	7.100 RPM
22209EMD1	45 mm	85 mm	23 mm	Open	116.000 N	106.000 N	6.100 RPM	7.700 RPM
22209EMD1C3	45 mm	85 mm	23 mm	Open	115.000 N	113.000 N	6.100 RPM	7.700 RPM
22210EAD1	50 mm	90 mm	23 mm	Open	130.000 N	124.000 N	5.700 RPM	7.200 RPM
22210EAD1C3	50 mm	90 mm	23 mm	Open	130.000 N	124.000 N	5.700 RPM	7.200 RPM
22210EAD1C4	50 mm	90 mm	23 mm	Open	130.000 N	124.000 N	5.700 RPM	7.200 RPM
22210EMD1	50 mm	90 mm	23 mm	Open	125.000 N	117.000 N	5.700 RPM	7.200 RPM
22210EMD1C3	50 mm	90 mm	23 mm	Open	125.000 N	117.000 N	5.700 RPM	7.200 RPM
22211EAD1	55 mm	100 mm	25 mm	Open	155.000 N	148.000 N	5.300 RPM	6.700 RPM
22211EAD1C3	55 mm	100 mm	25 mm	Open	155.000 N	148.000 N	5.300 RPM	6.700 RPM
22211EAD1C4	55 mm	100 mm	25 mm	Open	155.000 N	148.000 N	5.300 RPM	6.700 RPM
22211EMD1	55 mm	100 mm	25 mm	Open	148.000 N	140.000 N	5.300 RPM	6.700 RPM
22211EMD1C3	55 mm	100 mm	25 mm	Open	148.000 N	140.000 N	5.300 RPM	6.700 RPM
22212EAD1	60 mm	110 mm	28 mm	Open	187.000 N	181.000 N	4.800 RPM	6.000 RPM
22212EAD1C3	60 mm	110 mm	28 mm	Open	187.000 N	181.000 N	4.800 RPM	6.000 RPM
22212EAD1C3-1005	60 mm	110 mm	28 mm	Open	125.000 N	117.000 N	5.700 RPM	7.200 RPM
22212EAD1C4	60 mm	110 mm	28 mm	Open	187.000 N	181.000 N	4.800 RPM	6.000 RPM
22212EMD1	60 mm	110 mm	28 mm	Open	179.000 N	171.000 N	4.800 RPM	6.000 RPM
22212EMD1C3	60 mm	110 mm	28 mm	Open	179.000 N	171.000 N	4.800 RPM	6.000 RPM
22213EAD1	65 mm	120 mm	31 mm	Open	226.000 N	224.000 N	4.400 RPM	5.500 RPM
22213EAD1C3	65 mm	120 mm	31 mm	Open	226.000 N	224.000 N	4.400 RPM	5.500 RPM
22213EAD1C4	65 mm	120 mm	31 mm	Open	226.000 N	224.000 N	4.400 RPM	5.500 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
22213EAX1D1	65 mm	120 mm	31 mm	Open	226.000 N	224.000 N	4.400 RPM	5.500 RPM
22213EMD1	65 mm	120 mm	31 mm	Open	217.000 N	212.000 N	4.400 RPM	5.500 RPM
22213EMD1C3	65 mm	120 mm	31 mm	Open	226.000 N	224.000 N	4.400 RPM	5.500 RPM
22214EAD1	70 mm	125 mm	31 mm	Open	235.000 N	240.000 N	4.100 RPM	5.200 RPM
22214EAD1C3	70 mm	125 mm	31 mm	Open	235.000 N	240.000 N	4.100 RPM	5.200 RPM
22214EAD1C4	70 mm	125 mm	31 mm	Open	235.000 N	240.000 N	4.100 RPM	5.200 RPM
22214EMD1	70 mm	125 mm	31 mm	Open	235.000 N	240.000 N	4.100 RPM	5.200 RPM
22214EMD1C3	70 mm	125 mm	31 mm	Open	235.000 N	240.000 N	4.100 RPM	5.200 RPM
22215EAD1	75 mm	130 mm	31 mm	Open	244.000 N	249.000 N	4.000 RPM	5.000 RPM
22215EAD1C2	75 mm	130 mm	31 mm	Open	244.000 N	249.000 N	4.000 RPM	5.000 RPM
22215EAD1C3	75 mm	130 mm	31 mm	Open	244.000 N	249.000 N	4.000 RPM	5.000 RPM
22215EAD1C4	75 mm	130 mm	31 mm	Open	244.000 N	249.000 N	4.000 RPM	5.000 RPM
22215ED1C3	75 mm	130 mm	31 mm	Open	244.000 N	249.000 N	4.000 RPM	5.000 RPM
22215EMD1	75 mm	130 mm	31 mm	Open	245.000 N	249.000 N	4.000 RPM	5.000 RPM
22215EMD1C3	75 mm	130 mm	31 mm	Open	245.000 N	249.000 N	4.000 RPM	5.000 RPM
22216EAD1	80 mm	140 mm	33 mm	Open	278.000 N	287.000 N	3.700 RPM	4.600 RPM
22216EAD1C2P6	80 mm	140 mm	33 mm	Open	278.000 N	287.000 N	3.700 RPM	4.600 RPM
22216EAD1C3	80 mm	140 mm	33 mm	Open	278.000 N	287.000 N	3.700 RPM	4.600 RPM
22216EAD1C4	80 mm	140 mm	33 mm	Open	278.000 N	287.000 N	3.700 RPM	4.600 RPM
22216EMD1	80 mm	140 mm	33 mm	Open	267.000 N	272.000 N	3.700 RPM	4.600 RPM
22216EMD1C3	80 mm	140 mm	33 mm	Open	267.000 N	272.000 N	3.700 RPM	4.600 RPM
22217EAD1	85 mm	150 mm	36 mm	Open	324.000 N	330.000 N	3.400 RPM	4.300 RPM
22217EAD1C3	85 mm	150 mm	36 mm	Open	324.000 N	330.000 N	3.400 RPM	4.300 RPM
22217EAD1C4	85 mm	150 mm	36 mm	Open	324.000 N	330.000 N	3.400 RPM	4.300 RPM
22217EMD1	85 mm	150 mm	36 mm	Open	324.000 N	330.000 N	3.400 RPM	4.300 RPM
22217EMD1C3	85 mm	150 mm	36 mm	Open	324.000 N	330.000 N	3.400 RPM	4.300 RPM
22218EAD1	90 mm	160 mm	40 mm	Open	384.000 N	398.000 N	3.200 RPM	4.000 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
22218EAD1C3	90 mm	160 mm	40 mm	Open	384.000 N	398.000 N	3.200 RPM	4.000 RPM
22218EAD1C4	90 mm	160 mm	40 mm	Open	384.000 N	398.000 N	3.200 RPM	4.000 RPM
22218ED1C3	90 mm	160 mm	40 mm	Open	384.000 N	398.000 N	—	4.000 RPM
22218EMD1	90 mm	160 mm	40 mm	Open	384.000 N	398.000 N	3.200 RPM	4.000 RPM
22218EMD1C3	90 mm	160 mm	40 mm	Open	384.000 N	398.000 N	3.200 RPM	4.000 RPM
22219EAD1	95 mm	170 mm	43 mm	Open	416.000 N	417.000 N	3.000 RPM	3.800 RPM
22219EAD1C3	95 mm	170 mm	43 mm	Open	416.000 N	417.000 N	3.000 RPM	3.800 RPM
22219EAD1C4	95 mm	170 mm	43 mm	Open	416.000 N	417.000 N	3.000 RPM	3.800 RPM
22219EMD1	95 mm	170 mm	43 mm	Open	416.000 N	417.000 N	3.000 RPM	3.800 RPM
22219EMD1C3	95 mm	170 mm	43 mm	Open	416.000 N	417.000 N	3.000 RPM	3.800 RPM
22220EAD1	100 mm	180 mm	46 mm	Open	472.000 N	495.000 N	2.800 RPM	3.600 RPM
22220EAD1C3	100 mm	180 mm	46 mm	Open	472.000 N	495.000 N	2.800 RPM	3.600 RPM
22220EAD1C4	100 mm	180 mm	46 mm	Open	472.000 N	495.000 N	2.800 RPM	3.600 RPM
22220EMD1	100 mm	180 mm	46 mm	Open	472.000 N	495.000 N	2.800 RPM	3.600 RPM
22220EMD1C3	100 mm	180 mm	46 mm	Open	472.000 N	495.000 N	2.800 RPM	3.600 RPM
22222EAD1	110 mm	200 mm	53 mm	Open	602.000 N	643.000 N	2.600 RPM	3.300 RPM
22222EAD1C3	110 mm	200 mm	53 mm	Open	602.000 N	643.000 N	2.600 RPM	3.300 RPM
22222EMD1	110 mm	200 mm	53 mm	Open	602.000 N	643.000 N	2.600 RPM	3.300 RPM
22222EMD1C3	110 mm	200 mm	53 mm	Open	602.000 N	643.000 N	2.600 RPM	3.300 RPM
22224EAD1	120 mm	215 mm	58 mm	Open	688.000 N	753.000 N	2.400 RPM	3.000 RPM
22224EAD1C2	120 mm	215 mm	58 mm	Open	688.000 N	753.000 N	2.400 RPM	3.000 RPM
22224EAD1C3	120 mm	215 mm	58 mm	Open	688.000 N	753.000 N	2.400 RPM	3.000 RPM
22224EAD1C4	120 mm	215 mm	58 mm	Open	688.000 N	753.000 N	2.400 RPM	3.000 RPM
22224EAD1W22C2	120 mm	215 mm	58 mm	Open	688.000 N	753.000 N	2.400 RPM	3.000 RPM
22224EMD1	120 mm	215 mm	58 mm	Open	688.000 N	753.000 N	2.400 RPM	3.000 RPM
22224EMD1C3	120 mm	215 mm	58 mm	Open	688.000 N	753.000 N	2.400 RPM	3.000 RPM
22226EAD1	130 mm	230 mm	64 mm	Open	808.000 N	898.000 N	2.200 RPM	2.800 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
22226EAD1-250	130 mm	230 mm	64 mm	Open	808.000 N	898.000 N	2.200 RPM	2.800 RPM
22226EAD1C3	130 mm	230 mm	64 mm	Open	808.000 N	898.000 N	2.200 RPM	2.800 RPM
22226EAD1C4	130 mm	230 mm	64 mm	Open	808.000 N	898.000 N	2.200 RPM	2.800 RPM
22226EAD1C5	130 mm	230 mm	64 mm	Open	808.000 N	898.000 N	2.200 RPM	2.800 RPM
22226EMD1	130 mm	230 mm	64 mm	Open	808.000 N	898.000 N	2.200 RPM	2.800 RPM
22226EMD1C3	130 mm	230 mm	64 mm	Open	808.000 N	898.000 N	2.200 RPM	2.800 RPM
22228EAD1	140 mm	250 mm	68 mm	Open	912.000 N	1.010.000 N	2.000 RPM	2.500 RPM
22228EAD1C3	140 mm	250 mm	68 mm	Open	912.000 N	1.010.000 N	2.000 RPM	2.500 RPM
22228EMD1	140 mm	250 mm	68 mm	Open	912.000 N	1.010.000 N	2.000 RPM	2.500 RPM
22228EMD1C3	140 mm	250 mm	68 mm	Open	912.000 N	1.010.000 N	2.000 RPM	2.500 RPM
22230EAD1	150 mm	270 mm	73 mm	Open	1.080.000 N	1.220.000 N	1.800 RPM	2.300 RPM
22230EAD1C3	150 mm	270 mm	73 mm	Open	1.080.000 N	1.220.000 N	1.800 RPM	2.300 RPM
22230EAD1C4	150 mm	270 mm	73 mm	Open	1.080.000 N	1.220.000 N	1.800 RPM	2.300 RPM
22230EMD1	150 mm	270 mm	73 mm	Open	1.080.000 N	1.220.000 N	1.800 RPM	2.300 RPM
22230EMD1C3	150 mm	270 mm	73 mm	Open	1.080.000 N	1.220.000 N	1.800 RPM	2.300 RPM
22230EMD1S01	150 mm	270 mm	73 mm	Open	1.080.000 N	1.220.000 N	1.800 RPM	2.300 RPM
22232EAD1	160 mm	290 mm	80 mm	Open	1.220.000 N	1.390.000 N	1.700 RPM	2.100 RPM
22232EAD1C3	160 mm	290 mm	80 mm	Open	1.220.000 N	1.390.000 N	1.700 RPM	2.100 RPM
22232EAD1C4	160 mm	290 mm	80 mm	Open	1.220.000 N	1.390.000 N	1.700 RPM	2.100 RPM
22232EMD1	160 mm	290 mm	80 mm	Open	1.220.000 N	1.390.000 N	1.700 RPM	2.100 RPM
22232EMD1C3	160 mm	290 mm	80 mm	Open	1.220.000 N	1.390.000 N	1.700 RPM	2.100 RPM
22232EMD1C4	160 mm	290 mm	80 mm	Open	1.220.000 N	1.390.000 N	1.700 RPM	2.100 RPM
22234EAD1	170 mm	310 mm	86 mm	Open	1.400.000 N	1.610.000 N	1.600 RPM	2.000 RPM
22234EAD1C3	170 mm	310 mm	86 mm	Open	1.400.000 N	1.610.000 N	1.600 RPM	2.000 RPM
22234EMD1	170 mm	310 mm	86 mm	Open	1.400.000 N	1.610.000 N	1.600 RPM	2.000 RPM
22234EMD1C3	170 mm	310 mm	86 mm	Open	1.400.000 N	1.610.000 N	1.600 RPM	2.000 RPM
22236EAD1	180 mm	320 mm	86 mm	Open	1.450.000 N	1.660.000 N	1.500 RPM	1.900 RPM

Item	d	D	B	Type	Dynamic	Static	Grease	Oil
22236EAD1C3	180 mm	320 mm	86 mm	Open	1.450.000 N	1.660.000 N	1.500 RPM	1.900 RPM
22236EMD1	180 mm	320 mm	86 mm	Open	1.450.000 N	1.660.000 N	1.500 RPM	1.900 RPM
22236EMD1C3	180 mm	320 mm	86 mm	Open	1.450.000 N	1.660.000 N	1.500 RPM	1.900 RPM
22238EAD1	190 mm	340 mm	92 mm	Open	1.620.000 N	1.870.000 N	1.400 RPM	1.800 RPM
22238EAD1C3	190 mm	340 mm	92 mm	Open	1.620.000 N	1.870.000 N	1.400 RPM	1.800 RPM
22238EMD1	190 mm	340 mm	92 mm	Open	1.620.000 N	1.870.000 N	1.400 RPM	1.800 RPM
22238EMD1C3	190 mm	340 mm	92 mm	Open	1.620.000 N	1.870.000 N	1.400 RPM	1.800 RPM
22240EAD1	200 mm	360 mm	98 mm	Open	1.810.000 N	2.100.000 N	1.400 RPM	1.700 RPM
22240EAD1C3	200 mm	360 mm	98 mm	Open	1.810.000 N	2.100.000 N	1.400 RPM	1.700 RPM
22240EMD1	200 mm	360 mm	98 mm	Open	1.810.000 N	2.100.000 N	1.400 RPM	1.700 RPM
22240EMD1C3	200 mm	360 mm	98 mm	Open	1.810.000 N	2.100.000 N	1.400 RPM	1.700 RPM
22244EAD1	220 mm	400 mm	108 mm	Open	2.210.000 N	2.690.000 N	1.200 RPM	1.500 RPM
22244EAD1C3	220 mm	400 mm	108 mm	Open	2.210.000 N	2.690.000 N	1.200 RPM	1.500 RPM
22244EMD1	220 mm	400 mm	108 mm	Open	2.210.000 N	2.690.000 N	1.200 RPM	1.500 RPM
22244EMD1C3	220 mm	400 mm	108 mm	Open	2.210.000 N	2.690.000 N	1.200 RPM	1.500 RPM
22248BD1C3	240 mm	440 mm	120 mm	Open	1.940.000 N	3.100.000 N	920 RPM	1.200 RPM
22252BD1	260 mm	480 mm	130 mm	Open	2.230.000 N	3.600.000 N	850 RPM	1.100 RPM
22252BL1D1	260 mm	480 mm	130 mm	Open	—	—	850 RPM	1.100 RPM
22252BL1D1C3	260 mm	480 mm	130 mm	Open	—	—	850 RPM	1.100 RPM
22256BD1	280 mm	500 mm	130 mm	Open	2.310.000 N	3.800.000 N	770 RPM	1.000 RPM

CONTACT

Email: infos@catson.com.vn

Website: www.catson.vn

Phone: +84 28 3820 8888

Fax: +84 28 3826 8888

