



ITEM NUMBER

C-UCP207D1-C

Pillow Block Unit, Set Screw, Cast Dust Cover,
Open End, UCP Type

Pillow Block Unit, Set Screw, Cast Dust Cover, Open
End, UCP Type

d
35 mm
Bore

D
—
Outside diameter

B
42,900 mm
Width

View details: <https://catson.vn/tra-cuu-vong-bi/ntn/c-ucp207d1-c/?lang=en>

Technical Specifications

Type	Pillow Block Unit
Bearing Type	Ball Bearing
Locking Device	Set Screw
Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UC207D1
Housing Number	C-P207D1
Housing Construction	1 Piece
End Type	Open
Performance	Light Duty
Dynamic Load Rating	25700 N
Static Load Rating	15300 N
Rotational Speed [Max]	4200 RPM
Weight	1.620 kg
Operating Temperature Range	-40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications

d	35.000 mm
J	127.0 mm
L	167.0 mm
A	48.0 mm
A5	48.000 mm
H	47.6 mm
H1	18.0 mm
H3	99.0 mm
L1	54.0 mm
N	17.0 mm
N1	20.0 mm
B	42.900 mm
S	17.500 mm
F	4.600 mm

Specifications

Ball Material	Through Hardened
Outside Diameter	72.000 mm
Bore Type	Cylindrical
Clearance	CN
Cage Material	Pressed Steel
Precision Rating	ISO Class 0
Radial Dynamic Load Rating	25700 N
Rotational Speed [Max]-Grease	3700 RPM
Outside Ring Width	16.000 mm
Inside Ring Width	16.000 mm
Radial Static Load Rating	15300 N

CONTACT

Email: infos@catson.com.vn



Website: www.catson.vn Phone: +84 28 3820 8888 Fax: +84 28 3826 8888	
--	--