



ITEM NUMBER

JELFU-1-2

Ultra-Class Four Bolt Flanged Unit, Eccentric Lock, JELFU Type

Ultra-Class Four Bolt Flanged Unit with Eccentric Lock

d
12,700 mm
Bore

D
—
Outside diameter

B
—
Width

View details: <https://catson.vn/tra-cuu-vong-bi/ntn/jelfu-1-2/?lang=en>

Technical Specifications

Type	4-Bolt Square Flanged Unit
Bearing Type	Ball Bearing
Locking Device	Eccentric Locking Collar
Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	A-JEL201-008D1
Housing Number	FU201D1V50
Housing Material	Cast Iron
Housing Construction	1 Piece
End Type	Open
Finish/Coating	Black Oxide
Performance	Light Duty
Dynamic Load Rating	9600 N
Static Load Rating	4580 N
Max Tightening Torque	69 lb·in
Rotational Speed [Max]	11000.0 RPM
Weight	0.530 kg

Operating Temperature Range	-40 to 120 °C
Lubrication	Outer Ring

Dimensional Specifications

d	12.700 mm
L	76.2 mm
J	54.0 mm
A	28.2 mm
A0	39.300 mm
A1	12.7 mm
A2	16.7 mm
N	10.7 mm
B1	28.600 mm
S	6.500 mm
F	2.600 mm

Specifications

Lubrication	Outer Ring
Ball Material	Through Hardened
Outside Diameter	40.000 mm
Bore Type	Cylindrical
Outside Ring Width	13.000 mm
Inside Ring Width	19.000 mm
Clearance	CN
Cage Material	Nylon
Precision Rating	ISO Class 0
Radial Dynamic Load Rating	9600 N
Radial Static Load Rating	4580 N
Rotational Speed [Max]-Grease	10650.0 RPM

CONTACT	
----------------	--

Email: infos@catson.com.vn

Website: www.catson.vn

Phone: +84 28 3820 8888

Fax: +84 28 3826 8888

