



ITEM NUMBER

SM-UCP213D1

Pillow Block Unit, Set Screw, Pressed Steel Dust Cover, Closed End, UCP Type

Pillow Block Unit, Set Screw, Pressed Steel Dust Cover, Closed End, UCP Type

d
65 mm
Bore

D
—
Outside diameter

B
65,100 mm
Width

View details: <https://catson.vn/tra-cuu-vong-bi/ntn/sm-ucp213d1/?lang=en>

Technical Specifications

Type	Pillow Block Unit
Bearing Type	Ball Bearing
Locking Device	Set Screw
Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UC213D1
Housing Number	SM-P213D1
Housing Material	Cast Iron
Housing Construction	1 Piece
End Type	One Open, One Closed
Performance	Light Duty
Dynamic Load Rating	57500 N
Static Load Rating	40000 N
Rotational Speed [Max]	2400.0 RPM
Weight	6.300 kg
Operating Temperature Range	-40 to 120 °C
Lubrication	Outer Ring

Dimensional Specifications

d	65.000 mm
J	203.0 mm
L	265.0 mm
A	70.0 mm
A4	107.0 mm
H	76.2 mm
H1	27.0 mm
H2	151.0 mm
N	25.0 mm
N1	28.0 mm
B	65.100 mm
S	25.400 mm
F	8.700 mm

Specifications

Lubrication	Outer Ring
Ball Material	Through Hardened
Outside Diameter	120.000 mm
Bore Type	Cylindrical
Outside Ring Width	32.000 mm
Inside Ring Width	65.100 mm
Clearance	CN
Cage Material	Pressed Steel
Precision Rating	ISO Class 0
Radial Dynamic Load Rating	57500 N
Radial Static Load Rating	40000 N
Rotational Speed [Max]-Grease	2400 RPM

CONTACT

Email: infos@catson.com.vn



Website: www.catson.vn Phone: +84 28 3820 8888 Fax: +84 28 3826 8888	
--	--