



ITEM NUMBER

SUCFL204

Two Bolt Rhombus Flanged Unit, Stainless Steel Housing, Set Screw, SUCFL Type

Two Bolt Rhombus Flanged Unit, Stainless Steel Housing, Set Screw, SUCFL Type

d
20 mm
Bore

D
—
Outside diameter

B
31 mm
Width

View details: <https://catson.vn/tra-cuu-vong-bi/ntn/sucfl204/?lang=en>

Technical Specifications

Type	2-Bolt Rhombus Flanged Unit
Bearing Type	Ball Bearing
Locking Device	Set Screw
Seal Type	Contact
Seal Material	Silicone
Bearing Number	SUC204
Housing Number	SFL204N
Insert Material	Stainless Steel
Housing Material	Stainless Steel
Housing Construction	1 Piece
End Type	Open
Performance	Normal Duty
Dynamic Load Rating	10100 N
Static Load Rating	6800 N
Rotational Speed [Max]	5900 RPM
Weight	0.470 kg
Operating Temperature Range	-20 to 120 °C

Lubrication

Outer Ring

Dimensional Specifications

d	20.000 mm
H	112.0 mm
L	59.0 mm
J	90.0 mm
A	25.5 mm
A1	12.0 mm
A2	33.300 mm
e	15.0 mm
N	12.0 mm
B	31.000 mm
S	12.700 mm

Specifications

Lubrication	Outer Ring
Ball Material	Stainless Steel
Bore Type	Cylindrical
Outside Ring Width	17.000 mm
Inside Ring Width	31.000 mm
Clearance	CN
Cage Material	Stainless Steel
Precision Rating	ISO Class 0
Radial Dynamic Load Rating	10100 N
Radial Static Load Rating	6800 N
Rotational Speed [Max]-Grease	10000 RPM

CONTACT

Email: infos@catson.com.vn

Website: www.catson.vn

Phone: +84 28 3820 8888

Fax: +84 28 3826 8888



--	--