



ITEM NUMBER

SUCP212C0

Pillow Block Unit, Stainless Steel Housing, Set Screw, Two Open Covers, SUCP Type

Pillow Block Unit, Stainless Steel Housing, Set Screw, Two Open Covers, SUCP Type

d
60 mm
Bore

D
—
Outside diameter

B
65,100 mm
Width

View details: <https://catson.vn/tra-cuu-vong-bi/ntn/sucp212c0/?lang=en>

Technical Specifications

Type	Pillow Block Unit
Bearing Type	Ball Bearing
Locking Device	Set Screw
Seal Type	Contact
Seal Material	Silicone
Bearing Number	SUC212
Housing Number	SP212N
Insert Material	Stainless Steel
Housing Material	Stainless Steel
Housing Construction	1 Piece
Performance	Light Duty
End Type	Open
Dynamic Load Rating	41000 N
Static Load Rating	31500 N
Rotational Speed [Max]	1900.0 RPM
Weight	6.070 kg
Operating Temperature Range	-20 to 120 °C

Lubrication	Outer Ring
-------------	------------

Dimensional Specifications

d	60.000 mm
J	184.0 mm
L	241.0 mm
A	70.0 mm
H	69.8 mm
H1	25.0 mm
H2	138.0 mm
N	20.0 mm
N1	25.0 mm
Z	91.300 mm
B	65.100 mm
S	25.400 mm

Specifications

Lubrication	Outer Ring
Ball Material	Stainless Steel
Outside Diameter	110.000 mm
Bore Type	Cylindrical
Outside Ring Width	27.000 mm
Inside Ring Width	65.100 mm
Clearance	CN
Cage Material	Stainless Steel
Precision Rating	ISO Class 0
Radial Dynamic Load Rating	41000 N
Radial Static Load Rating	31500 N
Rotational Speed [Max]-Grease	7100 RPM

CONTACT	
---------	--

Email: infos@catson.com.vn

Website: www.catson.vn

Phone: +84 28 3820 8888

Fax: +84 28 3826 8888

