



ITEM NUMBER

SUCPPL202-10

Pillow Block Unit, Thermoplastic Housing, Set Screw, SUCPPL Type

Pillow Block Unit, Thermoplastic Housing, Set Screw, SUCPPL Type

d
15,875 mm
Bore

D
—
Outside diameter

B
31 mm
Width

View details: <https://catson.vn/tra-cuu-vong-bi/ntn/sucppl202-10/?lang=en>

Technical Specifications

Type	Pillow Block Unit
Bearing Type	Ball Bearing
Locking Device	Set Screw
Seal Type	Contact
Seal Material	Silicone
Bearing Number	SUC202-10
Housing Number	PPL204
Insert Material	Stainless Steel
Housing Material	Thermoplastic
Housing Construction	1 Piece
Performance	Normal Duty
End Type	Open
Dynamic Load Rating	10100 N
Static Load Rating	6800 N
Rotational Speed [Max]	5900 RPM
Weight	0.320 kg
Operating Temperature Range	-20 to 120 °C

Lubrication

Outer Ring

Dimensional Specifications

d	15.875 mm
J	95.0 mm
L	127.0 mm
A	38.0 mm
H	33.3 mm
H1	14.2 mm
H2	65.0 mm
N	11.0 mm
N1	14.0 mm
B	31.000 mm
S	12.700 mm

Specifications

Lubrication	Outer Ring
Ball Material	Stainless Steel
Outside Diameter	47.000 mm
Bore Type	Cylindrical
Outside Ring Width	17.000 mm
Inside Ring Width	31.000 mm
Clearance	CN
Cage Material	Stainless Steel
Precision Rating	ISO Class 0
Radial Dynamic Load Rating	10100 N
Radial Static Load Rating	6800 N
Rotational Speed [Max]-Grease	4800 RPM

CONTACT

Email: infos@catson.com.vn

Website: www.catson.vn



Phone: +84 28 3820 8888

Fax: +84 28 3826 8888