


## Technical data

### LGBXH20FLSSNZ1-N

Conventional standard flange type carriage

#### VISUAL (S)



#### PRODUCT DEFINITION

|                  |                                                    |
|------------------|----------------------------------------------------|
| Brand            | SNR                                                |
| Series           | LGB                                                |
| Carriage version | X                                                  |
| Carriage Height  | H                                                  |
| Size             | 20                                                 |
| Design type      | FL                                                 |
| Sealing          | SS - End seals on both sides, inner and side seals |
| Precision class  | N                                                  |
| Preload class    | Z1                                                 |



**NTN Europe**

1 rue des Usines · BP 2017 · 74010 Annecy Cedex · France · Tel. +33 (0)4 50 65 30 00  
S.A. au capital de 322 639 919 € · RCS ANNECY B 325 821 072 · Id. Fiscale : FR 48 325 821 072  
SIRET 325 821 072 00015 · Code APE 2815 Z · Code NACE 28.15

# LGBXH20FLSSNZ1-N

Conventional standard flange type carriage

| PRODUCT DEFINITION     |                                       |
|------------------------|---------------------------------------|
| Material               | Carbon steel                          |
| Special options        | N - Standard                          |
| Lubrication connection | 00 - Hydraulic type grease nipple 67° |
| Lubricant              | A - SNR LUB HEAVY DUTY                |
| H                      | 30 mm                                 |
| W                      | 63 mm                                 |
| W2                     | 21,5 mm                               |
| E                      | 4,5 mm                                |
| L - Length             | 82,1 mm                               |
| B - Flange width       | 53 mm                                 |
| J                      | 40 mm                                 |
| MQ                     | M 6                                   |
| ih                     | 5,4 mm                                |
| I                      | 9 mm                                  |
| L1                     | 61,3 mm                               |
| H2                     | M 6                                   |
| T1                     | 7,1 mm                                |
| N                      | 12,3 mm                               |
| T2                     | 6,3 mm                                |
| L2                     | 4,25 mm                               |
| H3                     | M 6                                   |
| Lx                     | 3,8 mm                                |
| Mass                   | 0,46 kg                               |



## NTN Europe

1 rue des Usines · BP 2017 · 74010 Annecy Cedex · France · Tel. +33 (0)4 50 65 30 00  
 S.A. au capital de 322 639 919 € · RCS ANNECY B 325 821 072 · Id. Fiscale : FR 48 325 821 072  
 SIRET 325 821 072 00015 · Code APE 2815 Z · Code NACE 28.15

# LGBXH20FLSSNZ1-N

Conventional standard flange type carriage

## PRODUCT PERFORMANCE

|             |             |
|-------------|-------------|
| <b>C50</b>  | 18880000 mN |
| <b>C100</b> | 14980000 mN |
| <b>C0</b>   | 40110000 mN |
| <b>Mx</b>   | 0.376 kN-m  |
| <b>My</b>   | 0.366 kN-m  |
| <b>Mz</b>   | 0.366 kN-m  |



**NTN Europe**

1 rue des Usines · BP 2017 · 74010 Annecy Cedex · France · Tel. +33 (0)4 50 65 30 00  
S.A. au capital de 322 639 919 € · RCS ANNECY B 325 821 072 · Id. Fiscale : FR 48 325 821 072  
SIRET 325 821 072 00015 · Code APE 2815 Z · Code NACE 28.15