


Technical data

LGBXS15BSSSNZ2-N

Conventional standard block type carriage

VISUAL (S)



PRODUCT DEFINITION

Brand	SNR
Series	LGB
Carriage version	X
Carriage Height	S
Size	15
Design type	BS
Sealing	SS - End seals on both sides, inner and side seals
Precision class	N
Preload class	Z2



NTN Europe

1 rue des Usines · BP 2017 · 74010 Annecy Cedex · France · Tel. +33 (0)4 50 65 30 00
 S.A. au capital de 322 639 919 € · RCS ANNECY B 325 821 072 · Id. Fiscale : FR 48 325 821 072
 SIRET 325 821 072 00015 · Code APE 2815 Z · Code NACE 28.15

LGBXS15BSSSNZ2-N

Conventional standard block type carriage

PRODUCT DEFINITION

Material	Carbon steel
Special options	N - Standard
Lubrication connection	02 - Cup head grease nipple 0°
Lubricant	A - SNR LUB HEAVY DUTY
H	24 mm
W	34 mm
W2	9,5 mm
E	3,4 mm
L - Length	40,6 mm
B - Flange width	26 mm
MQ	M 4
I	4,8 mm
L1	22,2 mm
H2	M 3
T1	5,5 mm
N	5,7 mm
T2	4,5 mm
L2	4,2 mm
H3	M 3
Lx	3 mm
Mass	0,1 kg

PRODUCT PERFORMANCE

C50	4700000 mN
------------	------------



NTN Europe

1 rue des Usines · BP 2017 · 74010 Annecy Cedex · France · Tel. +33 (0)4 50 65 30 00
S.A. au capital de 322 639 919 € · RCS ANNECY B 325 821 072 · Id. Fiscale : FR 48 325 821 072
SIRET 325 821 072 00015 · Code APE 2815 Z · Code NACE 28.15

Page 2/3

LGBXS15BSSSNZ2-N
Conventional standard block type carriage

PRODUCT PERFORMANCE	
C100	3730000 mN
C0	9900000 mN
Mx	0.069 kN-m
My	0.032 kN-m
Mz	0.032 kN-m

