




Technical data

LGBXS15FNSSNZ1-N

Conventional standard flange type carriage

VISUAL (S)



PRODUCT DEFINITION

Brand	SNR
Series	LGB
Carriage version	X
Carriage Height	S
Size	15
Design type	FN
Sealing	SS - End seals on both sides, inner and side seals
Precision class	N
Preload class	Z1



NTN Europe

1 rue des Usines · BP 2017 · 74010 Annecy Cedex · France · Tel. +33 (0)4 50 65 30 00
S.A. au capital de 322 639 919 € · RCS ANNECY B 325 821 072 · Id. Fiscale : FR 48 325 821 072
SIRET 325 821 072 00015 · Code APE 2815 Z · Code NACE 28.15

LGBXS15FNSSNZ1-N

Conventional standard flange type carriage

PRODUCT DEFINITION	
Material	Carbon steel
Special options	N - Standard
Lubrication connection	02 - Cup head grease nipple 0°
Lubricant	A - SNR LUB HEAVY DUTY
H	24 mm
W	52 mm
W2	18,5 mm
E	3,3 mm
L - Length	58,6 mm
B - Flange width	41 mm
J	26 mm
MQ	M 5
ih	4,4 mm
I	7,5 mm
L1	40,2 mm
H2	M 4
T1	5,5 mm
N	5,7 mm
T2	4,5 mm
L2	4,2 mm
H3	M 4
Lx	3 mm
Mass	0,19 kg



NTN Europe

1 rue des Usines · BP 2017 · 74010 Annecy Cedex · France · Tel. +33 (0)4 50 65 30 00
 S.A. au capital de 322 639 919 € · RCS ANNECY B 325 821 072 · Id. Fiscale : FR 48 325 821 072
 SIRET 325 821 072 00015 · Code APE 2815 Z · Code NACE 28.15

LGBXS15FNSSNZ1-N
Conventional standard flange type carriage

PRODUCT PERFORMANCE	
C50	9460000 mN
C100	7510000 mN
C0	19900000 mN
Mx	0.137 kN-m
My	0.12 kN-m
Mz	0.12 kN-m

